

STANDARD CROSS SECTION THRU SELECT CRUSHED MATERIAL

ASPHALTIC MATERIAL SHALL NOT BE APPLIED TO THE SURFACE OF SELECT CRUSHED MATERIAL.



SECTION A-A



PLAN



STANDARD CROSS SECTION THRU CRUSHED AGGREGATE

ROUND STONE WILL NOT BE ACCEPTED.

NOTES

DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS.

WOOD FORMS MAY BE LEFT IN PLACE WHEN OF A QUALITY ACCEPTABLE TO THE ENGINEER.

PREFERRED SECTION SHOWN. FOR ALTERNATE SECTION SEE FDM 11-35-1.

SLOPE PAVING - STRUCTURES (CRUSHED AGGREGATE & SELECT CRUSHED MATERIAL)	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DEVELOPMENT SECTION	
APPROVED: Bill Oliva	DATE: 7-16

STANDARD 15.02