

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, July 14, 2015, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

Use the following link prior to June 19, 2015:

<http://roadwaystandards/hcci/bid-letting/index.shtm>

Use the following link beginning June 19, 2015:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 5, 8, 9, 10, 11, 13, 14, 15, 17, 18, 19, 23, 24, 28, 31

GRADING

7, 10, 18

CONCRETE PAVEMENT

5, 9, 14

ASPHALTIC PAVEMENT

11, 15, 16, 25, 27, 28

STRUCTURES

1, 2, 3, 4, 6, 8, 17, 22, 23, 29

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

4, 5, 12, 14, 21, 30, 31

1. Illinois State Line - Madison, CTH A Bridge, B-13-0709; Dane County; 1007-10-75; IH 39; 0.000 Miles; Mill, Grade, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipes, Guardrail, Signs, Pavement Marking, and Structure B-13-0709.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 10,445 CY; Borrow, 17,372 CY; Backfill Structure, 540 CY; Base Aggregate Dense, 10,914 Ton; Select Crushed Material, 1,235 Ton; Concrete Pavement, 150 SY; Concrete Masonry Bridges, 678 CY; Prestressed Girders, 1,787 LF 72W-Inch; Bar Steel Reinforcement, 9,010 Lbs; Bar Steel Reinforcement Coated, 111,295 Lbs; Piling Steel, 1,410 LF 10-Inch, 1,200 LF 12-Inch; Pavement Marking Epoxy, 6,310 LF; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 1,620 Dol; Incentive IRI Ride, 1,143 Dol; Incentive Strength Concrete Structure, 4,068 Dol; Incentive IRI Ride Bridge, 1,250 Dol; Culvert Pipe, 183 LF 48"; Culvert Pipe Corrugated Steel, 89 LF 18", 44 LF 24"; Steel Plate Beam Guard, 1,016 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-0.3, 911 Ton, Type E-30X, 1,615 Ton; Removing Asphaltic Surface Milling, 1,245 SY; Tack Coat, 702 Gals; Asphaltic Material, 157 Ton; Concrete Staining, 11,660 SF; Architectural Surface Treatment, 2,265 SF; Slope Paving Crushed Aggregate, 445 SY; Signs, 21 SF; Conduit, 1,563 LF; Precast Pier Columns, 66 LF; Precast Pier Caps, 40 LF; Longitudinal Grooving Bridge Deck, 10,790 SF.

DBE Goal: NA

Contract Completion Date: May 15, 2016

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

2. Illinois State Line - Madison, Edgerton Road Bridge, B-13-0703; Dane County; 1007-10-76; IH 39; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipes, Guardrail, Signs, Pavement Marking, and Structure B-13-703.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 14,376 CY; Borrow, 14,577 CY; Backfill Structure, 510 CY; Base Aggregate Dense, 5,106 Ton; Select Crushed Material, 8,083 Ton; Concrete Pavement, 105 SY; Concrete Masonry Bridges, 612 CY; Prestressed Girders, 1,535 LF 54W-Inch; Bar Steel Reinforcement, 9,260 Lbs; Bar Steel Reinforcement Coated, 96,280 Lbs; Piling Steel, 2,395 LF 10-Inch; Pavement Marking Epoxy, 8,301 LF; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 900 Dol; Incentive IRI Ride, 1,630 Dol; Incentive Strength Concrete Structure, 3,672 Dol; Culvert Pipe Corrugated Steel, 188 LF 18", 74 LF 30"; Culvert Pipe Reinforced Concrete, 159 LF 36", 165 LF 42"; Steel Plate Beam Guard, 416 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 5 Each; Asphaltic Surface, 111 Ton; HMA Pavement Type E-0.3, 1,375 Ton, Type E-30X, 30 Ton; Tack Coat, 544 Gals; Asphaltic Material, 84 Ton; Concrete Staining, 9,600 SF; Architectural Surface Treatment, 2,140 SF; Slope Paving Crushed Aggregate, 345 SY; Signs, 6 SF; Conduit, 1,358 LF; Precast Pier Columns, 57 LF.

DBE Goal: NA

Contract Completion Date: May 15, 2016

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

3. Madison - Portage, Hoepker Road Bridge, B-13-0100; Dane County; 1011-04-78; IH 39; 0.053 Miles; Base, Asphaltic Surface, Signs, Pavement Marking, and Structure B-13-100.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 20 Ton; Concrete Masonry Overlay, 72 CY; Bar Steel Reinforcement Coated, 1,440 Lbs; Pavement Marking Epoxy, 1,120 LF; Asphaltic Surface, 36 Ton; Tack Coat, 4 Gals; Preparation Decks, 305 SY; Concrete Surface Repair, 320 SF; Structure Overcoating Cleaning and Priming, 1 Lump Sum; Signs, 22 SF.

DBE Goal: NA

Contract Completion Date: November 6, 2015

Contact Information: Robert Lex, (608) 246-5622 / robert.lex@dot.wi.gov

4. Platteville - Dodgeville, Pecatonica River Bridge, B-33-97; Lafayette County; 1202-00-61, WISC 2015 418; USH 151; 0.070 Miles; Polymer Overlay and Pavement Marking.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 700 LF; Polymer Overlay, 1,510 SY.

DBE Goal: DISC

Contract Completion Time: 5 Calendar Days

Contact Information: Mahesh Shrestha, (608) 245-2674 /
mahesh.shrestha@dot.wi.gov

5. Mount Horeb - Madison, Town Hall Road - West Junction CTH MV; Dane County; 1204-08-61; USH 18; 6.757 Miles; Mill, Base, Concrete Pavement Repair and Replacement, Asphalt Pavement, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 3,620 Ton; Pavement Marking Epoxy, 169,200 LF; Construction Staking, 35,678 LF; HMA Pavement Type E-0.3, 6,150 Ton; Removing Asphaltic Surface Milling, 24,400 SY; Asphaltic Material, 340 Ton; Concrete Pavement Repair, 5,875 SY; Concrete Pavement Replacement, 4,020 SY; Signs, 4,502 SF.

DBE Goal: NA

Contract Completion Date: November 30, 2015

Contact Information: Michael Rampetsreiter, (608) 246-7917 /
michael.rampetsreiter@dot.wi.gov

6. Lake Delton - Sauk City Road, Terrytown Road to Ski Hi Road, Phase 2; Sauk County; 1674-00-82, WISC 2015 419; USH 12; 3.834 Miles; Grade, Base, Asphalt Pavement, Pavement Marking, Curb and Gutter, Concrete Pavement, and Structures B-56-207, 208, 211, 212, 214, and 215.

Guaranty Required: \$420,000.00

Estimate of Principal Items: Excavation Common, 3,511 CY; Borrow, 10,000 CY; Backfill Structure, 2,287 CY; Base Aggregate Dense, 2,524 Ton; Concrete Masonry Bridges, 13,187 CY; Concrete Masonry Seal, 124 CY; Prestressed Girders, 15,487 LF 72W-Inch, 5,421 LF 54W-Inch; Bar Steel Reinforcement, 728,275 Lbs; Bar Steel Reinforcement Coated, 1,597,405 Lbs; Piling CIP Concrete, 4,030 LF 10 3/4-Inch; Piling Steel, 15,950 LF 10-Inch, 14,120 LF 12-Inch; Pavement Marking Epoxy, 275 LF; Construction Staking, 640 LF; Construction Staking, 7 LS; Incentive Strength Concrete Structure, 79,122 Dol; Concrete Curb and Gutter, 640 LF; Asphaltic Surface, 125 Ton; HMA Pavement Type E-10, 18 Ton; Tack Coat, 4 Gals; Asphaltic Material, 1 Ton; Colored and Stamped Concrete 5-Inch, 175 SY; Pile Dynamic Analyzer (PDA) Testing, 12 Each; Pile Dynamic Analyzer (PDA) Restrikes, 12 Each; CAsE Pile Wave Analysis Program (CAPWAP) Evaluation, 6 Each; Bar Steel Reinforcement HS Stainless Structures, 10,005 Lbs; Pre-Boring Rock or Consolidated Materials, 920 SF; Slope Paving Select Crushed Material, 4,157 SY.

DBE Goal: 3 %

Contract Completion Date: September 30, 2016

Contact Information: Jeremy Krachey, (608) 789-5702 / jeremy.krachey@dot.wi.gov

7. Patterson Road Bridge and Approaches, Town of Clarno; Green County; 5318-00-72, WISC 2015 420; Town Road; 0.204 Miles; Grade, Base, Asphalt Pavement, Culvert Pipes, and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 21,669 CY; Excavation Rock, 5,983 CY; Base Aggregate Dense, 2,080 Ton; Construction Staking, 4,200 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 500 Dol; Culvert Pipe, 108 LF 18"; HMA Pavement Type E-0.3, 780 Ton; Tack Coat, 242 Gals; Asphaltic Material, 43 Ton; Concrete Driveway, 60 SY; Signs, 53 SF; Limestone Screenings, 75 Ton.

DBE Goal: 5 %

Contract Completion Date: October 30, 2015

Contact Information: Scott LaCoursiere, (608) 243-6471 / slacoursiere@otie.com

8. Blue Mounds - Black Earth, Ryan Creek Bridge, B-13-0671; Dane County; 5844-00-73, WISC 2015 421; CTH F; 0.104 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Guardrail, Pavement Marking, and Structure B-13-671.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 710 CY; Borrow, 760 CY; Backfill Structure, 210 CY; Base Aggregate Dense, 1,526 Ton; Concrete Pavement, 113 SY; Concrete Masonry Bridges, 213 CY; Bar Steel Reinforcement, 4,340 Lbs; Bar Steel Reinforcement Coated, 26,170 Lbs; Piling Steel, 360 LF 10-Inch; Pavement Marking Epoxy, 2,225 LF; Construction Staking, 1,575 LF; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 230 Dol; Incentive Strength Concrete Structure, 1,278 Dol; Steel Plate Beam Guard, 333 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-1, 351 Ton; Tack Coat, 110 Gals; Asphaltic Material, 19 Ton; Select Crushed Material for Travel Corridor / Interstitial Space, 45 Ton.

DBE Goal: 8 %

Contract Completion Date: November 19, 2015

Contact Information: Scott LaCoursiere, (608) 243-6471 / slacoursiere@otie.com

9. Zoo Interchange, Locust Street Parking Lot, Parking Lot at USH 45 and Locust Street; Milwaukee County; 1060-35-84; USH 45; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscaping, Lighting, Signing, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,409 CY; Base Aggregate Dense, 1,107 Ton; Select Crushed Material, 250 Ton; Concrete Pavement, 1,818 SY; Pavement Marking Epoxy, 498 LF; Incentive Strength Concrete Pavement, 500 Dol; Storm Sewer Pipe Reinforced Concrete, 133 LF 12"; Concrete Curb, 19 LF; Concrete Curb and Gutter, 1,340 LF; Concrete Sidewalk, 6,265 SF; Asphaltic Surface, 48 Ton; Removing Asphaltic Surface Milling, 24 SY; Trees, 33 Each; Signs, 34 SF; Concrete Bases, 7 Each; Pull Boxes, 2 Each; Poles, 4 Each.

DBE Goal: NA

Contract Completion Date: October 31, 2015

Contact Information: Chris Zacharias, (262) 548-6716 / christopher.zacharias@dot.wi.gov

10. Rock Freeway, Evergreen Drive, B-67-120/121; Waukesha County; 1090-19-77; I-43; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Beam Guard, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,233 CY; Excavation Marsh, 37 CY; Base Aggregate Dense, 524 Ton; Breaker Run, 370 Ton; Pavement Marking Epoxy, 1,528 LF; Construction Staking, 2,185 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 46 LF 24"; Culvert Pipe Reinforced Concrete, 78 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 60 LF 29" X 45"; Concrete Curb and Gutter, 376 LF; Steel Plate Beam Guard, 425 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 294 Ton; Tack Coat, 92 Gals; Riprap, 130 CY.

DBE Goal: NA

Contract Completion Date: October 31, 2015

Contact Information: Greg Hafeman, (262) 548-8677 / greg.hafeman@dot.wi.gov

11. Slinger - Addison, Maple Avenue to W. County Line; Washington County; 3360-04-60; STH 175; 0.000 Miles; Mill, Base, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,088 Ton; Pavement Marking Wet Reflective Tape, 280 LF; Pavement Marking Epoxy, 266,740 LF; Pavement Marking Thermoplastic, 958 LF; Construction Staking, 54,336 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 16,102 Dol; Incentive IRI Ride, 20,128 Dol; Concrete Curb and Gutter, 108 LF; Steel Plate Beam Guard, 1,925 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 280 Ton; HMA Pavement Type E-1, 25,160 Ton; Removing Asphaltic Surface Milling, 21,790 Ton; Tack Coat, 9,799 Gals; Asphaltic Material, 1,384 Ton; Signs, 2,308 SF.

DBE Goal: NA

Contract Completion Date: October 31, 2015

Contact Information: Doug Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

12. Various Locations, Crack Sealing - FY 2016; Southeast Region-Wide; 4890-00-71; Various Highways; 0.000 Miles; Crack Seal, Rout and Seal, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 782,872 LF; Crack Seal, 130,791 Lbs; Rout and Seal, 108,893 Lbs.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: John Kanzenbach, (262) 548-6467 /
john.kanzenbach@dot.wi.gov

13. Green Bay - Sturgeon Bay, Pine Road Mitigation Site; Green Bay - Sturgeon Bay, CTH C Intersection; Door County; 1009-32-74; 4430-15-71, WISC 2015 429; STH 57; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Lighting, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 3,913 CY; Borrow, 4,305 CY; Backfill Granular, 13 CY; Base Aggregate Dense, 7,733 Ton; Breaker Run, 3,000 Ton; Pavement Marking Wet Reflective Tape, 3,204 LF; Pavement Marking Epoxy, 6,064 LF; Construction Staking, 12,367 LF; Construction Staking, 14 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 1,294 Dol; Culvert Pipe Reinforced Concrete, 83 LF 24"; Storm Sewer Pipe Reinforced Concrete, 427 LF 15", 14 LF 18"; Concrete Curb, 329 LF; Concrete Curb and Gutter, 1,773 LF; Concrete Sidewalk, 13,183 SF; HMA Pavement Type E-1, 2,021 Ton; Tack Coat, 434 Gals; Asphaltic Material, 111 Ton; Riprap, 17 CY; Signs, 1,151 SF; Pull Boxes, 23 Each; Concrete Bases, 9 Each; Poles, 1 Each.

DBE Goal: 8 %

Contract Completion Time: 40 Working Days

Contact Information: Jeremy Ashauer, (920) 492-4165 / jeremy.ashauer@dot.wi.gov

14. Oshkosh - Appleton, CTH II - STH 441; Neenah - Appleton, Breezewood Lane - STH 15; Winnebago and Outagamie Counties; 1120-29-71, WISC 2015 422; 1120-54-61, WISC 2015 423; USH 41; 9.053 Miles; Milling, Polymer Overlay, Curb, Asphalt Pavement, Concrete Pavement Repair, Concrete Pavement Replacement, Concrete Barrier Repair, High Friction Surface Treatment, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Wet Reflective Tape, 72,222 LF; Pavement Marking Epoxy, 211,316 LF; Construction Staking, 92,200 LF; Incentive Density HMA Pavement, 50 Dol; Concrete Curb, 20 LF; HMA Pavement Type E-0.3, 65 Ton; Removing Asphaltic Surface Milling, 3,261 SY; Tack Coat, 270 Gals; Asphaltic Material, 4 Ton; Concrete Pavement Repair, 6,183 SY; Concrete Pavement Replacement, 6,187 SY; Polymer Overlay, 4,300 SY; Repair Concrete Barrier, 52 LF; High Friction Surface Treatment, 16,274 SY.

DBE Goal: 5 %

Contract Completion Date: November 15, 2015

Contact Information: William Bertrand, (920) 492-5708 / william.bertrand@dot.wi.gov

15. Ripon - Rosendale, Douglas Street - Lafayette Street; Fond du Lac County; 1430-15-71, WISC 2015 424; STH 23; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Signing, Pavement Marking, and Structure B-20-232.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,218 CY; Selected Borrow, 74 CY; Backfill Granular, 1,440 CY; Backfill Structure, 258 CY; Base Aggregate Dense, 9,701 Ton; Breaker Run, 202 CY; Concrete Masonry Culverts, 240 CY; Bar Steel Reinforcement, 28,760 Lbs; Bar Steel Reinforcement Coated, 3,000 Lbs; Pavement Marking Wet Reflective Tape, 82,160 LF; Pavement Marking Epoxy, 43,390 LF; Construction Staking, 41,110 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 22,400 Dol; Incentive IRI Ride, 31,120 Dol; Incentive Strength Concrete Structure, 1,440 Dol; Culvert Pipe Reinforced Concrete, 100 LF 30", 373 LF 36", 96 LF 42"; Storm Sewer Pipe Reinforced Concrete, 64 LF 12", 16 LF 18", 8 LF 24"; Concrete Curb and Gutter, 30 LF; Concrete Sidewalk, 150 SF; Steel Plate Beam Guard, 300 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 400 Ton; HMA Pavement Type E-3, 35,000 Ton; Removing Asphaltic Surface Milling, 142,310 SY; Tack Coat, 17,375 Gals; Asphaltic Material, 2,000 Ton; Riprap, 103 CY; Signs, 618 SF; Gravel Bed Substrate, 97 Ton.

DBE Goal: 7 %

Contract Completion Date: November 15, 2015

Contact Information: Becky Reese, (920) 492-3504 / becky.reese@dot.wi.gov

16. Fond du Lac - Plymouth, CTH UU - Log Tavern Road; Fond du Lac County; 1440-15-79; STH 23; 0.000 Miles; Mill, Base, Asphalt Pavement, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 4,850 Ton; Pavement Marking Epoxy, 107,850 LF; Construction Staking, 32,738 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 8,740 Dol; Incentive IRI Ride, 24,800 Dol; HMA Pavement Type E-3, 13,650 Ton; Removing Asphaltic Surface Milling, 110,900 SY; Tack Coat, 8,100 Gals; Asphaltic Material, 750 Ton; Signs, 81 SF.

DBE Goal: NA

Contract Completion Time: 20 Working Days

Contact Information: Kyle Treml, (920) 492-4109 / kyle.treml@dot.wi.gov

17. USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-07-79, WISC 2015 426; USH 10; 0.806 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement, Bridge Construction, Culvert Pipe, Storm Sewer, Curb and Gutter, Beam Guard, Concrete Barrier, Street Lighting, Sign Bridges, Signs, and Pavement Markings.

Guaranty Required: \$350,000.00

Estimate of Principal Items: Excavation Common, 74,518 CY; Borrow, 3,227 CY; Backfill Structure, 348 CY; Base Aggregate Dense, 38,757 Ton; Breaker Run, 47,534 Ton; Concrete Pavement, 940 SY; Prestressed Girders, 2,175 LF 45-Inch, 4,991 LF 72-Inch; Bar Steel Reinforcement, 95,120 Lbs; Bar Steel Reinforcement Coated, 827,070 Lbs; Piling Steel, 560 LF 12-Inch, 4,270 LF 14-Inch; Pavement Marking Wet Reflective Tape, 168 LF; Pavement Marking Epoxy, 109,129 LF; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 4,897 Dol; Incentive Density HMA Pavement, 2,280 Dol; Incentive IRI Ride, 14,020 Dol; Incentive Strength Concrete Structure, 25,326 Dol; Culvert Pipe Reinforced Concrete, 178 LF 24", 57 LF 18"; Storm Sewer Pipe Reinforced Concrete, 519 LF 12", 1,059 LF 24", 788 LF 15", 472 LF 18"; Concrete Curb, 27 LF; Concrete Curb and Gutter, 4,924 LF; Steel Plate Beam Guard, 3,189 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 4,095 Ton; HMA Pavement Type E-0.3, 3,360 Ton; Tack Coat, 1,312 Gals; Asphaltic Material, 185 Ton; Concrete Base, 1,461 SY; Bar Steel Reinforcement Stainless, 1,840 SY; Concrete Barrier, 388 LF; Sign Bridge, 4 LS; Aluminum Poles, 13 Each; High Performance Concrete Masonry Bridges, 4,221 CY; High Performance Concrete Pavement, 17,719 SY; Signs, 140 SF.

DBE Goal: 8 %

Contract Completion Date: May 1, 2017

Contact Information: Scott Ebel, (920) 492-2240 / scott.ebel@dot.wi.gov

18. USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-07-83, WISC 2015 427; Non-Highway; 0.000 Miles; Grading and Wetland Seeding.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 52,920 CY; Construction Staking, 1 LS; Drain Tile Exploration 2,900 LF; Wet Meadow and Marsh Seed, 235 Lbs.

DBE Goal: 9 %

Contract Completion Date: October 30, 2015

Contact Information: Scott Ebel, (920) 492-2240 / scott.ebel@dot.wi.gov

19. USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-75-75, WISC 2015 428; USH 10; 0.793 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Construction, Retaining Walls, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Median, Beam Guard, Concrete Barrier, Traffic Signals, Street Lighting, ITS, Sign Structures, Signs, Pavement Markings, and Fencing.

Guaranty Required: \$780,000.00

Estimate of Principal Items: Excavation Common, 463,875 CY; Backfill Granular, 305 CY; Backfill Structure, 1,812 CY; Base Aggregate Dense, 75,159 Ton; Breaker Run, 110,424 Ton; Concrete Pavement, 2,207 SY; Prestressed Girders, 6,593 LF 36-Inch; Bar Steel Reinforcement, 60,110 Lbs; Bar Steel Reinforcement Coated, 887,170 Lbs; Piling Steel, 2,970 LF 10-Inch, 14,715 LF 12-Inch; Pavement Marking Wet Reflective Tape, 2,014 LF; Pavement Marking Epoxy, 77,936 LF; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 5,922 Dol; Incentive Density HMA Pavement, 1,500 Dol; Incentive IRI Ride, 24,496 Dol; Incentive Strength Concrete Structure, 30,756 Dol; Culvert Pipe Corrugated Steel, 171 LF 18", 132 LF 30", 61 LF 42"; Storm Sewer Pipe Reinforced Concrete, 1,350 LF 12", 2,057 LF 24", 405 LF 42", 238 LF 96", 1,559 LF 15", 900 LF 30", 294 LF 54", 1,197 LF 18", 1,009 LF 36", 547 LF 60"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 568 LF 38" X 60", 222 LF 29" X 45"; Concrete Curb and Gutter, 7,091 LF; Concrete Sidewalk, 3,539 SF; Steel Plate Beam Guard, 745 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 9,273 Ton; HMA Pavement Type E-0.3, 2,127 Ton, Type E-10, 204 Ton; Tack Coat, 1,988 Gals; Asphaltic Material, 130 Ton; Backfill Coarse Aggregate, 72 CY; Concrete Base, 3,556 CY; Concrete Truck Apron, 438 SY; Concrete Masonry Retaining Walls, 413 CY; Bar Steel Reinforcement Stainless, 11,540 Lbs; Concrete Barrier, 9,996 LF; Chain Link Fence, 3,778 LF; Concrete Median Nose, 715 SF; Sign Bridge, 2 LS; Overhead Sign Support, 2 LS; Aluminum Poles, 50 Each; Traffic Signal Standards, 1 Each; Conduit, 20,505 LF; Roadway Embankment, 379,060 CY; Drainage Blanket, 72,277 CY; Pond Clay Liner, 27,815 CY; High Performance Concrete Masonry Bridges, 4,713 CY; Prefabricated Vertical Drains, 1,880,512 LF; Pavement Marking Preformed Plastic, 273 LF; Signs, 1,314 SF; Prestressed Precast Concrete Wall, 5,150 SF; Wire Faced Wall Mechanically Stabilized Earth, 5,150 SF; High Performance Concrete Pavement, 44,752 SY.

DBE Goal: 10 %

Contract Completion Date: November 7, 2016

***** PRE-BID MEETING *****

DATE: June 30, 2015 **TIME:** 1:00 – 3:00 PM

LOCATION: W6214 Aerotech Drive
Appleton, WI 54914

NOTES: The meeting is not mandatory. No meeting minutes will be prepared. Issues discovered at the meeting which may impact the contract will be handled by addendum.

Contact Information: Scott Ebel, (920) 492-2240 / scott.ebel@dot.wi.gov

20. DEFERRED

21. Village of Hobart, CTH J, County Line Road - Hillcrest Drive; Brown County; 9286-04-71, WISC 2015 431; CTH J; 3.992 Miles; Rumble Strips, Signs, and Pavement Marking.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Asphalt Center Line Rumble Strips 2-Lane Rural, 13,500 LF; Signs, 156 SF; Pavement Marking Grooved Wet Reflective Epoxy, 56,225 LF.

DBE Goal: DISC

Contract Completion Time: 12 Calendar Days

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

22. City of Marinette, Lift Structure, Ogden Street Bridge, B-38-16, Menominee River, 84.10; Marinette County; 9995-03-60; Local Street; 0.109 Miles; Structure B-38-16.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Structural Steel Carbon, 4,260 Lbs; Removal of Existing Dolphins and Walkways, 1 Lump Sum; Excavation for Protection Cells, 1 Lump Sum; Treated Lumber and Timber for Fenders and Walkways, 1 Lump Sum; Pier Protection System, 1 Lump Sum; Electrical Work, 1 Lump Sum.

DBE Goal: NA

Contract Completion Time: 120 Working Days

Contact Information: Paul Zoellner, (920) 492-0132 / paul.zoellner@dot.wi.gov

23. Packwaukee - Coloma, B-39-30, 31, 32, 34, and 36; Marquette County; 1166-07-61, WISC 2015 432; I-39; 0.000 Miles; Mill, Grade, Base, Asphalt Pavement, Concrete Pavement, Beam Guard, Signing, Pavement Marking, and Structures B-39-30, 31, 32, 34, and 36.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Backfill Structure, 25 CY; Base Aggregate Dense, 70 Ton; Concrete Pavement, 437 SY; Concrete Masonry Bridges, 5 CY; Concrete Masonry Overlay, 238 CY; Bar Steel Reinforcement Coated, 590 Lbs; Pavement Marking Wet Reflective Tape, 36 LF; Construction Staking, 1,888 LF; Construction Staking, 6 LS; HMA Pavement Type E-10, 1,292 Ton; Removing Asphaltic Surface Milling, 349 Ton; Tack Coat, 675 Gals; Asphaltic Material, 72 Ton; Signs, 68 SF; Paving Notch Repair, 162 LF.

DBE Goal: 8 %

Contract Completion Time: 40 Working Days

Contact Information: Dan Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

24. Stevens Point - Merrill, B-37-157, 161, 162, 165, and 166; Marathon County; 1166-07-62, WISC 2014 343; USH 51; 1.767 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Rehabilitation, Deck Overlay, Bridge Painting, Storm Sewer, Curb and Gutter, Sidewalk, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 228 CY; Base Aggregate Dense, 838 Ton; Concrete Pavement, 124 SY; Concrete Masonry Bridges, 4 CY; Concrete Masonry Overlay, 326 CY; Bar Steel Reinforcement Coated, 3,840 Lbs; Pavement Marking Epoxy, 44,400 LF; Construction Staking, 15,621 LF; Construction Staking, 2 Each; Construction Staking, 6 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 5,310 Dol; Storm Sewer Pipe Reinforced Concrete, 25 LF 12"; Concrete Curb and Gutter, 73 LF; Concrete Sidewalk, 365 SF; Steel Plate Beam Guard, 208 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-3, 90 Ton, Type E-10, 3,090 Ton; Removing Asphaltic Surface Milling, 27,595 SY; Tack Coat, 1,630 Gals; Asphaltic Material, 175 Ton; Asphaltic Base Widening, 200 Ton; Preparation Decks, 674 SY; Cleaning Decks, 1,030 SY; Concrete Surface Repair, 102 SY; Polymer Overlay, 560 SY; Cleaning Parapets, 1,120 LF; Structure Repainting, 1 LS; Temporary Traffic Signals, 1 LS; Signs, 54 SF.

DBE Goal: 8 %

Contract Completion Date: June 30, 2016

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

25. STH 70 - CTH A, Fishel Road, FH59 FR2193; Forest County; 9808-00-71, WISC 2015 235; Town Road; 4.101 Miles; Grade, Base, Asphalt Pavement, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 140 CY; Base Aggregate Dense, 1,600 Ton; Breaker Run, 90 CY; Pavement Marking Paint, 45,910 LF; Construction Staking, 21,655 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 3,870 Dol; Asphaltic Surface, 40 Ton; HMA Pavement Type E-0.3, 6,040 Ton; Tack Coat, 2,450 Gals; Asphaltic Material, 365 Ton.

DBE Goal: 5 %

Contract Completion Time: 15 Working Days

Contact Information: Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

26. DEFERRED

27. Spooner - Hayward, CTH M - Vermont Avenue; Washburn and Sawyer Counties; 1560-30-71, WISC 2015 434; USH 63; 12.804 Miles; Mill, Grade, Base, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 201 CY; Selected Borrow, 1,944 CY; Base Aggregate Dense, 5,040 Ton; Pavement Marking Epoxy, 348,382 LF; Construction Staking, 72,792 LF; Construction Staking, 15 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 30,460 Dol; Incentive IRI Ride, 57,122 Dol; Culvert Pipe Corrugated Steel, 106 LF 18"; Culvert Pipe Reinforced Concrete, 300 LF 36", 266 LF 24", 176 LF 48"; Storm Sewer Pipe Reinforced Concrete, 5 LF 15"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 62 LF 14" X 23"; Concrete Curb and Gutter, 3,344 LF; Steel Plate Beam Guard, 2,706 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 512 Ton; HMA Pavement Type E-3 Special, 24,124 Ton, Type E-10 Special, 25,779 Ton; Removing Asphaltic Surface Milling, 251,056 SY; Tack Coat, 13,900 Gals; Signs, 1,605 SF; Asphaltic Surface Special, 3,423 Ton.

DBE Goal: 5 %

Contract Completion Date: October 30, 2015

Contact Information: Matt Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

28. City of Altoona, USH 12, McCann Drive Intersection; Eau Claire - Fairchild, Otter Creek to 500 Ft. W. Industrial Drive; Eau Claire County; 7080-00-74, WISC 2015 435; 7080-03-74, WISC 2015 436; USH 12; 2.099 Miles; Mill, Remove Concrete Surface Partial Depth, Grade, Base, Asphalt Pavement, Concrete Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,059 CY; Borrow, 83 CY; Base Aggregate Dense, 2,160 Ton; Concrete Pavement, 1,700 SY; Concrete Masonry Bridges, 33 CY; Concrete Masonry Overlay, 12 CY; Bar Steel Reinforcement Coated, 2,270 Lbs; Pavement Marking Epoxy, 33,277 LF; Construction Staking, 2,584 LF; Construction Staking, 1 Each; Construction Staking, 5 LS; Incentive Strength Concrete Pavement, 1,000 Dol; Incentive Density HMA Pavement, 6,370 Dol; Incentive IRI Ride, 15,900 Dol; Incentive Strength Concrete Structure, 500 Dol; Storm Sewer Pipe Reinforced Concrete, 22 LF 12"; Concrete Curb, 5,095 LF; Concrete Curb and Gutter, 1,295 LF; Steel Plate Beam Guard, 440 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 50 Ton; HMA Pavement Type E-0.3 Special, 3,255 Ton, Type E-10 Special, 11,615 Ton; Removing Asphaltic Surface Milling, 25,085 SY; Tack Coat, 5,250 Gals; Removing Concrete Surface Partial Depth, 540,330 SF; Signs, 1,244 SF; Conduit, 807 LF; Loop Detector Wire, 2,980 LF.

DBE Goal: 8 %

Contract Completion Date: November 30, 2015

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

29. City of Eau Claire, Water Street, Chippewa River Bridge, B-18-219; Eau Claire County; 7995-02-40, WISC 2015 437; Local Street; 0.000 Miles; Grade, Base, Culvert Pipe, Storm Sewer, Sanitary Sewer, Water Main, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Lighting, Signal, Signing, Landscaping, Pavement Marking, and Structure B-18-219.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 1,540 CY; Selected Borrow, 313 CY; Backfill Structure, 1,061 CY; Base Aggregate Dense, 1,325 Ton; Concrete Pavement, 183 SY; Concrete Masonry Bridges, 3,378 CY; Concrete Masonry Seal, 180 CY; Prestressed Girders, 5,528 LF 72W-Inch; Bar Steel Reinforcement, 196,420 Lbs; Bar Steel Reinforcement Coated, 457,470 Lbs; Piling Steel, 4,940 LF 10-Inch, 7,210 LF 14-Inch; Pavement Marking Epoxy, 4,613 LF; Construction Staking, 2,114 LF; Construction Staking, 6 Each; Construction Staking, 3 LS; Incentive Strength Concrete Structure, 21,348 Dol; Culvert Pipe Corrugated Steel, 68 LF 12"; Storm Sewer Pipe Reinforced Concrete, 46 LF 12"; Concrete Curb and Gutter, 629 LF; Concrete Sidewalk, 7,850 SF; Asphaltic Surface, 791 Ton; Tack Coat, 225 Gals; Expansion Device Modular, 1 LS; Steel Diaphragms, 70 Each; Riprap, 416 CY; Trees, 12 Each; Signs, 47 SF; Pull Boxes, 8 Each; Concrete Bases, 9 Each; Poles, 1 Each; Railing Steel, 1,490 LF; 12" Sanitary Sewer, 120 LF; Ductile Iron Water Main, 852 LF.

DBE Goal: 6 %

Contract Completion Date: September 1, 2016

Contact Information: Tara Weiss, (715) 836-2283 / tara.weiss@dot.wi.gov

30. Northwest Region Crackfill; NW Region-Wide; 9227-01-24; Various Highways; 0.000 Miles; Sealing Asphaltic Crackfill and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 668,368 LF; Pavement Marking Paint, 1,344,774 LF; Sealing Asphaltic Crackfill, 156 Mi.

DBE Goal: NA

Contract Completion Date: October 30, 2015

Contact Information: Nicole Passuello, (715) 836-3920 / nicole.passuello@dot.wi.gov

31. Solon Springs - Superior, Kent Road to USH 2 (NB and SB); Douglas County; 1198-00-62; USH 53; 5.400 Miles; Pavement Markings and Sealing Asphaltic Cracks.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 138,738 LF; Sealing Asphaltic Cracks, 10.82 Mi.

DBE Goal: NA

Contract Completion Time: 10 Working Days

Contact Information: Brendan Dirkes, (715) 395-3026 / brendan.dirkes@dot.wi.gov

By order of:

Dan Grasser
Administrator
Division of Transportation System Development