



**GENERAL NOTES**

DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND THE APPLICABLE SPECIAL PROVISIONS.

- ① 2' MINIMUM SHALL BE MAINTAINED DURING CONSTRUCTION PERIOD.
- ② USE AS DIRECTED BY COAST GUARD OR DNR PERMIT WHEN WORKING IN NAVIGABLE WATERWAYS.



**SILT SCREEN PLACEMENT DETAIL**

6

6

S.D.D. 8 E 12-1

S.D.D. 8 E 12-1

<b>SILT SCREEN</b>	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 6-04-02 DATE	/S/ Beth Cannestra CHIEF ROADWAY DEVELOPMENT ENGINEER
FHWA	

*Silt Screen*

**References:**

[FDM 10-10-43](#)

**Bid items associated with this drawing:**

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
628.1550	Silt Screen.....	LF

**Standardized Special Provisions associated with this drawing:**

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

**Other SDDs associated with this drawing:**

NONE

**Design Notes:**

- Silt screens should only be specified over a turbidity barrier after consultation with WisDNR.
- Silt screens are not to be installed perpendicular to channel flows unless currents are extremely slow.

**Contact Person:**

Michelle Reynolds (608) 264-8417