

CONCRETE JOINT PAVING DETAILS

GENERAL NOTES

PAVEMENT MARKING DETAILS AND SPECIFICATIONS ARE PROVIDED ELSEWHERE IN THE CONTRACT.

SEE SDD 13 A 4-4c OR SDD 13 A 5-1b FOR RAMP AND GORE RUMBLE STRIP LOCATION.

CONCRETE JOINT DETAIL FOR
EXIT RAMP TERMINI

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

6

6

S.D.D. 13 C 17-1a

S.D.D. 13 C 17-1a

*Concrete Joint Detail for Exit Ramp Termini***References:**

[FDM 11-15-1](#)
[FDM 11-25-35](#)
[FDM 14-10-10](#)

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
415.0060 - 0199	Concrete Pavement (inch)	SY
415.1080 - 1199	Concrete Pavement HES (inch)	SY

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:



SDD 13c17 Concrete Joint Detail for Entrance Ramp Termini, sheet "b".

Design Notes:

This SDD should be used when the standard exit taper of 12.5:1 is used to construct the exit ramp.


Contact Person:

Paul Vraney (608) 266-8486




DETAIL A
ENTRANCE RAMP DETAIL

DETAIL B



DETAIL A



DETAIL B

CONCRETE JOINT PAVING DETAILS

GENERAL NOTES

PAVEMENT MARKING DETAILS AND SPECIFICATIONS ARE PROVIDED ELSEWHERE IN THE CONTRACT.
SEE SDD 13 A 4-4c OR SDD 13 A 5-1b FOR RAMP AND GORE RUMBLE STRIP LOCATION.

CONCRETE JOINT DETAIL FOR ENTRANCE RAMP TERMINI	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 5/27/98 DATE	/S/ Rory L. Rhinesmith CHIEF ROADWAY DEVELOPMENT ENGINEER
FHWA	

6

6

S.D.D. 13 C 17-1b

S.D.D. 13 C 17-1b

*Concrete Joint Detail for Entrance Ramp Termini***References:**

[FDM 11-15-1](#)
[FDM 11-25-35](#)
[FDM 14-10-10](#)

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
415.0060 - 0199	Concrete Pavement (inch)	SY
415.1080 - 1199	Concrete Pavement HES (inch)	SY

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:

SDD 13c17 Concrete Joint Detail for Entrance Ramp Termini sheet "a"

Design Notes:

This SDD should be used when the standard exit taper of 50:1 is used to construct the entrance ramp.

Contact Person:

Pat Fleming (608) 266 – 8486