



TOP VIEW



SLAB ELEVATION


CONCRETE PAD FOR PICNIC TABLE



PERSPECTIVE VIEW

NOTES:

- PICNIC TABLE PAD SHALL BE PAID FOR AS CONCRETE SIDEWALK 6-INCH.
- PICNIC TABLE PAD SHALL BE LEVEL.
- HANDICAP TABLES MUST HAVE SIDEWALK EXTENSION FOR ACCESSABILITY.



ANCHOR BOLT HOLE DETAIL

6

6

<p>PICNIC TABLE SINGLE PEDESTAL</p>
<p>STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION</p>

Picnic Tables, Single Pedestal

References:

NONE

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
602.0415	Concrete Sidewalk 6-Inch	SF
999.1800.S	Picnic Tables Single Pedestal.....	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
999-015	Picnic Table Single Pedestal
(Notes: See SDD 14c7 sheet "b" for additional information)	

Other SDDs associated with this drawing:

SDD14c7 Picnic Tables, Single Pedestal sheet "b" is required.

Design Notes:




NONE

Contact Person:

Bob Spoerl (608) 266-8665



14C7 sheet b: Picnic Tables, Single Pedestal







NOTES:

- ALL EDGES AND CORNERS OF CUT ANGLES TO BE ROUNDED TO PREVENT SHARP EDGES.
- ALL STRUCTURAL TUBES TO BE 46 KSI YIELD, ALL OTHER STEEL TO BE 36 KSI YIELD MIN.
- PLANKS TO BE MADE OF RECYCLED PLASTIC.
- ACTUAL SIZE OF NOMINAL 2 X 10 PLANKS SHALL BE 1 1/2" X 9 1/4".
- ALL NUTS, BOLTS, AND WASHERS SHALL BE ASTM A36.
- THE 1/2" φ STAINLESS STEEL CONCRETE MASONRY ANCHOR SHALL BE TYPE S IN ACCORDANCE WITH SECTION 502.5.2.2 OF THE STANDARD SPECIFICATION.
- THE TYPE S MASONRY ANCHOR SHALL DEVELOP A MIN. OF 2400 LBS. TENSION.
- CONCRETE SHALL BE CURED MIN. OF 7 DAYS PRIOR TO SETTING ANCHOR BOLTS.

6

3/8" φ HOLES IN PLANKS FOR 5/16" φ X 2" GALV. STEEL CARRIAGE BOLTS (TYPICAL)



6

PICNIC TABLE SINGLE PEDESTAL	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED DATE 3/6/00	/S/ Rory L. Rhinesmith CHIEF ROADWAY DEVELOPMENT ENGINEER
FHWA	

Picnic Tables, Single Pedestal

References:

NONE

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
602.0415	Concrete Sidewalk 6-Inch	SF
999.1800.S	Picnic Tables Single Pedestal.....	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
999-015	Picnic Table Single Pedestal
(Notes: See SDD 14c7 sheet "a" for additional information)	

Other SDDs associated with this drawing:

SDD 14c7 Picnic Tables, Single Pedestal sheet "a" is required.

Design Notes:

NONE

Contact Person:

Bob Spoerl (608) 266-8665