






GENERAL NOTES

DETAILS OF INSTALLATION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND APPLICABLE SPECIAL PROVISIONS.



BIKE CROSSING SYMBOL



PREFERENTIAL LANE SYMBOL

6

6

PAVEMENT MARKING SYMBOLS	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 4/18/16 DATE	/S/ Matthew R. Rauch STATE SIGNING AND MARKING ENGINEER
FHWA	

Pavement Marking Symbols

References:

Traffic Guidelines Manual. Chapter 3
Manual on Uniform Traffic Control Devices, Section 3B

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
647.0250 - 0299	Pavement Marking Symbols (material)	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:

SDD15c7 Pavement Marking sheets "a", "b" and "c" may be required.

Design Notes:

The bid item number used for symbols depends upon the choice of material for the marking. See Standard Specifications for Highway Structure Construction.

Symbol dimensions shown are adequate for most normal installations. If larger sizes are needed for critical conditions, include the necessary details in the plans.

When bidding symbols, specify the kind of symbol (e.g. handicap or preferential lane) on the Miscellaneous Quantities list heading. There should be a list for every type of symbol to be used.

When using the Pedestrian Symbol with the word "XING", place one set per lane.




Contact Person:

Matt Rauch (608) 246-5305






GENERAL NOTES


DETAILS OF INSTALLATION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND APPLICABLE SPECIAL PROVISIONS.



TWO-LANE



SINGLE-LANE



6

6

S.D.D. 15 C 7-13b

S.D.D. 15 C 7-13b

PAVEMENT MARKING WORDS	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 4-18-16 DATE	/S/ Matthew R. Rauch STATE SIGNING AND MARKING ENGINEER
FHWA	

Pavement Marking Words

References:

Traffic Guideline Manual Chapter 3
Manual on Uniform Traffic Control Devices, Section 3B

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
647.0350 - 0399	Pavement Marking Words (material)	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:


SDD 15c7 Pavement Marking sheets "a", "c" and "d" may be required.

Design Notes:


- The bid item number used for words depends upon the choice of material for the marking. See Standard Specifications for Highway Structure Construction.
- When bidding words, specify the words (e.g., "ONLY" "YIELD") on the Miscellaneous Quantities list heading. There should be a list for every type of word to be used.
- When using the Pedestrian Symbol with the word "XING", place one set per lane.

Contact Person:


Matt Rauch (608) 246-5305




TYPE 2




TYPE 6




TYPE 4




TYPE 5 LANE DROP ARROW



TYPE 1



TYPE 7



TYPE 3

GENERAL NOTES

DETAILS OF INSTALLATION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND APPLICABLE SPECIAL PROVISIONS.

PAVEMENT MARKING ARROWS	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 4-18-16 DATE	/S/ Matthew R. Rauch STATE SIGNING AND MARKING ENGINEER
FHWA	

Pavement Marking Arrows

References:

Traffic Guidelines Manual. Chapter 3
Manual on Uniform Traffic Control Devices, Section 3B

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
647.0130 - 0199	Pavement Marking Arrows (material)(type)	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:


SDD 15c7 Pavement Marking sheets "a", "b" and "d" may be required.

Design Notes:


- The bid item number used for arrows depends upon the arrow type and the choice of material for the marking. See current version of the Standard Specs.
- Lane Use arrows are Types 1, 2 and 3.
- The Type 4 arrow is for wrong way movement prevention.
- The Type 5 arrow is for lane reduction.
- The Type 6 arrow is for right, left turn and through movements.
- The Type 7 arrow is for right and left turn movements.
- Consult with The Regional Signing and Marking Engineer for additional information regarding usage.

Contact Person:


Matt Rauch (608) 246-5305



TYPE 2R




TYPE 3R



TYPE 7R

GENERAL NOTES

DETAILS OF INSTALLATION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND APPLICABLE SPECIAL PROVISIONS.



TYPE 6R

ROUNDABOUT ARROWS	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 4/18/2016 DATE	/S/ Matthew R. Rauch STATE SIGNING AND MARKING ENGINEER
FHWA	

Roundabout Arrows

References:

Traffic Guidelines Manual. Chapter 3
Manual on Uniform Traffic Control Devices, Section 3B

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
647.0130 - 0199	Pavement Marking Arrows (Material, Type)	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:

SDD 15c7 Pavement Marking sheet "a", "b" and "c" may be required.

Design Notes:


The bid item number used for arrows depends upon the arrow type and the choice of material for the marking. See current version of the Standard Specs.

Type 2R, 3R, 6R and 7R arrows are placed in the left lane on a multilane approach to the roundabout. The arrow type will depend on the traffic volume on the approach and the operation and design of the roundabout.



Consult with Regional Signing and Marking Engineer for additional information regarding usage.

Contact Person:


Matt Rauch (608) 246-5305




BIKE LANE WORDS




BIKE LANE WORDS




BIKE LANE ARROW



BIKE LANE SYMBOL



BICYCLE DETECTOR PAVEMENT MARKING



BIKE SYMBOL FOR SHARED LANE

GENERAL NOTES

DETAILS OF INSTALLATION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND APPLICABLE SPECIAL PROVISIONS.

6

6

PAVEMENT MARKING FOR BIKE LANES	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED 4-18-2016 DATE	/S/ Matthew R. Rauch STATE SIGNING AND MARKING ENGINEER
FHWA	

Pavement Marking for Bike Lanes

References:

Traffic Guidelines Manual. Chapter 3
Manual on Uniform Traffic Control Devices, Section 9

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
647.0333 - 0339	Pavement Marking Symbols Bike Lane (material).....	EACH

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:

NONE

Design Notes:

These details are applicable when there is a shared lane and on roadways with a speed limit of 35 mph or less.
Consult with the Regional Signing/Marking Engineer and Regional Bike and Ped Coordinator to determine the appropriate markings for bike accommodations.

Contact Person:

Matt Rauch (608) 246-5305