

Wisconsin Department of Transportation

July 2019 MAPSS Performance Improvement Report

Mobility Accountability Preservation Safety Service



Mission

Provide leadership in the development and operation of a safe and efficient transportation system

Welcome to the **MAPSS Performance Improvement Report**

The Wisconsin Department of Transportation's (WisDOT) Performance Improvement program focuses on the core goal areas of Mobility, Accountability, Preservation, Safety and Service (MAPSS). The Scorecard measures in this report have been deemed of highest importance to our customers to show the current state of Wisconsin's transportation system. The progress of these measures is reported on the two-page Scorecard and in the body of this report. The department also has interactive webpages within each core goal area for customers who are interested in "drilling down" into the data.

The Department will continue to report 2017 Roadside Highway Maintenance data until a replacement is determined. We are currently reviewing the measure and data to determine the best replacement. For Seat Belt Use, the observation portion of the seatbelt survey was just completed. We are in the processes of conducting the analysis and expect to have the results completed for the next MAPSS report. The Department is working on updating the pavement measures and will have new and improved pavement performance measures available for publication by the end of 2019.

Some measures are important in demonstrating transparency and accountability, but do not rise to the level of the Scorecard. The progress of these measures is reported in the appendix of this report and on interactive webpages under Additional Measures.

In addition to the measures we report externally, we also track measures that are important for the smooth internal operations of the department or support other important performance outcomes; these are reported internally to department managers and staff. For example, we track several internal highway construction project measures that support our Scorecard measures and ensure we continue to deliver our programs and services efficiently to serve the needs of the public.

The maturation and progress within this program is a continual process. We are pleased to share that many of the critical Scorecard measures have seen improvements and we continue to steadily approach our performance goals.

The latest MAPSS Quarterly Report and the interactive WisDOT webpages provide details of each performance metric. This information is located at: <u>www.mapss.wi.gov</u>.

Table of Contents	
MAPSS Performance Scorecard	1–2
Mobility	3-6
Accountability	7–11
Preservation	12–19
Safety	20-23
Service	24–28
Appendix A:	
Additional Performance Measures	29–30

Table of Contents

July 2019

Wisconsin Department of Transportation MAPSS Performance Scorecard

	Goal has been met		nance is trend orable directi			Trend is holding Performance is in an unfavorab	
Performance measure	How we measure it	Current report period	Goal	Goal met		Comments	Date Last Reported
Mobility: Deliver	ring transportation ch	oices that r	esult in effici	ent tri	ps and	no unexpected delays.	
<u>Transit Availability</u> Calendar year 2018	Percent of population served by transit	54.0	55.0		\blacklozenge	There was no change from 2017 to 2018.	1/2019
<u>Bicycling Conditions</u> <u>on Rural Highways</u> Calendar year 2018	Percent of rural highway miles with favorable bicycling conditions	State hwys: 66.2; County roads: 91.7	100 percent on roads where bicycles are not prohibited	0 0 0 0 0 0 0 0 0 0 0 0 0 0	\blacklozenge	Overall, the number of miles rated as favorable for bicycling increased on county highways and state highways increased slightly.	4/2019
Incident Response Calendar year 2018	Percent of incidents cleared within a specific timeframe	Inter- mediate incidents: 88.8; Major incidents 82.4	Intermediate incidents: 90.0; Major incidents: 80.0		➡	The total of incidents reported to Wisconsin's Traffic Management Center grew by 585 in 2018, marking a five-year high. The department continues to work on strategies to improve, including continuing emphasis on Traffic Incident Management training.	1/2019
<u>Winter Response</u> State fiscal year 2019	Percent to bare-wet within a specific time period after a storm	73 for 24-hr roads	70.0 within specified time		\blacklozenge	The department continues to develop and implement best practices to clear snow and ice as efficiently as possible. The new Brine Technical Advisory Committee is an example of statewide collaboration to develop safe and cost-effective strategies.	7/2019
Accountability:	The continuous effort	to use pub	olic dollars in	the m	ost effi	cient and cost-effective way.	
Transportation Facilities Economic Assistance and Development (TEA) Grants Calendar year 2019	Capital investment dollars achieved per grant dollar awarded	\$174.33	\$50.00	\checkmark	1	The department issued two grants totaling \$1.1 million to Wisconsin communities. The businesses involved in these two projects expect to make total capital investments of \$192.9 million which will result in each grant dollar leveraging an average of \$174.33 in capital investment.	7/2019 s
Timely Scheduling of <u>Contracts</u> State fiscal year 2018	Percent of highway program funding scheduled during the first six months of each fiscal year	55.7	54.0	\checkmark	1	The department achieved target with 55.7 percent of the improvement program funding contracted in the first half of the state fiscal year.	10/2018
<u>On-time Performance</u> Calendar year 2017	Percent of highway projects completed on-time	91.7	100.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0		WisDOT continues to focus on improving communication between contractors and project management staff in order to resolve project issues in a timely manner.	10/2018
<u>On-budget Performance</u> State fiscal year 2018	Final highway project cost as percent of original contract amount	104.0	103.0	•	₽	The department recorded a value of 104 percent for SFY 2018 which is below the industry average of 105 percent. The department has an aspirational goal of 103 percent. A lower number is better.	1/2019
<u>Surplus Property</u> <u>Management</u> State fiscal year 2019	Dollar value of surplus land sold	\$4.36 mil.	\$2.75 mil.	\checkmark	➡	The department continues to surpass its sales goal, although revenue fell compared to the previous year. 130 parcels on the marketing plan were sold. Over the past five years overall inventory has dropped from 2109 parcels to 982.	7/2019

The Wisconsin Department of Transportation MAPSS Performance Scorecard reviews five key goals and over-arching performance measures that guide us in achieving our mission "to provide leadership in the development and operation of a safe and efficient transportation system." Establishing goals and measuring results is essential to running a successful organization and meeting public expectations.

For more information on MAPSS, visit www.mapss.wi.gov


Performance measure	How we measure it	Current report period	Goal	Goal met		Comments	Date Last Reported
Preservation: Pro investments that pr	otecting, maintaining eserve and extend the	and operat	ing Wisconsir infrastructure	n's trar e, whil	isporta e prote	tion system efficiently by making sound cting our natural environment.	
Program Effectiveness Calendar year 2018	Scheduled improvement projects compared to modeled roadway needs (as a percent)	Location: 88; Scope: 86; Time: 60	Location: 80; Scope: 65; Time: 65	\checkmark	1	Location, scoping and timing have improved as the department finalizes implementation of its new asset management program. These new policies will maintain or improve asset conditions at a lower cost than previous methodologies.	1/2019
<u>State Highway</u> Pavement Condition (backbone) Calendar year 2017	Percent of state highway pavement rated fair or above	98.3	90.0 rated fair or above	\checkmark	1	Backbone pavement needs are prioritized because while they represent only 13.5 percent of state trunk highway miles, they carry 49 percent of all state trunk highway traffic and over 85 percent of freight tonnage traversing Wisconsin's state trunk highways.	7/2018
<u>State Highway</u> <u>Pavement Condition</u> (non-backbone) Calendar year 2017	Percent of state highway pavement rated fair or above	81.3	80.0 rated fair or above	\checkmark		While pavement conditions are affected by numerous factors over the last year, pavement conditions have remained consistent.	7/2018
<u>State Bridge Condition</u> Calendar year 2018	Percent of state bridges rated fair or above	97.2	95.0	\checkmark		State bridge conditions have consistently exceeded the goal. The department continues to improve on the bridge inspection and management program.	7/2019
<u>State-owned Rail Line</u> <u>Condition</u> Calendar year 2018	Percent of state-owned rail line meeting FRA Class 2 Standard (>10 mph)	76.8	95.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	In 2017, there was a net increase of 11.89 miles meeting FRA Class 2 standards through WisDOT funded projects. A total of 546.85 of the 711.75 miles of track (76.8 percent) met the department goal.	1/2019
Airport Pavement Condition Calendar year 2018	Percent of core airport pavement area rated fair or above for each functional type	RWY 93.0; TXWY 86.0; Apron 77.0	1	\checkmark	\blacklozenge	Primary Runways and taxiways held steady over 2017 data and aircraft parking and cargo aprons increased one percent.	4/2019
<u>State Highway</u> <u>Roadside Maintenance</u> Calendar year 2017	Grade point average for the maintenance condi- tion of state highways	2.55	3.0		➡	The department is working with Wisconsin's 72 counties to enhance statewide focus on the preservation of infrastructure.	4/2018
<u>Material Recycling</u> State fiscal year 2018	Percent of virgin materials replaced with recycled materials	14.28	10.0	\checkmark		The department is committed to the recycling effort. Almost all projects incorporate recycled materials. WisDOT is always looking for new ways to recycle that enhance infrastructure performance while saving money.	1/2019
Safety: Moving to	ward minimizing the	number of	deaths, injur	ies an	d crash	es on our roadways.	
Traffic Fatalities Calendar year-to-date 2019 (Preliminary)	Number of traffic fatalities	229	Second Quarter five year average is 253 Annual target is 551	\checkmark		As of June 30th, there were 62,517 traffic crashes in 2019, less than the previous year. Our long-term goal is to reduce preventable deaths (a lower number is better). Preliminary 2018 total for traffic crashes was 144,209.	7/2019
<u>Serious Traffic Injuries</u> Calendar year-to-date 2019 (Preliminary)	Number of serious traffic injuries	1,341	Second Quarter five year average is 1,418 Annual target is 2,988	\checkmark		As of June 30th, 1,341 persons have received serious injuries in 2019. In 2017, the crash report was updated to reflect national standards. Preliminary 2018 total for serious traffic injuries was 3,212.	7/2019
Traffic Crashes Calendar year-to-date 2019 (Preliminary)	Number of traffic crashes	69,517	Second Quarter five year average is 62,298 Annual target is 124,351	-	1	As of June 30th, there were 62,517 traffic crashes in 2019, less than the previous year. Our long-term goal is to reduce preventable deaths (a lower number is better). Preliminary 2018 total for traffic crashes was 144,209.	7/2019
<u>Safety Belt Use</u> Calendar year 2017	Percent of vehicle occupants wearing a seat belt	89.3	92.0 by 2020		\blacklozenge	While Wisconsin's safety belt usage fell slightly in 2018, we still lag behind neighboring states, with use rates of more than 90 percent. We were better than the five year average of 86.1.	7/2018
Service: High qua	lity and accurate prod			red in	a timely	r fashion by a professional and proactive	e workforce
DMV Wait Times Calendar year-to-date 2019	Percent of DMV service center customers served within 20 minutes	78.51	80.0		₽	The CSI score dropped from quarter one to quarter two, but quarter two saw 14 percent more customers and the score is higher than 2018 results We continue to use projection models to balance in-person customer service with the mailed in title work completed in customer service centers.	7/2019
DMV Electronic Services Calendar year 2018	Number of self-serve electronic transactions	205,147	180,803	\checkmark		Electronic services usage is trending in line with the ten percent increase goal.	4/2019
DMV Driver License Road Test Scheduling Calendar year-to-date 2019	Available tests as a percent of estimated demand	98	90.0	\checkmark	₽	Despite a two percent drop this quarter, DMV has continued the annual trend of achieving 90 percent or higher service levels that began in 2014.	7/2019
DMV Phone Service Calendar year-to-date 2019	Percent of DMV phone calls answered within three minutes	72.73	80.0			While calendar year 2019 began lower than the end of 2018, quarter two of 2019 has continued the steady increase that was seen in February and March.	7/2019
DMV Email Service Calendar year-to-date 2019	Percent of DMV emails answered within 24 hours	88.3	80.0	\checkmark		Implementation of the DMV email service continues to be successful, with a second consecutive quarter surpassing the 80 percent performance target.	7/2019

Mobility: Transit Availability

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation Investment Management	
			2

Why is it important? Transit provides a lifeline to those who depend on it to obtain medical care, make shopping trips, travel to school or work and to meet other basic needs. Approximately 55 percent of Wisconsin transit riders travel to work, 14 percent to school, 20 percent to retail, tourism or recreational destinations, and 11 percent to health care services. Greater transit availability means greater mobility for Wisconsin citizens. Transit service is a key component of a comprehensive, multimodal transportation system and contributes to an enhanced quality of life in Wisconsin communities.

Performance measure target: The department's goal is to increase the percent of the population with access to transit service to 55 percent.



How do we measure it? The total population with access to transit is calculated by adding together the population that resides within one-quarter mile walking distance from a fixed bus route for Wisconsin's bus systems and the population within the service area for shared-ride taxi and other public transit systems (i.e., not fixed route). The total population with access is then divided by Wisconsin's total population to determine the percent of the population with access to public transit each calendar year. Only transit services that are supported with public resources are considered in this calculation. The department's methodology is consistent with industry standards for measuring access to transit.

How are we doing? Approximately 54 percent of the state's population has access to public transit. This represents no change from 2017 to 2018. Nationally, it is estimated that 55 percent of the population has access to public transit. Source: American Society of Civil Engineers 2013 Infrastructure Report Card.

What factors affect results? Transit service availability is determined by local government decisions with planning assistance offered by WisDOT to help identify appropriate options. The degree of investment in transit from federal, state and local sources is a factor affecting this performance measure. For example, transit routes and service areas may differ year-to-year in response to budget levels. Efforts by communities to encourage commercial and residential land use decisions that increase population density in areas having transit access also have an effect. Transit service operated on a regional, as opposed to a community-by-community basis, also tends to increase the percent of the regional population with access to transit.


What are we doing to improve? The department actively provides technical assistance to local transit providers in the areas of planning and budgeting, and frequently sponsors transit development plans and feasibility studies to ensure that transit investments are data driven, sustainable and promote effective service. Department staff review transit system budgets and service profiles annually to ensure transit operations are consistent with state and federal regulations, as well as department goals and best practices. Management performance reviews of urban bus systems every five years along with annual cost efficiency report analyses for all systems helps ensure that Wisconsin transit systems function efficiently and effectively in meeting mobility needs.

Mobility: Bicycling Conditions on Rural Highways

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation Investment Management	

Why is it important? Bicycle travel is an essential component of a multimodal transportation system. The option to travel by bicycle is important for people too young to drive, people who cannot drive or people who choose not to drive. Monitoring rural highway conditions for bicycling helps planners and designers identify potential facility improvements for all modes of travel. This is especially important in areas that are currently less suitable for bicycle travel and are experiencing growth or increased auto congestion. Generally, projects that create safety and operational improvements for all roadway users also result in improved conditions for bicyclists.

Performance measure target: The department's goal is to have favorable conditions for bicycling on all rural county and state highways on which bicycles are permitted to travel. Favorable is defined as having conditions rated as 'best' or 'moderate' for bicycling. Target: 100 percent for highways with traffic volumes at or below levels considered undesirable (independent of pavement width). See the "Wisconsin Rural Bicycle Planning Guide" for volume threshold details.



How do we measure it? Annually, the total number of rural miles of state and county highways with bicycling conditions rated as 'best' or 'moderate' is divided by the total number of non-freeway miles of state and county highways to arrive at the percentage. The department's ratings for bicycling conditions on rural highways is defined in the "Wisconsin Rural Bicycle Planning Guide," which describes the calculations for determining conditions as 'best,' 'moderate,' or 'undesirable'. The calculation includes two primary factors: traffic volume and pavement width. It also accounts for the percent of trucks and percent of solid yellow pavement markings along the roadway (which is an indicator of hills and curves). Traffic count data lags one year behind the date of the measure.

How are we doing? In 2018, the percent of rural county highways rated as 'best' or 'moderate' conditions for bicycling increased slightly to 91.7 percent. The percentage of state highways that accommodate bicycles increased to 66.2 percent. This was primarily attributed to the addition of paved shoulders.

What factors affect results? Vehicles per day, travel lane width, and the presence or absence of paved shoulders are the primary determinants of rural bicycling conditions. As traffic on roadways increases, the favorable conditions for bicycling can decrease. Inclusion of a wider travel lane or paved shoulder on a roadway can improve conditions for bicycling.


What are we doing to improve? WisDOT implemented the paved shoulder policy for pavement replacement, reconstruction, and new construction projects on rural state highways which provides safety and operational improvements and benefits for all roadway users, including bicyclists. This policy defines a standard shoulder width of five feet on asphalt roadways on the state highway system.

Mobility: Incident Response

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation System Development

Why is it important? Incidents happen on the Interstate and state highway system every day, from minor property damage incidents to serious traffic crashes. This measure focuses on the amount of time it takes to clear intermediate and major traffic incidents on the Interstate and state highways. Intermediate traffic incidents typically affect travel lanes and usually require traffic control on the scene to divert road users past the blockage. Major traffic incidents usually involve hazardous material (HAZMAT) spills, overturned tractor-trailers, fatalities, multiple vehicles, and/or other natural or man-made disasters. Major incidents can result in closing all or part of a roadway. Restoring the roadway to full operation as quickly as possible helps reduce secondary incidents, minimize delay for people and freight, and decreases the associated economic impact of traffic delays.

Performance measure target: The department's goal is to reduce the length of time traffic flow is disrupted by long-term incidents on the Interstate and state highway system. The goal is to clear 90 percent of all intermediate incidents in less than two hours and to clear 80 percent of all major incidents in less than four hours.



How do we measure it? The incident clearance time is defined as the time from when an agency with responsibility to respond first becomes aware of the incident and the time when the last responder leaves the scene. This measure tracks the percent of intermediate and major incidents cleared in less than two and four hours respectively. This measure does not include extended duration weather related emergency transportation events such as flooding.

How are we doing? The total of intermediate and major incidents reported to Wisconsin's Traffic Management Center (TMC) grew by 585 in 2018, marking a five-year high. The department has focused on broadening the TMC's collaboration with local agencies statewide, which has led to the TMC tracking more incidents. There has been additional emphasis on communication among the Division of State Patrol, traffic and safety engineers, and local emergency dispatchers throughout Wisconsin. Despite a nearly 12 percent growth in reported major incidents, the department exceeded its response goal in that area. However, there is room for improvement regarding intermediate incidents. Intermediate incidents jumped by more than 18 percent; the department fell 1.2 percent short of that response goal.

What factors affect results? The specific location, time of day, weather condition, incident complexity, and the number of simultaneous incidents all affect the amount of time required to clear the highway.


What are we doing to improve? The department continues to conduct After Action Reviews on significant incidents across the state to help identify strengths, best practices and opportunities for improvement associated with clearance activities. In 2018, Wisconsin exceeded the Federal Highway Administration's (FHWA's) goal of having 30 percent of all identified responders in the state trained in Traffic Incident Management (TIM). Since 2012, over 12,765 of the state's responders have been trained in TIM. The program has worked with the WI county Highway Association and the WI Towing Association to recommend that all members are trained. The department is seeking to train 2,235 more responders in TIM by mid-2019 to bring the state's total to 15,000. The course promotes responder safety, safe and quick clearance, and improved communication among all responder disciplines to aid in the quick restoration of traffic flow.

Mobility: Winter Response

Report Date: July 2019	Data Frequency:	Annual (State Fiscal Year)	Division:	Transportation System Development
8			. *	

Why is it important? Returning roads to the condition they were in before a winter storm restores the capacity of the system to move traffic. This allows safe travel to work, school and other destinations. Clear roads also meet the needs for emergency travel and restore travel time reliability, which is important to the movement of freight.

Performance measure target: Roads maintained 24 hours a day are to be cleared within four hours and roads that are maintained 18 hours a day are to be cleared in six hours of the end of the storm. Eighteen-hour roads have lower traffic counts, concentrated in peak travel time periods, and are not serviced between 10 p.m. and 4 a.m. The department's goal is achieve these targets 70 percent of the time.



How do we measure it? Each county provides weekly reports which document when roads were restored to bare/wet pavement after a storm event. The performance measure is the average percent for all storm events that bare/wet pavement conditions are met for 18-hour roads (within six hours) and on 24-hour roads (within four hours). Winter severity is calculated each state fiscal year based on a set of weather factors including the number of snow and freezing rain events, total duration of all storms, total snow accumulation and number of incidents (blowing snow, drifting, ice and frost). The winter severity index is the gauge by which the department measures the impact of winter on our roads with a typical winter rating equal to 100.

How are we doing? Winter service on 24-hour roads again surpassed the 70 percent goal despite the uptick in winter severity. Service on 18-hour roads improved over the previous year but came in below the 70 percent threshold. Most of the winter weather came in an 8-week period from mid-January through mid-March, which combined with below average temperatures to create challenging conditions on both the 18- and 24-hour systems.

What factors affect results? Performance is largely impacted by severity of winter conditions, although winter storm timing does appear to impact the amount of time it takes to clear 18-hour roads. Simultaneous storms that happen less than 8 hours apart increase the time needed to clear the road. Controllable factors include the timing of the response, availability of resources, and the effectiveness of the response.


What are we doing to improve? WisDOT continues to work on process improvements before, during and after each storm event. National studies and pilot-testing have helped to shape better practices to optimize plow routes and reduce demand on salt supplies. The department now collaborates with multiple counties and the University of Wisconsin's Traffic Operations and Safety (TOPS) Lab to develop use of liquid brine to reduce material cost of winter maintenance without compromising on safety. A pilot project in four counties this past winter showed nearly 50 percent reduction in salt use when predominantly brine products were used instead of road salt combined with focused winter best practices training. The preliminary results from this pilot project also seems to indicate favorable "time to bare wet" conditions. Further study in a larger variety of locations and conditions are needed to verify these results. Additionally, the department continues to work on route optimization to help plow drivers cover ground more effectively, guided by technology and analytics.

Accountability: Transportation Facilities Economic Assistance and Development (TEA) Grants

Report Date: July 2019	Data Frequency: Semi-annually (Calendar Year)	Division: Transportation Investment Management	
•			

Why is this important? The Transportation Facilities Economic Assistance and Development (TEA) program provides state matching grants of up to 50 percent, or \$5,000 maximum per job, to aid governing bodies supporting local private businesses, and consortiums for road, rail, harbor and airport projects that help attract employers to Wisconsin, or encourage business and industry to remain and expand within Wisconsin. The program strives to increase the number of jobs statewide by responding to the transportation needs of an economic development project contingent on a transportation facility improvement. The goal is to attract and retain business in Wisconsin, which increases the number of local job opportunities, improves the local tax base, and boosts spending in the local economy.

Performance measure target: Achieve \$50 of capital investment for every \$1 of grant funds awarded.



How do we measure it? The year-end report reflects the calendar year. The ratio is calculated by dividing the total amount of capital the businesses expect to invest in their new or expanded facility (i.e., their "capital investment") by the total grant dollars awarded. A higher number is desired. The amount of the TEA grant is determined by evaluating and approving the cost estimates for the transportation improvement project and by how many jobs will be created.

How are we doing? WisDOT has met the goal during the first half of calendar year 2019. The department issued two grants totaling \$1.1 million to two Wisconsin communities. The businesses involved in these two projects expect to make total capital investments of \$192.9 million resulting in each grant dollar leveraging an average of \$174.33 in capital investment. Two communities have three applications in review requesting \$1.7 million in additional grants. Another three communities are working to complete applications requesting \$1.5 million.

What factors affect results? The most significant factor affecting this measure is the lack of a direct relationship between job creation and the amount of funds awarded to the total capital investment made. Since the amount of funding awarded for a project is based on the number of jobs created rather than the amount of capital investment made, it is equally likely that a project may involve large private sector investments as it is to involve a relatively small amount of investment. In 2019, these two projects had a capital investment to grant dollar ratio that far exceeded the target of \$50.

What are we doing to improve? WisDOT continues to partner with other state agencies as well as regional and local economic development agencies to promote the availability of TEA program. Outreach is conducted at various business and industry functions including: Wisconsin Economic Development Association (WEDA) conferences, regional economic development conferences, and other region or state sponsored events.


Accountability: Timely Scheduling of Contracts

Report Date: July 2019**Data Frequency:** Annual (State Fiscal Year)**Division:** Transportation System Development

Why is this important? The process for timely scheduling of contracts is important because it distributes improvement projects into monthly bid lettings over the course of the state fiscal year. This enhances program delivery by balancing the workload for the department and the road building industry. The department's ultimate objective is to maximize competitive bids, provide the department flexibility in adjusting lettings in the last half of the fiscal year for let contract savings or overages, and allow the department to spend additional federal funds if they are received late in the year.

Performance measure target: Contract for 54 percent of the improvement program funding in the first half of the state fiscal year between the months of July and December.

Figure: Percent of annual road construction contract funds scheduled for bid letting during first six months of fiscal year



How do we measure it? Monthly snapshots allow the department to compare the actual funding amounts programmed with predefined monthly targets.

How are we doing? The department is trending up with 55.7% of the improvement program funding contracted in the first half of the state fiscal year. It should be noted that the FY-2018 May special letting for the I-94 North-South was not included in this calculation. A special letting was inserted late in the fiscal year to enable a \$160 million federal INFRA Grant to be used in the 2018 construction season.

What factors affect results? A number of factors will affect the results. 1) The department will advance projects into the second half of the state fiscal year when let savings occur in the earlier lets. 2) Additional federal funds become available, which allows the department to let more projects in the second half of the state fiscal year. 3) Large projects being let in the second half of the fiscal year. Though this sometimes negatively impact the measure, it provides WisDOT the opportunity to address more miles of pavement earlier.


What are we doing to improve? The department's planning, project development, contract proposal management and Bureau of State Highway Programs meet regularly to discuss and look for opportunities to better manage this process. This committee quarterly reviews the Project Letting Plans report to determine the status of current performance goals; adjustments necessary to align scheduled program with goals and measures; modification of any goals due to funding, statutory, of administrative directive; documentation on decisions. The department plans to collaborate with industry representatives to ensure both project scheduling and work processes are synced.

Accountability: On-time Performance

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation System Development

Why is this important? This measure indicates the department's ability to estimate and manage the amount of time it will take to complete a highway construction project. The better the department is at determining project time, the better able we are to schedule future projects to effectively utilize contractor resources. The general public and businesses are affected by construction projects. When the department adheres to a schedule, the better everyone can plan for the impact.

Performance measure target: The department's goal is to meet the project time frame specified in the construction contract 100 percent of the time.



How do we measure it? This measure reports the percent of construction projects that were completed within the original project time frame specified and any agreed upon extensions. The numbers are calculated by identifying construction projects that had work completed during the calendar year and then comparing the actual date/days the project took to complete with the date/days that were specified in the contract.

How are we doing? The department completed 266 out of 290 projects within the time specified. The percentage of construction contracts completed on time increased slightly from our 2017 percent complete, from 91.3 percent to 91.7 percent. In 2016, 284 projects out of 311 were completed on time. Let savings allowed 32 additional projects to be accelerated and let in advance of schedule.

What factors affect results? Factors affecting this measure include adverse weather, plan changes during construction, material delays or shortages, utility work delays and contractor scheduling. The on-time performance is also impacted by the quality and completeness of project designs. As with the 2016 results the two primary factors in 2017 were contractor scheduling and plan inadequacies.


What are we doing to improve? The department has been putting effort into developing better project schedules to estimate the number of days required to complete a project. Overall the department lets larger and more complex construction contracts out for bid in the fall or early winter prior to the anticipated construction year. This ensures contractors have adequate time to schedule the resources and staffing needed to complete the project in the desired time frame before fall weather becomes a factor. The department created a Timely Decision-Making Guide and will continue ongoing efforts to maintain a strong list of advanceable projects to utilize let savings although this may impact this measure's result. In addition, the department focuses on the importance of proactive communication and meeting often with project staff and contractors to resolve issues including those that impact project schedules

Accountability: On-budget Performance

•		•
Report Date: July 2019	Data Frequency: Annual (State Fiscal Year)	Division: Transportation System Development

Why is it important? The department aims to have the final project cost as close as possible to the amount that was originally contracted when the project was let out for bid. While managing to our budget is important, WisDOT's top priority is delivering a quality project. Therefore, projects costs may increase due to an issue recognized in the field.

Performance measure target: The department's goal is to have the actual project costs not exceed the original contract amount by more than three percent. With an industry average of 105 percent, the department's aspirational goal is 103 percent.



How do we measure it? This measure was updated in 2016 to compare the final construction cost (excluding engineering and project oversight) with the original contract amount of all projects that were completed during the fiscal year. Previously, this measure compared projects that were let during the fiscal year and had achieved 95 percent of their contract budget before the end of the state fiscal year. This new methodology ensures all projects, even those that take a number of years to complete are captured. This change aligns the On-budget and Engineering Construction Cost Index datasets and better demonstrates the final average cost of all construction projects regardless of when they are awarded.

How are we doing? The department recorded a value of 104 percent for FY 2018 which is above its aspirational goal of 103 percent. 334 projects awarded between FY 2015 and FY 2018 were completed at 103 percent of the original construction cost. 38 longer duration, complex projects awarded between FY 2011 and FY 2014 were closed this past fiscal year at 106 percent causing the department to miss the 103 percent target.

What factors affect results? Actual costs are affected by the quality and completeness of project designs, new findings or changes in field conditions, weather condition and contract oversight. Additional factors may be late additions to project scope due to safety condition, changes in customer expectations and local non-participating requests during construction.


What are we doing to improve? An On-Budget Analysis team was commissioned by the department in 2017–2018 to review and come up with recommendations to reduce the project cost overruns. The team shared its report and recommendations in spring 2018. The report provides recommendations to help reduce the cost overruns on major project items that had history of sizable overages. This was shared with the Bureau of Project Development and all project delivery chiefs, who were charged to implement in their respective regions. The team also recommended each region to continue to review and identify lessons learned on construction costs. The Project Letting Plan team now meets quarterly to look at recent results and consider potential improvements, best practices, and issue/risk management techniques to provide recommendations for cost mitigation. In addition, mid-project budget check-ins are required on all construction projects.

Accountability: Surplus Property Management

Report Date:July 2019Data Frequency:Quarterly (State Fiscal Year)Division:Transportation System Development

Why is it important? The department purchases property for transportation improvement projects. Once the project design and construction is complete, land that is no longer needed by the state can be made available for private development. The revenue generated by surplus land sales is deposited into the Transportation Fund to be available for other transportation improvements. Surplus land that is sold spurs local economic development since the parcels often have good access and visibility. When land is returned to the tax rolls, local governments benefit because they can generate new property tax revenue from the property.

Performance measure target: The department's goal is to generate \$2.75 million in revenue each state fiscal year through the sale or lease of surplus property in accordance with Wisconsin State Statute 85.15(2) and to return as much land as possible to the local tax rolls.



How do we measure it? The department's regional offices enter sale and lease data into a central system. This data is then broken down into four categories—sale of land, sale of buildings and personal property, rental income, and lease income. The total revenue from surplus land sales is compiled for each region; all regions are combined for the total state revenue each fiscal year.

How are we doing? The department exceeded the \$2.75 million sales goal in fiscal 2019, with sales dollars 58 percent above initial estimates. The department sold 130 of 149 listed parcels.

What factors affect results? Availability of surplus lands and interest from potential buyers are the most significant factors. Over the past five years (2014-2019) the overall inventory has shrunk from 2,109 parcels to 982. The reduction in availability is both a product of successful sales efforts as well as a reflection of the real estate needs of Wisconsin's highway improvement program. Typically, a small percentage of available land is considered marketable while a large majority of parcels have limited or no access and would be attractive to a very limited number of potential buyers.


What are we doing to improve? An online auction program is being tested on general marketable parcels. The department continues to build on the success of a recent Lean Government initiative to avoid costly appraisals by using nearby assessments to formulate sales offers on certain lands with limited to no marketability. In addition, the use of the real estate inventory management system program has allowed the department to separate land not intended for immediate sale into a hold category. The hold category is intended for future use parcels and single abutter parcels not wanted by the abutting property owner at this time. Staff is also focusing attention to sell parcels with high maintenance costs, such as vegetation management or snow removal. Real estate brokers are helping to optimize sales process of large value properties.

Preservation: Program Effectiveness

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation Investment Management	

Why is it important? The department uses the Program Effectiveness measure as a guide to ensure general conformity in the 3R improvement program with the asset management principles embodied in the department's scoping and prioritization themes. While the goal is to improve consistency in the use of asset management data and techniques, variation in performance across regions is expected. The asset management model provides "planning level" information that serves as a starting point for program planning. The department's planners and engineers then use this data to streamline the process of formulating "project level" decisions. It's important to recognize that the model cannot accommodate all of the competing variables that factor into project and program development. So while regions should keep measure outcomes in mind during the program development process, analysis of the outcomes should not be confused with project level development.

Performance measure target: To have 3R network (resurfacing, restoration and rehabilitation) scheduled projects align with the 3R asset management model at a level of "good" or above at both the statewide and regional levels (matched location 80 percent, matched scope 65 percent and matched time 65 percent).



How do we measure it? Roadway segments from each region's approved schedule of 3R projects are compared to a set of "needbased modeled" projects. "Need" is based on safety (rate and severity) and pavement condition (when and how the Pavement Management Decision Support System recommends a treatment). "Modeled" project locations coincide with the termini of improvement program projects where possible. This coincidence allows for a one-to-one comparison of "programmed" versus "modeled" project location, scope (level of improvement), and timing (priority).

How are we doing? The department has been engaged in a program-wide evaluation of its asset management program. The department did not publish a 2017 report on Program Effectiveness to allow time for both the review of existing improvement program projects and the development of evaluation models. This report reflects the implementation of the revised improvement program. Statewide Location and Scoping measures have both increased relative to 2016 and are above established targets (80 percent and 65 percent, respectively), while Timing has dropped below the established target of 65 percent.

What factors affect results? Perfect conformity with the asset management model is not the desired outcome of this measure. Due to data limitations at the "planning" level, targets have been set at 80 percent, 65 percent, and 65 percent for Location, Scope, and Timing, respectively. Accepting less than 100 percent conformity recognizes that existing data and models cannot capture all the variables that are essential for determining project location, scope, and timing. This measure facilitates improved investment decisions through effective use of data-driven asset management tools and techniques. The department is currently reviewing current targets to ensure they reflect the goals of the new asset management system.


What are we doing to improve? As stated above, the department has recently implemented new asset management policies that emphasize safety, preservation of good condition assets, and the rehabilitation of assets using performance-based practical design concepts. Taken together, these policies maintain or improve asset conditions at a lower cost than previous methodologies. Project-level processes have been implemented to review recommendations to ensure consistency with the asset management theme and vet deviations.

Preservation: State Highway Pavement Condition (backbone)

Report Date:July 2019Data Frequency:Annual (Calendar Year)Division:Transportation Investment Management

Why is it important? Backbone highways are multi-lane highways connecting all major population and economic regions of the state. This 1,588-mile network represents a critical subset of the State Trunk Network because it provides economic links to national and international markets (e.g., Interstates 39, 41, 43, 90 and 94; US Highways 10, 41, 51, 53 and 151; and State Highway 29). New federal performance measures emphasize conditions on Interstates. Good condition pavement promotes the safe, efficient movement of people and products throughout Wisconsin. Prioritizing the backbone network ensures we maximize our investment in the state's transportation infrastructure.

Performance measure target: The goal is to have 90 percent of backbone highway pavement rated fair or above using the most cost-effective pavement improvement methods available.



How do we measure it? The Pavement Condition Index (PCI) method is used for rating pavement condition based on visual signs of pavement distress, such as cracks, ruts and potholes. PCI is a numerical rating that ranges from 0 to 100—where 100 represents pavement in excellent condition and 55 represents a minimum rating for pavement in fair condition. Specialized pavement data collection vehicles gather data on the state trunk highway system on a two-year statewide collection cycle.

How are we doing? The 2017 data shows 98.3 percent of the backbone system in fair or above condition. Conditions on the backbone system have steadily trended upward since 2012. An emphasis on strategic use of highway improvement funds and the implementation of department-wide asset management principles helps the department continue to build system health.

What factors affect results? Backbone highways carry about 49 percent of all state trunk highway traffic and over 85 percent of freight tonnage traversing Wisconsin's state trunk highways. Pavement quality is impacted by material quality, adequacy of pavement design, traffic loading, improvement and maintenance history, age, and environmental factors such as temperature and moisture. The department considers all of these factors when using asset management tools and strategies to determine investment levels and steward highway improvement funding.


What are we doing to improve? The department continues to research, develop, and implement pavement rehabilitation and maintenance processes that maximize the long-term health of the highway system. This includes researching and testing new materials, as well as enhancing asset management strategies with improved data, analysis tools, and prioritization to make sound investment decisions. The improved collection methodology enhances the effectiveness of the Pavement Management Decision Support System (PMDSS). PMDSS uses pavement data to assist engineers, planners, and analysts in determining which segments of roadway to include in the six-year improvement program.

Preservation: State Highway Pavement Condition (non-backbone)

•	•		
Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation Investment Management	
#			

Why is it important? The majority of the state's trunk highway system is on non-backbone highways. Known internally to WisDOT as the 3R (resurfacing, restoration and rehabilitation) system, these highways comprise 10,167 of the nearly 12,000 total centerline miles in the entire system. Keeping these highways in good condition helps to promote the safe, efficient movement of people and products throughout Wisconsin. Comprehensive pavement condition data is used to determine cost-effective maintenance and improvement strategies that extend the life of the state highway system.

Performance measure target: The goal is to have 80 percent of non-backbone highway pavements rated fair or above using the most cost-effective pavement improvement methods available.



How do we measure it? The Pavement Condition Index (PCI) method is used for rating pavement condition based on visual signs of pavement distress, such as cracks, ruts and potholes. PCI is a numerical rating that ranges from 0 to 100—where 100 represents pavement in excellent condition and 55 represents a minimum rating for pavement in fair condition. Specialized pavement data collection vehicles gather data on the state trunk highway on a two-year statewide collection cycle.

How are we doing? The 2017 data shows 81.3 percent of the non-backbone system in fair or above condition. Conditions on the non-backbone system are trending upward relative to 2015 and 2016 conditions. An emphasis on strategic use of highway improvement funds and the implementation of department-wide asset management principles will help the department continue to address the long-term health of the highway system.

What factors affect results? Non-backbone highways carry about 51 percent of all state trunk highway traffic and approximately 15 percent of freight tonnage traversing Wisconsin's state trunk highways. Pavement quality is impacted by material quality, adequacy of pavement design, traffic loading, improvement and maintenance history, age, and environmental factors such as temperature and moisture. The department considers all of these factors when using asset management tools and strategies to determine appropriate investment levels and steward highway improvement funding.


What are we doing to improve? The department continues to research, develop, and implement pavement rehabilitation and maintenance processes that maximize the long-term health of the highway system. This includes researching and testing new materials, as well as enhancing asset management strategies with improved data, analysis tools, and prioritization to make sound investment decisions. The improved collection methodology enhances the effectiveness of the Pavement Management Decision Support System (PMDSS). PMDSS uses pavement data to assist engineers, planners, and analysts in determining which segments of roadway to include in the six-year highway improvement program.

Preservation: State Bridge Condition

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation System Development

Why is it important? Wisconsin bridges are critical infrastructure assets of the highway transportation network. Ensuring safety for the traveling public is a top priority for the department. Inspecting and evaluating bridges is a key component of meeting this objective. Bridges with a condition rating of poor are considered deficient and may need corrective action to ensure current and future operation of the transportation system. An accurate understanding of the condition of the inventory of bridges allows for planning and prioritizing limited resources to address operational needs.

Performance measure target: The department's goal is to have 95 percent of Wisconsin's state-owned or maintained bridges rated fair or above.



How do we measure it? The department performs bi-yearly safety inspections and condition assessments of bridges. This is the designated frequency in National Bridge Inspection Standards (NBIS). Through these inspections, condition rating data is collected for the deck, superstructure and substructure with an overall rating of good, fair or poor condition assigned each calendar year. Bridges with a poor condition rating and open to traffic are safe; however, these structures may need corrective action to ensure continued operation.

How are we doing? Wisconsin has been exceeding the goal of 95 percent in good/fair condition over the past six years. Currently, 97.2 percent of Wisconsin's 5,309 state-owned or maintained bridges have a good or fair rating, while roughly three percent of state bridges have a poor condition rating. There are 17 state-owned bridges with weight restrictions, an improvement from 35 state-owned weight restricted bridges in 2018. The state highway system network accounts for 10.2 percent of the total mileage in Wisconsin yet handles 58.6 percent of vehicle miles traveled. Even when looking beyond the state system by factoring in Wisconsin's 8,889 local bridges, the good/fair rating remains above the national average (92.6 percent versus 92.4 percent).

What factors affect results? The increasing average age of the state bridge inventory (more than 34 years) is a significant factor. Wisconsin puts a high emphasis on maintaining and improving bridges through rehabilitation and replacement improvement programming. Bridges receive the highest priority in the project selection process. Wisconsin spends additional state money above the federal dollars it receives to maintain bridges.

What are we doing to improve? The department continues to improve inspection and management programs with new technology and innovative management practices. Over the past four years the department has introduced a bridge preservation policy for lower level treatments and action to extend long-term performance of bridges on state highways. This includes the Bureau of Structures working with FHWA to update the "Agreement for the Use of Federal Funds for Preventative Maintenance of Structures" which provides greater flexibility to the department in programming federally funded work actions for structures to achieve good and fair condition. The department has also developed the Wisconsin Structures Asset Management System (WISAMS) to identify and support programming of bridge projects. In 2018, the Bureau of Structures introduced a new Structures Programming Tool and certification process for structures work that promotes programming the optimal bridge treatments at the right time within improvement projects.


Preservation: State-owned Rail Line Condition

		•		*		
:	Report Date: July 2019	Data Frequency:	Annual (Calendar Year)	Division:	Transportation Investment Management	:

Why is it important? The efficient movement of freight throughout the state enhances Wisconsin's economic productivity and competitiveness. It is critical to maintain train operating speeds as high as possible to optimize the daily movement of freight in the state.

Performance measure target: The department's goal is to have 95 percent of state-owned rail line miles functioning at Federal Rail Administration (FRA) Class 2 operating speed standards. The FRA Class 2 standards include tracks capable of operating loaded 286,000 pound rail cars above 10 miles per hour and not exceeding 25 miles per hour.

Figure: Percent of miles of state-owned rail line meeting FRA Class 2 standard (10-25 mph)



How do we measure it? The track is evaluated based on the percent of track miles operating at speeds allowed by the FRA's Class 2 Track Safety Standards. The percent of miles of rail line meeting the standard is calculated by dividing the amount of track meeting or exceeding FRA Class 2 standards by the total amount of state-owned rail lines.

How are we doing? There are approximately 711.75 miles of active rail line owned by WisDOT. In 2018, 11.89 miles were improved to meet FRA Class 2 standards through WisDOT funded projects and zero miles of rail line deteriorated to below FRA Class 2 standards. Additionally, 0.5 miles were reclassified from main track to industry track. A total of 546.85 of the 711.75 miles of track (76.8 percent) met the department goal. This is a 11.89 mile increase from 2017 to 2018 in the number of miles that meet the standard.

What factors affect results? Variability in railroad infrastructure program funding levels affects the amount of track improvement projects that can be initiated in a particular program cycle. In addition, rail projects sometimes require more than one year to complete, creating the appearance of little progress in one year and substantial progress in the next. Another factor is that railroad project funds can be spent on rail bridge projects that do not affect this measure, but do improve overall rail system safety, speed, efficiency, and reliability. Funds may also be used for the acquisition of new rail lines to the system. Acquisition of new rail lines is focused on the continued preservation of short-line rail service needs statewide. While this supports economic development, it increases the total miles system-wide and reduces the proportion of available rail improvement project funding. Last, the overall state of the economy impacts the volume of goods transported by the railroads, the revenue it produces, and the reinvestment in railroad structures by the railroad companies.


What are we doing to improve? The department reviews the annual maintenance plans of companies operating on stateowned railroad track and discusses opportunities to upgrade rail track and structure conditions. The department's rail grant and loan program funds railroad infrastructure rehabilitation projects to improve track structure and increase operating speeds each year. Annual compliance inspections are done to ensure that railroads are properly maintaining state-owned rail lines. Due to ongoing investment in rail lines and enforcement of maintenance standards, the department expects this upward trend in the percent of miles meeting FRA's Class 2 operating standards to continue.

Preservation: Airport Pavement Condition

Report Date: July 2019Data Frequency: Annual (Calendar Year)Division: Transportation Investment Management

Why is it important? Pavement condition ratings are a primary indicator of the long-term structural health of the state's airport system. The department evaluates the pavement condition on three pavement types (primary runways, taxiways and aircraft parking aprons) at each of the 97 publicly-owned airports identified in the State's Airport System Plan (SASP).

Performance measure target: The department's goal varies by pavement type. The target for primary runways is to have 90 percent of airport pavement rated fair or above, Taxiways 85 percent, and aprons 80 percent respectively.



Note: 2015 estimated PCI values back modeled. 2016 and 2017 actual PCI inspection data was used. * 2018 data based on incomplete data. All inspections were not completed in 2018. The measure will be updated at the next available quarterly report once the inspections are completed and data compiled.

How do we measure it? In 2017, the emphasis was narrowed to focus on the highest priority pavement surfaces and establish individual targets based on the three different functional pavement types (primary runways, taxiways, aprons). The Pavement Condition Index (PCI) method is used for rating pavement condition based on visual inspection. The PCI is a numerical rating that ranges from 0 to 100, with 100 being a pavement in excellent condition. A PCI of 56 or higher is rated as "fair or above". The measure for each pavement type is calculated by taking the total area of pavement for each pavement type having a PCI of at least 56, divided by the total pavement area for each pavement type expressed as a percentage. Primary runways only include a single runway at each airport, except General Mitchell International Airport in Milwaukee (GMIA) which uses one runway for takeoff and one for landing therefore both runways were included. Taxiways generally include only the taxiway network used to travel between the primary runway and the main terminal aircraft parking apron. Aprons generally include only the main airport terminal aircraft parking aprons, and actively used cargo areas.

How are we doing? Primary runways: In 2018, 93 percent of the state's primary runways were rated fair or above remaining steady from 2017 and three points above the goal of 90 percent. **Taxiways:** In 2018, 86 percent of the state's taxiways were rated fair or above remaining steady from 2017 and one point above the goal of 85 percent. **Aprons:** In 2018, 77 percent of the state's aircraft parking aprons were rated fair or above. Gaining one point from 2017 and three points below the goal of 80 percent.

What factors affect results? Airports are locally-owned and decisions regarding improvements are handled at the local level. Challenges occur when a pavement needs rehabilitation but the airport owner has prioritized other projects. The last several years, national federal high priority safety initiatives caused a shift in priority from pavement rehabilitation projects to these safety improvements. Federal discretionary dollars are focused on the national safety priority, limiting the funds available for pavement rehabilitation.

What are we doing to improve? At least annually, DOT meets with airports to discuss current and future projects in developing a sixyear capital improvement program. A key component of this outreach relates to the priority system and the importance of preservation and rehabilitation of critical pavement infrastructure. The pavement needs are balanced and incorporated into the six-year plan in accordance with other high priority safety and airport operational needs.


Finally, we plan to investigate the use of software that will help more accurately identify candidate projects for various types of preventative maintenance surface treatments. The potential of this tool is to more precisely focus on the right pavements, with the right preservation treatment, at the right time to achieve maximum results.

Preservation: State Highway Roadside Maintenance

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Transportation System Development
•		*

Why is this important? Many factors affect the safety, efficient operation and longevity of our highway system. Effective and consistent maintenance efforts preserve our investment in the highway system, enhance safety and economic productivity, and minimize the impact to the natural environment.

Performance measure target: The department's goal is to reach and maintain a 3.0 out of 4.0 grade point average (GPA) for 29 features evaluated each year.



How do we measure it? Twenty-nine features are evaluated under five contributing categories: Critical Safety, Safety/Mobility, Stewardship, Driver Comfort and Aesthetics. Condition data is collected each fall as part of a field review process. Rating teams composed of WisDOT region maintenance coordinators and county patrol superintendents evaluate a random sample of 1,200 one-tenth mile segments around the state. Conditions of the features are assessed, documented and used in creating grading curves. Pre-established grading curves help identify areas for improvement.

How are we doing? The statewide GPA shows a 0.11-point decrease from 2016 with the largest changes experienced in three areas: Routine replacement of other signs, protective barriers and storm sewers. Routine replacement of other signs marked a positive step forward to a B grade as the department focuses on infrastructure preservation and more efficient deployment of resources. However, the marks for storm sewer condition and protective barriers each declined to a C. In the case of protective barriers, the department intensified training to uncover previously undetected issues. The department is now working to prioritize and remedy these issues to enhance safety and foster greater longevity of the infrastructure.

What factors affect results? The annual GPA is affected by baseline conditions, maintenance budget levels and policies, winter maintenance costs and improvement program investments. The department's first maintenance priority is snow and ice removal, while the balance is spent on non-winter activities. Historically, about three-quarters of each maintenance dollar is programmed to winter, pavement and structure maintenance activities, with the balance used on system needs associated with the 29 Compass features. The highway maintenance condition largely depends on the balance of routine maintenance agreement funding remaining after winter operations, as well as improvement project programming levels.


What are we doing to improve? The department is focusing on preservation of infrastructure and is continuing to work with Wisconsin's 72 counties to create best practices. Over the past several years, the department has modernized the approach to winter maintenance, using technology to prescribe the most effective snow plow routes to reduce man-hours and equipment needs. Additionally, the department has been working with counties to collect data on non-winter activities in order to strategize for less costly, more efficient routine maintenance. By data-banking good construction practices and sharing these practices with other counties, it is reasonable to expect additional benefit in the quality and effectiveness of treatments to overall pavement service life.

Preservation: Material Recycling

Report Date: July 2019	Data Frequency: Annual (State Fiscal Year)	Division: Transportation System Development

Why is it important? The department strives to incorporate environmental sustainability or green initiatives in its vision for providing a safe and efficient transportation system. This includes incorporating the use of recycled materials in improvement projects to lessen the impact on Wisconsin's environment and to preserve resources for future generations. WisDOT's recycled materials efforts help to prevent waste and create opportunities for savings. Since 2012, WisDOT projects have reused more than 12 million tons of materials, creating a savings of nearly \$130 million to benefit additional projects.

Performance measure target: The department's goal is to make sure recycled materials are incorporated into projects. The goal based on the new measuring methodology is to have 10 percent of virgin materials replaced with recycled materials in construction projects.



How do we measure it? Recycled material quantities are calculated based on total tonnage of construction bid items for the fiscal year where recycled material are commonly used. Steel that is extracted and recycled by the construction contractor is also included in the total tonnage. The use of recycled materials is measured by the percentage of virgin material replacement in some key construction materials. By reporting the use of recycled materials by percentage of the product being placed, we will be able to better track usage based on design and material policies.


How are we doing? The department remains committed to conserving resources, minimizing waste, keeping materials out of landfills and avoiding Greenhouse Gas emissions. Each year the size and types of projects in the Improvement Program dictate the amount of recycled materials eligible to be used in projects. Almost all projects incorporate recycled materials, the largest type being recycled concrete followed by reclaimed asphaltic pavement in hot mix asphalt and base course. The department leverages opportunities, when possible, to utilize recycled materials. This year, there was a large increase in savings due to the onsite use of recycled concrete on the major construction projects on I-39 in Dane and Rock Counties, as well as the I-94 North-South project in southeastern Wisconsin.

What factors affect results? The department wants to encourage the use of recycled materials and has written project specifications to allow recycled materials. Ultimately, the contractor makes the decision on the materials to use based on market conditions. The economy, fuel costs and landfill tipping fees affect the cost effectiveness and attractiveness of recycling.

What are we doing to improve? The department continues to work with other states at a national level and with universities to develop new technologies and methods to incorporate not only greater amounts of recycled material but also new recycled materials. These efforts have yielded significant results in the past in the form of new materials being recycled and greater amounts of the material currently being used. WisDOT and WisDNR are currently working to update the NR 538, beneficial reuse of industrial by products. We are also looking to expand the use of Cold In-Place Recycling. The department has partnered with UW-Madison's Recycled Materials Resource Center on their web-based tool that identifies waste material supplies that are available and can be used by contractors.

Safety: Traffic Fatalities

Report Date: July 2019	Data Frequency: Quarterly (Calendar Year)	Division: State Patrol		
Why is this important? Any preventable traffic death on Wisconsin's roadways is one too many. Each fatality is a tragedy—a person who will not be returning home.				
Performance measure target: For each calendar year, the department seeks to reduce traffic fatalities by two percent from the prior five-year rolling average. This supports the department's over-arching safety goal to reduce deaths on Wisconsin roads.				
Figure: Number of traffic fatalities				



How do we measure it? The measure uses traffic fatality data collected by law enforcement agencies who use a standard crash report. The information is not considered final until approximately June of the following year as data is reported late or needs verification.

How are we doing? Wisconsin has experienced a decrease in traffic fatalities on its roads from the previous year. As of June 30, 2019, Wisconsin has had 229 fatalities, which is 35 fewer than in 2018 and 9.5 percent less than the five-year rolling average for second quarter 2019. Even though Wisconsin has had 57 fatality-free days thus far in 2019 (the five-year average is 54), there are still far too many needless and preventable deaths on our roadways. In many instances, drivers and passengers have been ejected from the vehicle because they were not wearing safety belts. Wearing a safety belt is the single most effective way to prevent ejection or being violently thrown around inside the vehicle during a crash. Wisconsin's fatality rate for 2017 was 0.91 per 100 million vehicle miles traveled (VMT), which is the fourth lowest recorded.

What factors affect results? Traffic crashes are avoidable events caused by such factors as human behavior, vehicle condition and environmental surroundings. Weather can also have a seasonal impact, especially on motorcycle or bicycle-related fatalities. The largest factor and most difficult to change is the risk-taking behavior of drivers and tolerance of the public toward risky behavior.


What are we doing to improve? The department uses a combined strategy of engineering, education, enforcement and emergency response to prevent traffic fatalities, including designing safer roads and maintaining the highway infrastructure. The department has expanded the use of multi-jurisdictional High Visibility Enforcement task forces around the state to address impaired driving, speed, pedestrian safety and safety belt use. Speed and aggressive driving are targeted through increased use of aerial enforcement in partnership with agencies across the state. The department provides ongoing educational outreach to high school students to promote safe driving, use of safety belts and eliminating driving distractions. Centerline and shoulder rumble strips have been installed along with other roadway improvements in corridors with safety concerns.

Safety: Serious Traffic Injuries

:	Report Date: July 2019	Data Frequency:	Annual (Calendar Year)	Division:	State Patrol
				*	

Why is this important? Each traffic crash potentially creates loss of life, debilitating injuries or lost income and productivity for crash victims. Any preventable traffic death or serious injury is one too many.

Performance measure target: The goal of this measure is to reduce the number of serious injuries from traffic crashes by five percent from the prior five-year rolling average.



How do we measure it? The measure uses serious injury data compiled from all traffic crash reports submitted by Wisconsin law enforcement agencies. Injuries related to vehicle crashes are calculated against vehicle miles traveled each calendar year to generate an injury rate per 100 million vehicle miles traveled. Prior year volume data used to calculate this rate is available by September of the subsequent year. Beginning in 2017, the crash report was changed to reflect current national standards. Injury severity had been assigned according to the officer's judgement of the consequences of the injury. Now it is assigned according to readily apparent symptoms.

How are we doing? The number of serious injuries in 2019 is 1,341, 8.0 percent less than last year and 5.4 percent below the fiveyear average. When calculated against vehicle miles traveled, the serious injury rate in Wisconsin in 2017 was 5.35 serious injuries per 100 million vehicle miles traveled. This is 2.1 percent above the prior five-year rolling average of 5.24. Serious injury crashes (those that result in serious injuries) have declined from 3,990 in 2007 to 3,212 in preliminary 2018. There have been 1,101 serious injury crashes on Wisconsin roads in 2019 as of June 30, 2019 (preliminary), which is down from 1,225 (10.1 percent) in 2018.

What factors affect results? Traffic crashes are avoidable events caused by such factors as human behavior, vehicle condition and environmental surroundings. Weather can also have a seasonal impact, especially on motorcycle or bicycle-related crashes. For motorcyclists and bicyclists, the use of proper safety gear can reduce severity of personal injuries. Wearing a seat belt while in a car or truck is the single most effective way to reduce or eliminate injury in a crash. Safety and road design improvements and tougher laws can have a positive impact on crash frequency. In addition, the severity of injuries in crashes can be lessened through rapid and high-quality emergency medical response.


What are we doing to improve? The department uses a combined strategy of engineering, education, enforcement and emergency response to prevent traffic crashes and injuries, including designing safer roads and maintaining the highway infrastructure. In addition, the department has expanded the number of multi-jurisdictional High Visibility Enforcement task forces to address impaired driving, speed, pedestrian safety and safety belt use. The department is targeting speed and aggressive driving through increased use of aerial enforcement and in partnership with agencies across the state. The department provides ongoing educational outreach to high school students to promote safe driving, use of safety belts and eliminating driving distractions, such as texting. The department has installed center line and shoulder rumble strips and other roadway improvements in corridors with safety concerns.

Safety: Traffic Crashes

Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: State Patrol
•	•	*

Why is this important? Each crash potentially creates loss of life, debilitating injuries or lost income and productivity for crash victims. Crashes on the road system also impact traffic flow and the timely movement of goods and people to their destinations.

Performance measure target: The goal of this measure is to reduce traffic crashes on Wisconsin roads by five percent from the prior five-year rolling average.



How do we measure it? The measure uses traffic crash data compiled from all traffic crash reports submitted by Wisconsin law enforcement agencies. In order to calculate the annual crash rate, the total number of crashes is divided by the number of vehicle miles traveled (in hundreds of millions). Prior year volume data used to calculate this rate is available by September of the subsequent year.

How are we doing? As of June 30, 2019, the number of traffic crashes on Wisconsin roads was 69,517. This is 0.2 percent under last year and 11.6 percent above the five-year average. The crash rate in 2017 increased from the rate in 2016 by 6.0 percent. In calendar year 2017, there were 139,870 total crashes (fatal crashes, injury crashes and property damage crashes) on Wisconsin roads. When calculated against vehicle miles traveled in 2017, the crash rate was 214.12 crashes per 100 million vehicle miles traveled. This is 9.1 percent above the prior five-year rolling average of 196.22.

What factors affect results? Traffic crashes are avoidable events caused by such factors as human behavior, vehicle condition and environmental surroundings. Weather can also have a seasonal impact, especially on motorcycle or bicycle-related crashes.


What are we doing to improve? The department uses a combined strategy of engineering, education, enforcement and emergency response to prevent traffic crashes and injuries. This includes designing safer roads, maintaining the highway infrastructure, educational efforts targeted on prevention, and expanding enforcement campaigns in partnership with law enforcement agencies across the state. The department works to encourage drivers to stay within the speed limit, drive sober, buckle their safety belts and eliminate driving distractions.

Safety: Safety Belt Use

Report Date:July 2019Data Frequency:Annual (Calendar Year)Division:State Pate	ol

Why is this important? Wearing safety belts saves lives. Buckling a safety belt every time, on every trip, decreases the risk of being ejected or thrown about the vehicle in the event of a crash. In Wisconsin, a 10 percent increase in safety belt use would save about 44 lives and prevent 650 injuries each year. About 50 percent of all passenger vehicle occupant fatalities in Wisconsin are unbelted. Motorists who do not use safety equipment are 12.3 times more likely to be killed than someone wearing a shoulder and lap belt at the time of a crash. The likelihood of surviving a crash, and possibly avoiding debilitating injuries, can be increased by the simple task of buckling a safety belt.

Performance measure target: The goal of this measure is to increase safety belt use to 92 percent for all passenger vehicle occupants by 2020.



How do we measure it? Using guidelines developed by the National Highway Traffic Safety Administration (NHTSA), the department conducts an annual seat belt use survey in conjunction with the annual Click It or Ticket seat belt enforcement mobilization conducted each spring. The survey data presents a statistically representative sample of the percentage of safety belt use in Wisconsin.

How are we doing? Safety belt use in Wisconsin reached 89.3 percent in 2018, a slight drop from the all-time high of 89.4 set in 2017. That means that approximately one in ten motorists are still not buckling up—putting themselves and others at risk of serious injury or death in the event of a crash. Wisconsin is approaching the 90.1 percent national average for safety belt use but still lags behind the safety belt use of neighboring states like Illinois and Michigan, which estimate safety belt use rates of more than 90 percent. The previous five year average was 86.1 percent.

What factors affect results? Human behavior is the most important factor that affects safety belt use results. Consistent safety belt use saves lives and motorists need to be proactive in buckling their safety belts every time, on every trip, to promote their safety and the safety of others. Safety belt use is a law in the state of Wisconsin. Since 2009, it is a primary enforcement law, which means law enforcement officers can pull over and cite a motorist for not wearing a safety belt.


What are we doing to improve? The department promotes safety belt use through education and enforcement. The nationwide Click It or Ticket effort, in conjunction with NHTSA, utilizes paid advertising and enforcement to promote public awareness. Much of the educational efforts are targeted at younger drivers whose safety belt use is much lower than other age groups. The department also supports car seat fitting stations to ensure that parents and providers are instructed on how to properly install child car seats and booster seats to keep small children safe in vehicles and training instructors on safety seat installment. By buckling their safety belt every time they get in a vehicle, motorists ensure their own personal safety, as well as the safety of passengers.

Service: DMV Wait Times

Bomout Dates July 2010	Data Francia Quartarly (Calandar Vary)	Division: Motor Vehicles
Report Date: July 2019	Data Frequency: Quarterly (Calendar Year)	Division: Motor venicles
	*	*

Why is it important? For many customers, their primary contact with the department is through the Division of Motor Vehicles (DMV). While most DMV services do not require an in-person visit to a customer service center, the DMV service centers still experience large volumes of customers (more than two million transactions occur at offices each year). The DMV's goal is that customers receive quality service within a reasonable amount of time.

Performance measure target: The goal of this measure is to serve 80 percent of customers within 20 minutes of their arrival at a DMV customer service center.



How do we measure it? The measure counts all recorded wait times and calculates the percent of customers who waited 20 minutes or less. This includes all customers who visit our 30 five-day stations, which serve approximately 85 percent of our customers.

How are we doing? The CSI score dropped from quarter one to quarter two, but quarter two saw 14 percent more customers and the score is higher than 2018 results. We continue to use projection models to balance in-person customer service with the mailed in title work completed in customer service centers. These models allow us to proactively plan how best to assign available staff resources to meet customer service goals throughout the state.

What factors affect results? Factors affecting this measure are staff vacancies and absences, computer system reliability and the day of the week/month (demand for services varies). The availability of self-service options, by phone and on-line, also affect the demand for counter service.

What are we doing to improve? DMV expanded vehicle services to 20-hour locations and offers Saturday hours around the state. Expanding our service hours for our customers assists this measure by spreading customer demand and reducing peak demand. Additionally, DMV has implemented an online scheduling system that provides customers the ability to make appointments as well as complete and submit applications electronically prior to arriving at a service center. This allows DMV to better allocate resources to meet demand and decrease transaction time. As more customers choose to take advantage of scheduling appointments and electronically submitting their applications in advance, service times will continue to improve.


Service: DMV Electronic Services

•	•		
Report Date: July 2019	Data Frequency: Annual (Calendar Year)	Division: Motor Vehicles	
•	•	•	

Why is it important? The goal of this measure is to increase the number of self-serve electronic transactions by ten percent each calendar year. This will further DMV's efforts of shifting from manual work by DMV staff to providing customer self-service options through automation. Using technology to improve the quality and decrease the cost of services has and will continue to be a priority for DMV.

Performance measure target: The goal of this measure is to increase the number of transactions performed electronically by ten percent each calendar year. Our goal is also to represent a shift from manual work by DMV staff to self-serve through automation.





How do we measure it? This measure is a count of new eNotify sign-ups, electronic application submissions, and online duplicate driver license and identification card transactions performed annually.

How are we doing? Electronic services usage is trending in line with the ten percent increase goal.

What factors affect results? An increasing number of our customers prefer to receive notifications and engage with the division via electronic means. As awareness of these options increases, we expect these numbers to continue to grow.

What are we doing to improve? The department continues to create new electronic services and encourages users to complete transactions online. Public awareness campaigns and expanded use of social media have helped to publicize the availability of DMV's electronic service options.


Service: DMV Driver License Road Test Scheduling

Report Date:July 2019Data Frequency:Quarterly (Calendar Year)Division:Motor Vehicles

Why is it important? Customers who are eligible to schedule a Class D skills test should be able to find adequate appointment slots available at the same location the instruction permit was processed. A lack of local availability upon eligibility creates an inconvenience for customers who must travel great distances to take a road test or delay scheduling.

Performance measure target: To have enough Class D skills tests available to meet 90 percent of the estimated demand four weeks before the customer's eligibility date.

Figure: Percent of DMV road test demand met four weeks in advance



How do we measure it? Applicants under the age of 18 must hold their instruction permit for six months before they are eligible to take a road skills test. By looking at the number of Class D Instruction Permits issued to customers under the age of 18 each week at each DMV office, and applying a multiplier to account for adult permits as well as a statewide fail rate, the DMV is able to estimate the demand for road skills tests needed at each office six months into the future. Four weeks before the actual testing week, the DMV compares the number of scheduled and available tests to the estimated demand, and calculates the demand that is not served at each DMV office and the total statewide demand not being met. The weekly data is then combined for the monthly report. If a DMV office offers more tests than the estimated demand, this is not counted toward meeting another office's demand.

How are we doing? The DMV has maintained the annual trend of achieving 90 percent or higher service levels. This is largely due to using improved projection models to better estimate our customers' needs.

What factors affect results? While there are prerequisites for scheduling a Class D skills test, it is ultimately up to the customer to schedule their test at the location and date that best meet their needs. Some customers hold a permit beyond the minimum requirement, and some customers feel more comfortable taking a test in one location over another. These personal preferences cannot be accounted for in the established goals.


What are we doing to improve? Used as a leading indicator to allocate staff resources, DMV continues to explore ways to use this measure to make informed resourcing decisions. With projections available six months in advance, DMV ties this information to the availability of time off and adjusts resources as needed (temporarily or permanently) to respond to weekly fluctuations in estimated demand levels. Management follows up with offices not meeting the goals to ensure the estimated demand levels are understood and to identify circumstances that influence performance.

Service: DMV Phone Service

Report Date: July 2019	Data Frequency: Quarterly (Calendar Year)	Division: Motor Vehicles

Why is it important? In addition to approximately two million customers served in person each year at our service centers, the department's Division of Motor Vehicles (DMV) also receives an average of 1.11 million phone calls each year from individuals, business partners and other governmental entities. These calls range in complexity from a simple request for a service center location to questions about Commercial Driver License (CDL) eligibility requirements. Although phone customers are not physically waiting in line, they deserve timely service.

Performance measure target: The DMV's performance target is to answer 80 percent of all the calls offered within three minutes wait time.



How do we measure it? Each week, the DMV counts the total number of calls offered to representatives and calculate the percent that waited three minutes or less before speaking with a representative. Calls abandoned or blocked due to a busy signal are considered to have waited longer than three minutes.

How are we doing? While calendar year 2019 began lower than the end of 2018, quarter two of 2019 has continued the steady increase that was seen in February and March.

What factors affect results? These include the number of representatives answering phones, the number of calls, the length of time a representative is on the phone with a customer (a product of the complexity of the call), and the representative's knowledge and skills.


What are we doing to improve? By expanding online services and improving the information available on the department's website, DMV can reduce the number of calls. The DMV continues to evaluate data to help identify best practices across the division's phone units and make informed decisions regarding staffing, performance management and unit structures. The DMV has expanded basic phone training to include more complex topics to reduce the number of calls needed to be escalated to more seasoned staff. Additionally, the two primary contact centers, which handle general driver and vehicle questions, have been consolidated producing exceptional results. Consolidation has allowed for better use of resources and improved cross training opportunities. The performance goal was changed in July 2018 from 80 percent in two minutes to 80 percent in three minutes. This change was made in recognition of the numerous alternatives available to customers to get their questions answered, including a newly prioritized DMV email service goal.

Service: DMV Email Service

Report Date: July 2019	Data Frequency: Quarterly (Calendar Year)	Division: Motor Vehicles

Why is it important? DMV email service provides an efficient alternative to phone requests for information. Increased utilization of the email option for less complicated topics allow our phone staff to provide in-depth service to customers with more complex requests. It is important for emails to be answered in a timely manner so that customers do not telephone, resulting in a duplicative contact.

Performance measure target: The DMV's performance target is to respond to 80 percent of email contacts within 24 hours.



How do we measure it? Each week, the DMV counts the total number of emails received by the various official inboxes linked to on the WisconsinDOT.gov site and calculates the percent that were responded to within 24 hours.

How are we doing? Implementation of the DMV email service continues to be successful, with a second consecutive quarter surpassing the 80 percent performance target.

What factors affect results? The DMV devotes customer service resources to answering email requests during all regular business hours. Some emails include multiple questions and may require additional review.

What are we doing to improve? The DMV utilizes routing technology to assign email contacts to the appropriate personnel. Improved cross training in the phone units has provided the additional benefit of an improvement in the rate and accuracy of responses.



Appendix A: Additional Performance Measures

Mobility Accountability Preservation Safety Air Support Unit Deployments for Traffic Enforcement 30


Service

Safety: Air Support Unit Deployments for Traffic Enforcement

 Report Date:
 July 2019
 Data Frequency:
 Quarterly (Calendar Year)
 Division:
 State Patrol

Why is this important? Speed continues to be a contributing factor in approximately 30 percent of traffic fatalities in Wisconsin. Speed is also believed to be under reported in crash reports. Using a consistent air enforcement presence through the Division of State Patrol's (DSP) Air Support Unit (ASU), along with dedicated law enforcement vehicles, is an effective method of enforcing speed and aggressive driving. Ensuring ASU is used periodically on traffic corridors helps law enforcement agencies conduct high visibility enforcement efforts and provides a deterrent effect even when air support is not present. In 2019, WisDOT will evaluate and report out on results of research into the impact of aerial speed enforcement on selected corridors.

Performance measure target: The goal of this measure is to increase the number of ASU traffic enforcement deployments to 80 in 2019. DSP anticipates the number of ASU deployments to eventually level off into maintenance of effort mode. Depending upon the number of law enforcement cars participating in deployments, DSP considers six to eight traffic stops per hour as optimal performance. Each traffic stop does not necessarily lead to a citation.



How do we measure it? The ASU will document the number of deployments to assist law enforcement agencies with enforcing speed and aggressive driving laws. As part of each deployment, law enforcement agencies will also report the number of contacts they have with motorists.

How are we doing? There are multiple uses for state planes that impact how often the planes are available for traffic enforcement, including: surveillance for criminal investigations, photo flights to document a scene for evidentiary purposes, search missions, construction work zone enforcement, and use by other agencies such as the Department of Natural Resources (DNR). With the previous limited use of the ASU, the state had lacked an important tool to enforce speed and aggressive driving laws while seeking to change driver behavior through consistent presence offered by the ASU with ground support. There have been nineteen deployments so far in 2019, which resulted in an average of 5.55 stops per hour.

What factors affect results? There are multiple mission options in WisDOT and DNR that may limit the number of flights made for traffic enforcement. Weather is an unpredictable factor that can scuttle deployments. The availability of a trained flight crew can be a limiting factor.

What are we doing to improve? Considering how effective aerial enforcement can be as a law enforcement tool, WisDOT has recommitted to planning and funding additional ASU deployments. DSP has dedicated additional federal funds to deployments in cooperation with local law enforcement agencies on high-volume corridors and is looking for ways to attract trained pilots. Consistent deployment of the ASU, along with a highly visible law enforcement presence on the ground, will encourage drivers to stay within speed limits, curb aggressive driving, provide safer work zones and prevent crashes.

Mission

Provide leadership in the development and operation of a safe and efficient transportation system.

Vision

Dedicated people creating transportation solutions through innovation and exceptional service.

Wisconsin Department of Transportation

Values

Accountability

Being individually and collectively responsible for the impact of our actions on resources, the people we serve, and each other.

Attitude

Being positive, supportive and proactive in our words and actions.

Communication

Creating a culture in which people listen and information is shared openly, clearly, and timely—both internally and externally.

Excellence

Providing quality products and services that exceed our customers' expectations by being professional and the best in all we do.

Improvement

Finding innovative and visionary ways to provide better products and services and measure our success.

Integrity

Building trust and confidence in all our relationships through honesty, commitment and the courage to do what is right.

Respect

Creating a culture where we recognize and value the uniqueness of all our customers and each member of our diverse organization through tolerance, compassion, care and courtesy to all.

Teamwork

Creating lasting partnerships and working together to achieve mutual goals. Dashboard Mobility Accountability Preservation

Safety Service



For more information on MAPSS, visit www.mapss.wi.gov