

Corrugated Polyethylene Drainage Pipe- M 252

Date last edited: 1/4/2018

Manufacturer	Plant Location	Approved Pipe Sizes	Date Approved	Notes
Advanced Drainage Systems (ADS)	Fairmont, MN	All	1/1/2012	
	Mendota, IL	All	8/8/2013	
	Eagle Grove, IA	All	8/8/2013	
	Findlay, OH	All	8/8/2013	
	London, OH	All	8/8/2013	
	Harrisonville, MO	All	1/4/2018	
Haviland Drainage Prodcuts Co.	Haviland, OH	All	1/1/2012	
JM Eagle	Wharton, TX	All	8/7/2012	
Prinsco	Chatworth, IL	All	5/24/2012	
	Prinsburg, MN			
Fratco	Francesville, IN	All	5/13/2016	
Quality Culvert	Astatula, FL	All	1/1/2012	DELISTED 7/2/2015
	Athens, AL	All	1/1/2012	DELISTED 7/2/2015
	Marshall, TX	All	1/1/2012	DELISTED 7/2/2015
Timewell Drainage	Timewell, IL	All	1/1/2012	
	Providence, KY	All	7/2/2015	

All products accepted on the basis of compliance to the National Transportation Product Evaluation Program (NTPEP)

Products must show compliant to both audits and split sample

Production of drainage pipe in a NTPEP fully compliant plant is required .

If the pipe manufacturer plant and size is on the above list and the pipe is stamped "AASHTO M252" and shows no apparent damage , the pipe may be incorporated into the work with a certification of compliance identifying manufacturer, plant , type, size and compliance to AASHTO M 252

Pipe not properly marked AASHTO M 252 shall be rejected

Contact:

John Rublein

New Products Engineer

john.rublein@dot.wi.gov