


April 2022 Solicitation Questions and Responses

Solicitation	Project	Question	Response
BHM-01	1071-07-09	What are the main desired features of the facility?	2 family assisted bathrooms, 2 men's bathrooms, 2 women's bathrooms, maximized CMV truck parking. The site plan and plan view of Rest Area 14 Johnson Creek, I-94 westbound, Jefferson County (attached) are anticipated to be similar to the new design.
BHM-02	1225-10-02	What are the main desired features of the facility?	2 family assisted bathrooms, 2 men's bathrooms, 2 women's bathrooms, maximized CMV truck parking. The site plan and plan view of Rest Area 14 Johnson Creek, I-94 westbound, Jefferson County (attached) are anticipated to be similar to the new design.
NE-01	4115-14-00, 4115-15-00	Is structure work anticipated?	There will be an overlay on one structure and miscellaneous secondary work.
NE-01	4115-14-00, 4115-15-00	What are the drainage improvements (culvert replacements or other)?	Most culverts will be replaced.
NE-01	4115-14-00, 4115-15-00	Does the project include pavement improvements to the concrete or curb ramp improvements through Mishicot?	Yes, there will be concrete repair, new curb ramps and asphalt overlay in the village of Mishicot
NE-02	1009-39-87	Will any work require communicating directly with property owners?	No
NE-02	1009-39-87	Please identify anticipated tasks to be performed by an experienced Acquisition Real Estate Specialist.	Managing the acquisition of right of way (project updates, requesting title updates, communication between engineer and consultant buying right of way), quality assurance reviews, processing jurisdictional offers and awards, and mentoring four new real estate project managers.
NE-02	1009-39-87	The list of deliverables appears to be tasks associated with a Real Estate Administrative Associate. Please indicate if billable staff will be limited to Administrative Associate level only.	A mix of real estate administrative and specialist tasks will be assigned. Tasks may be split between multiple employees. WisDOT prefers one to two employees be assigned to the 40 hour per week commitment.
SW-04	5952-03-04	Will STH 39 be closed with a detour or will the structure be constructed in stages to accommodate traffic?	Detour
SW-04	5952-03-04	Is a Section 106 report anticipated or will the project qualify for the streamlined project	Screening List anticipated, may be affected by structure design
SW-05	1000-07-22	What is the anticipated weekly time commitment?	Up to 80 hours per week between multiple employees.



RUNOFF COEFFICIENTS FOR SPECIFIC LAND USE

LAND USE:	HYDROLOGIC SOIL GROUP											
	A			B			C			D		
	SLOPE RANGE (PERCENT)			SLOPE RANGE (PERCENT)			SLOPE RANGE (PERCENT)			SLOPE RANGE (PERCENT)		
	0-2	2-6	6 & OVER	0-2	2-6	6 & OVER	0-2	2-6	6 & OVER	0-2	2-6	6 & OVER
ROW CROPS	.08	.16	.22	.12	.20	.27	.15	.24	.33	.19	.28	.38
	.22	.30	.38	.26	.34	.44	.30	.37	.50	.34	.41	.56
MEDIAN STRIP-TURF	.19	.20	.24	.19	.22	.26	.20	.23	.30	.20	.25	.30
	.24	.26	.30	.25	.28	.33	.26	.30	.37	.27	.32	.40
SIDE SLOPE-TURF			.25			.27			.28			.30
			.32			.34			.36			.38
PAVEMENT:												
ASPHALT	.70 - .95											
CONCRETE	.80 - .95											
BRICK	.70 - .80											
DRIVES, WALKS	.75 - .85											
ROOFS	.75 - .95											
GRAVEL ROADS, SHOULDERS	.40 - .60											

NOTE: THE LOWER C VALUES IN EACH RANGE SHOULD BE USED WITH THE RELATIVELY LOW INTENSITIES ASSOCIATED WITH 2 TO 10 YEAR DESIGN RECURRENCE INTERVALS WHEREAS THE HIGHER C VALUES SHOULD BE USED FOR INTENSITIES ASSOCIATED WITH THE LONGER 25 TO 100 YEAR DESIGN RECURRENCE INTERVALS.

- LEGEND**
- SOD
 - SILT FENCE
 - RIPRAP WITH GEOTEXTILE FABRIC, TYPE R
 - EROSION MAT (CLASS I, TYPE "B")
 - DIRECTION OF FLOW

TOTAL PROJECT AREA IS APPROXIMATELY 29 ACRES.
 TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES IS APPROXIMATELY 29 ACRES.
 TOTAL AREA OF EXISTING FIELDS WITHIN NEW RIGHT-OF-WAY TO BE SEEDDED BUT NOT DISTURBED IS APPROXIMATELY 22 ACRES.

STATE PROJECT NUMBER: 1061-01-79 HWY: SAFETY REST AREA #14 COUNTY: JEFFERSON EROSION CONTROL SCALE, FEET SHEET NO: 2.22 E

DESIGN FILE = H:\46017500\dgn\49179ec04.dgn

DATE OF PLOT: 6/5/09

ORC DATE :






PLOT NAME :

Originator : BYRES ASSOCIATES, #AURESHA

PLOT SCALE :


1"=100'

LEGEND

-  SOD
-  SILT FENCE
-  RIPRAP WITH GEOTEXTILE FABRIC, TYPE R
-  EROSION MAT (CLASS 1, TYPE "B")
-  DIRECTION OF FLOW

N






TOTAL PROJECT AREA IS APPROXIMATELY 29 ACRES.
 TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES IS APPROXIMATELY 29 ACRES.
 TOTAL AREA OF EXISTING FIELDS WITHIN NEW RIGHT-OF-WAY TO BE SEEDED BUT NOT DISTURBED IS APPROXIMATELY 22 ACRES.



STATE PROJECT NUMBER: 1061-01-79	HWY: SAFETY REST AREA #14	COUNTY: JEFFERSON	EROSION CONTROL	SCALE, FEET 	SHEET NO: 2.23 E
----------------------------------	---------------------------	-------------------	-----------------	---	------------------


N


LEGEND


-  SOD
-  SILT FENCE
-  R/RAP WITH GEOTEXTILE FABRIC, TYPE R
-  EROSION MAT (CLASS A, TYPE "B")
-  DIRECTION OF FLOW

TOTAL PROJECT AREA IS APPROXIMATELY 29 ACRES.
 TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES IS APPROXIMATELY 29 ACRES.
 TOTAL AREA OF EXISTING FIELDS WITHIN NEW RIGHT-OF-WAY TO BE SEEDED BUT NOT DISTURBED IS APPROXIMATELY 22 ACRES.

SEE MISCELLANEOUS QUANTITIES FOR DETAILED INFORMATION ON ADDITIONAL EROSION CONTROL ITEMS REQUIRED FOR SANITARY SEWER WORK.




STATE PROJECT NUMBER: 1061-01-79	HWY: SAFETY REST AREA #14	COUNTY: JEFFERSON	EROSION CONTROL	SCALE: FEET 	SHEET NO: 2.24 E
----------------------------------	---------------------------	-------------------	-----------------	---	------------------



FLOOR PLAN KEYNOTES	
1	MAP CASE, RECESSED, 6'-0" L. X 4'-0" H. PROVIDE UNTEL L-3 OVER OPENING (SEE DOOR SCHEDULE FOR UNTEL).
2	MAP CASE, RECESSED, 6'-0" L. X 4'-0" H. PROVIDE UNTEL L-3 OVER OPENING (SEE DOOR SCHEDULE FOR UNTEL).
3	BENCH, 6'-0" L. SEE MOUNTING DETAIL (15/A9.1).
4	EXPOSED PIPING AND CARRIERS FOR WALL HUNG W.C.
5	EXPOSED PIPING AND CARRIERS IN CHASE SPACE FOR WALL HUNG FIXTURES.
6	FOOT GRILLE, 80" X 72", WITH PIT AND DRAIN. COORDINATE LOCATION WITH FLOOR TILE LAYOUT (SHEET A2.2). SEE DETAIL (1/A3.8) & (10/A9.1).
7	VENDING MACHINE, (NOT IN CONTRACT), CANNED SODA.
8	VENDING MACHINE, (NOT IN CONTRACT), CANDY/SNACK.
9	VENDING MACHINE, (NOT IN CONTRACT), HOT BEVERAGE, 3/8" COLD WATER.
10	VENDING MACHINE, (NOT IN CONTRACT), BILL CHANGER W/ BANKING KIT.
11	DRAINAGE TROUGH WITH FLOOR DRAIN AT CENTER. SEE DETAIL (5/A9.1).
12	FLOOR DRAIN BELOW EACH VANITY UNIT.
13	AIR COMPRESSOR FOR DOOR OPERATORS.
14	ATTC ACCESS PANEL. SEE DETAIL (13/A9.1). SEE ROOF PLAN, (SHEET A2.2) FOR CATWALKS.
15	TELEPHONE EQUIPMENT MOUNTING BOARD, 3/4" PLYWOOD, TOP OF BOARD TO BE 6'-0" AFF.
16	FOR FIXTURE MOUNTING, SEE DETAIL (4/A9.2).
17	MOP AND BROOM HOLDER, MOUNTED ABOVE SERVICE SINK AT 60" AFF.
18	ACCESS PANEL, 16" X 15", BOTTOM OF PANEL MOUNTED 48" AFF. REFER TO ROOM ELEVATIONS.
19	WEATHER MONITOR. SEE DETAIL (1/A9.3) & (2/A9.3).
20	SOLID MASONRY BELOW BEAM BEARING. REFER TO STRUCTURAL.
21	TELEPHONE KIOSK, (4) TELEPHONE ENCLOSURES.
22	DIRECTIONAL SIGN (WOMEN), SUSPENDED FROM TRUSS. SEE DETAIL (7/A9.2).
23	DIRECTIONAL SIGN (MEN), SUSPENDED FROM TRUSS. SEE DETAIL (8/A9.2).
24	ACCESS PANEL, 24" X 24", BOTTOM OF PANEL MOUNTED 16" AFF. VERIFY LOCATION WITH PLUMBING TRADE.
25	BABY CHANGING STATION. SEE DETAIL (9/A9.2).
GENERAL NOTES:	
1. HANDICAP PUSH-BUTTON STATIONS FOR DOOR OPERATORS ARE SHOWN ON ELECTRICAL SHEET E2.1 MOUNT STATIONS 42" AFF.	
2. FINISHED FLOOR ELEVATION: 818.75	
3. SEE TYPICAL TOILET ROOM FIXTURE MOUNTING DETAILS (2/A9.2) & (3/A9.2).	

FLOOR PLAN



1/8



5922 S.F.

- ◄ DENOTES WALL CONTROL JOINT SEE DLS (1/A5.1)(2/A9.1)(3/A9.1)
- ◄ S DENOTES WALL CONTROL JOINT BELOW WINDOW SILL ONLY


51.52 53.54 55.56 57.58 59.60 61.62 63
 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49.



STATE PROJECT NUMBER: 1061-01-79 HWY: BEST AREA #14 COUNTY: JEFFERSON LANDSCAPE SEEDING PLAN SCALE, FEET 0 40 80 SHEET NO: 272 E

DGN: RA DATE: ORG DATE: PLOT NAME: Originator: AYRES ASSOCIATES, WAUKESHA PLOT SCALE: 1"=80'

LEVELS ON - 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0, 10.5, 11.0, 11.5, 12.0, 12.5, 13.0, 13.5, 14.0, 14.5, 15.0, 15.5, 16.0, 16.5, 17.0, 17.5, 18.0, 18.5, 19.0, 19.5, 20.0, 20.5, 21.0, 21.5, 22.0, 22.5, 23.0, 23.5, 24.0, 24.5, 25.0, 25.5, 26.0, 26.5, 27.0, 27.5, 28.0, 28.5, 29.0, 29.5, 30.0, 30.5, 31.0, 31.5, 32.0, 32.5, 33.0, 33.5, 34.0, 34.5, 35.0, 35.5, 36.0, 36.5, 37.0, 37.5, 38.0, 38.5, 39.0, 39.5, 40.0, 40.5, 41.0, 41.5, 42.0, 42.5, 43.0, 43.5, 44.0, 44.5, 45.0, 45.5, 46.0, 46.5, 47.0, 47.5, 48.0, 48.5, 49.0, 49.5, 50.0, 50.5, 51.0, 51.5, 52.0, 52.5, 53.0, 53.5, 54.0, 54.5, 55.0, 55.5, 56.0, 56.5, 57.0, 57.5, 58.0, 58.5, 59.0, 59.5, 60.0, 60.5, 61.0, 61.5, 62.0, 62.5



KSD SHEET 3

STATE PROJECT NUMBER: 1061-Q1-19	HWY: RES1 AREA #14	COUNTY: JEEEBERSON	LANDSCAPE SEEDING PLAN	SCALE, FEET $\frac{1}{4} = 40 = 80$	SHEET NO: 2.74	E
----------------------------------	--------------------	--------------------	------------------------	-------------------------------------	----------------	---

DCN NA DATE ORG DATE PLOT NAME Originator: AYRES ASSOCIATES, WAUBESHA PLOT SCALE: 1" = 80'