*** **REVISED** ***

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT NOTICE TO CONTRACTORS

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL

<u>TIME, TUESDAY, June 9, 2015,</u> to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express[™] on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page: <u>http://roadwaystandards/hcci/bid-letting/index.shtm</u>.

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the <u>online proposal request application</u> and <u>users guide</u>. This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department. The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

For Proposal Numbers 1 <u>and 16</u> **ONLY, bidder prequalification is not required**; however, prior to issuing a bidding proposal or awarding a contract, the Department may require the bidder to produce evidence that they have performed work of a similar character in a satisfactory manner. Bidders MUST obtain a bidding proposal as hereinbefore-discussed under <u>PLAN HOLDERS and ELIGIBLE BIDDERS</u>.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express[™] on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

2, 3, 4, 5, 6, 7, 8, 9, 13

GRADING

CONCRETE PAVEMENT

2, 8

ASPHALTIC PAVEMENT

4, 12, 14, 15

STRUCTURES

3, 10, 11, 13

BRIDGE PAINTING

10

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION 1, 16

INCIDENTAL CONSTRUCTION

5, 9, 10

1. Janesville - Fort Atkinson, STH 26 and STH 59 Interchange Area; Rock County; 1390-05-82; STH 26; 0.000 Miles; Grade, Base, Asphalt Pavement, Concrete Pavement, Culvert Pipe, and Salt Storage Shed WARRANTED.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,748 CY; Borrow, 2,202 CY; Subbase 12-Inch, 7,710 SY; Base Aggregate Dense, 4,513 Ton; Culvert Pipe Corrugated Steel, 58 LF 18"; HMA Pavement Type E-1, 2,475 Ton; Tack Coat, 449 Gals; Asphaltic Material, 137 Ton; Salt Storage Shed, 1 Lump Sum; Seed Bed Preparation, 4,342 SY; Brine Tank, 1 Each; Brine Tank Concrete Pad, 25 SY.

DBE Goal: NA **Contract Completion Date:** September 30, 2015

Contact Information: Jamie Grainger, (608) 884-1173 / jamie.grainger@dot.wi.gov

2. Dubuque - Janesville, Various Locations; Lafayette County; 1706-00-71; STH 11; 0.000 Miles; Grade, Base, Concrete Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,196 CY; Base Aggregate Dense, 590 Ton; Select Crushed Material, 650 Ton; Concrete Pavement, 714 SY; Pavement Marking Epoxy, 976 LF; Construction Staking, 2,046 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Concrete Curb and Gutter, 615 LF; Concrete Sidewalk, 751 SF; Asphaltic Surface, 33 Ton; Concrete Driveway, 25 SY; Signs, 39 SF; Furnishing Maple Trees, 4 Each.

DBE Goal: NA Contract Completion Time: 45 Calendar Days

Contact Information: Vicki Romenesko, (608) 246-5333 / vicki.romenesko@dot.wi.gov

3. Town of Jamestown, Eagle Point Road, BNSF Railway Company Bridge, B-22-0272; Grant County; 5721-00-74; Town Road; 0.237 Miles; Grade, Base, Asphaltic Surface, Guardrail, Signs, and Structure B-22-272.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,021 CY; Borrow, 28,702 CY; Backfill Structure, 170 CY; Base Aggregate Dense, 2,761 Ton; Concrete Masonry Bridges, 370 CY; Prestressed Girders, 612 LF 36-Inch; Bar Steel Reinforcement, 9,950 Lbs; Bar Steel Reinforcement Coated, 40,710 Lbs; Piling Steel, 1,340 LF 10-Inch; Construction Staking, 3,285 LF; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 2,220 Dol; Steel Plate Beam Guard, 820 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 577 Ton; Tack Coat, 143 Gals; Signs, 40 SF.

DBE Goal: NA **Contract Completion Date:** May 14, 2016

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcorp.com

4. Milwaukee - Fond du Lac, B-66-195; Milwaukee - Fond du Lac, Washington County Line to USH 41/45; USH 41/45, CTH F / Freidstadt Road to STH 167; Washington County; 1100-15-71; 1100-38-70, WISC 2015 317; 1100-47-70, WISC 2015 318; USH 41; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Concrete Barrier, Beam Guard, High Tension Cable Guard, FTMS, Signing, Signals, Overhead Sign Supports, and Structure B-66-195.

Guaranty Required: \$490,000.00

Estimate of Principal Items: Excavation Common, 46,474 CY; Excavation Marsh, 52 CY; Borrow, 2,077 CY; Backfill Structure, 600 CY; Base Aggregate Dense, 59,127 Ton; Breaker Run, 35,275 Ton; Concrete Pavement, 5,042 SY; Concrete Masonry Culverts, 250 CY; Bar Steel Reinforcement, 27,505 Lbs; Bar Steel Reinforcement Coated, 935 Lbs; Structural Steel HS, 2,600 Lbs; Pavement Marking Wet Reflective Tape, 51,037 LF; Pavement Marking Epoxy, 172,584 LF; Pavement Marking Thermoplastic, 635 LF; Construction Staking, 77,798 LF; Construction Staking, 34 Each; Construction Staking, 2 LS; Incentive Density HMA Pavement, 150,741 Dol; Incentive IRI Ride, 10,000 Dol; Incentive Strength Concrete Structure, 250 Dol; Culvert Pipe, 8 LF 36"; Storm Sewer Pipe Reinforced Concrete, 482 LF 12", 88 LF 18"; Concrete Curb and Gutter, 1,775 LF; Concrete Sidewalk, 1,532 SF; Steel Plate Beam Guard, 10,967 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 19 Each; Asphaltic Surface, 288 Ton; HMA Pavement Type E-30, 168,932 Ton; Removing Asphaltic Surface Milling, 41,628 Ton; Tack Coat, 29,455 Gals; Asphaltic Material, 9,934 Ton Concrete Barrier, 215 LF; Riprap, 73 CY; Sign Supports Concrete Masonry, 3 CY; Signs, 8,036 SF; Overhead Sign Support, 7 LS; Pull Boxes, 68 Each; Concrete Bases, 60 Each; Poles, 37 Each; Ramp Closure Gates, 7 Each; High Tension Cable Guard, 32,023 LF; QMP Base Aggregate, 36,556 Ton.

DBE Goal: 12 %Contract Completion Date: October 15, 2016

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

5. CTH JJ, Intersections with CTH J and CTH SR; Waukesha County; 2758-01-70, WISC 2015 319; CTH JJ; 0.319 Miles; Grading, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Median Nose, Street Lighting, Traffic Signals, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,991 CY; Base Aggregate Dense, 2,000 Ton; Base Aggregate Open Graded, 524 Ton; Pavement Marking Epoxy, 8,753 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 790 Dol; Storm Sewer Pipe Reinforced Concrete, 26 LF 12"; Concrete Curb and Gutter, 1,336 LF; Concrete Sidewalk, 2,468 SF; Asphaltic Surface, 13 Ton; HMA Pavement Type E-3, 1,226 Ton; Removing Asphaltic Surface Milling, 5,941 SY; Tack Coat, 431 Gals; Asphaltic Material, 74 Ton; Excavation Hauling and Disposal of Contaminated Soil, 10 Ton; Concrete Median Nose, 121 SF; Conduit, 2,250 LF; Pavement Markings Preformed Plastic, 1,595 LF; Light Poles, 12 Each; Traffic Signal Standards, 4 Each; Temporary Traffic Signals, 2 LS; Vehicular Video Detection System, 2 LS; Signs, 623 SF.

DBE Goal: 12 % **Contract Completion Date:** November 21, 2015

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcorp.com

6. East Ward Street, Intersection with South Allis Street and East Bay Street; Milwaukee County; 2984-42-70, WISC 2015 320; Local Street; 0.010 Miles; Grading, Base, Concrete Base, Asphalt Pavement, Concrete Driveway, Concrete Alley, Curb and Gutter, Sidewalk, and Storm Sewer.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 249 CY; Base Aggregate Dense, 160 Ton; Construction Staking, 1,630 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 24 Dol; Incentive Density HMA Pavement, 190 Dol; Concrete Curb and Gutter, 960 LF; Concrete Sidewalk, 2,950 SF; HMA Pavement Type E-3, 290 Ton; Tack Coat, 70 Gals; Asphaltic Material, 18 Ton; Concrete Base, 410 SY; Concrete Alley, 24 SY; Concrete Driveway, 25 SY; Storm Sewer Pipe PVC 12-Inch, 34 LF.

DBE Goal: 10 % **Contract Completion Time:** 25 Working Days

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcorp.com

7. Geneva Street, Village of Williams Bay, Theater Road to Elkhorn Road; Walworth County; 3325-07-60; STH 67; 0.000 Miles; Mill, Base, Asphalt Pavement, Concrete Pavement, Curb and Gutter, Sidewalk, Utilities, Signing, Overhead Sign Support, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,226 Ton; Concrete Pavement, 48 SY; Pavement Marking Epoxy, 20,226 LF; Pavement Marking Thermoplastic, 4,108 LF; Construction Staking, 6,090 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 2,310 Dol; Incentive IRI Ride, 4,350 Dol; Concrete Curb and Gutter, 2,607 LF; Concrete Sidewalk, 6,455 SF; Asphaltic Surface, 5 Ton; HMA Pavement Type E-3, 3,607 Ton; Removing Asphaltic Surface Milling, 3,267 Ton; Tack Coat, 1,805 Gals; Asphaltic Material, 217 Ton; Signs, 642 SF; Overhead Sign Support, 1 LS; Traffic Flashing Beacon System, 1 Each; Rectangular Rapid Flashing Beacon System, 4 LS.

DBE Goal: NA **Contract Completion Date:** September 30, 2015

Contact Information: Gary Stark, (262) 548-8761 / gary.stark@dot.wi.gov

8. Sheboygan Falls - Howards Grove, STH 32 and STH 23 Interchange; Sheboygan County; 1009-00-82; STH 32; 0.029 Miles; Grading, Base, Concrete Pavement, Curb and Gutter, Signs, and Pavement Markings.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Excavation Common, 599 CY; Base Aggregate Dense, 505 Ton; Breaker Run, 410 Ton; Concrete Pavement, 550 SY; Pavement Marking Epoxy, 460 LF; Construction Staking, 1,400 LF; Construction Staking, 1 LS; Incentive Strength Concrete Pavement, 330 Dol; Concrete Curb and Gutter, 405 LF; Signs, 35 SF.

DBE Goal:NAContract Completion Time:20 Working Days

Contact Information: Paul Brauer, (920) 492-0135 / paul.brauer@dot.wi.gov

9. Abrams - Pound, CTH I - STH 64; Marinette County; 1490-32-60, WISC 2015 321; USH 141; 0.038 Miles; Base, Asphalt Pavement, Railroad Rail and Ties, Ballast, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 387 Ton; Base Aggregate Open Graded, 27 Ton; Breaker Run, 316 Ton; Pavement Marking Epoxy, 528 LF; Construction Staking, 1 LS; Incentive Density HMA Pavement, 470 Dol; Asphaltic Surface, 156 Ton; HMA Pavement Type E-10, 725 Ton; Tack Coat, 72 Gals; Asphaltic Material, 40 Ton; Construct Continuous Welded Rail on Wood Ties, 125 LF; Construct Continuous Welded Rail on StarTrack, 200 LF; StarTrack HD Crossing System, 200 LF; Ballast, 106 Ton; Limestone Screenings, 30 Ton.

DBE Goal: 3 % **Contract Completion Time:** 6 Calendar Days

Contact Information: Paul Zoellner, (920) 492-0132 / paul.zoellner@dot.wi.gov

10. St. Croix County, Interstate Hwy. 94, Bridge Deck Sealing, (Various Bridges); Dunn County, Interstate Hwy. 94, Bridge Deck Sealing, (Various Bridges); Eau Claire County, Interstate Hwy. 94, Bridge Deck Sealing, (Various Bridges); Jackson and Trempealeau Counties, Interstate Hwy. 94, Bridge Deck Sealing, (Various Bridges); St. Croix; Dunn; Eau Claire; and Jackson Counties; 1020-10-82; 1020-10-83; 1020-10-84; 1020-10-85; IH 94 EB and WB; 0.000 Miles; Bridge Deck Sealing.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Protective Surface Treatment Reseal, 69,966 SY.

DBE Goal: NA **Contract Completion Date:** September 25, 2015

Contact Information: Nicole Passuello, (715) 836-3920 / nicole.passuello@dot.wi.gov

11. Village of Taylor, Bridge Street, French Creek Bridge, B-27-161; Jackson County; 7026-00-70, WISC 2015 323; CTH N; 0.161 Miles; Grade, Base, Asphalt Pavement, Guardrail, Signs, Pavement Marking, and Structure B-27-161.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 333 CY; Borrow, 2,079 CY; Backfill Structure, 224 CY; Base Aggregate Dense, 2,257 Ton; Concrete Masonry Bridges, 176 CY; Prestressed Girders, 546 LF 36W-Inch; Bar Steel Reinforcement, 4,840 Lbs; Bar Steel Reinforcement Coated, 22,220 Lbs; Piling CIP Concrete, 1,080 LF 12 3/4-Inch; Pavement Marking Epoxy, 1,912 LF; Construction Staking, 2,274 LF; Construction Staking, 2 LS; Incentive Density HMA Pavement, 360 Dol; Incentive Strength Concrete Structure, 1,060 Dol; Steel Plate Beam Guard, 208 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-1, 560 Ton; Tack Coat, 150 Gals; Asphaltic Material, 31 Ton; Signs, 44 SF.

DBE Goal: 5 %**Contract Completion Time:** 45 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

12. Eau Claire - CTH B, 10th Avenue to STH 29; Chippewa County; 7865-05-70, WISC 2015 322; CTH T; 2.093 Miles; Grade, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,950 CY; Borrow, 2,500 CY; Base Aggregate Dense, 7,100 Ton; Pavement Marking Epoxy, 23,070 LF; Construction Staking, 24,778 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 9,970 Dol; Incentive IRI Ride, 8,380 Dol; Culvert Pipe, 2 LF 18"; Culvert Pipe Corrugated Polyethylene, 118 LF 18"; Concrete Curb and Gutter, 1,050 LF; Asphaltic Surface, 15 Ton; HMA Pavement Type E-3, 15,570 Ton; Tack Coat, 2,220 Gals; Asphaltic Material, 860 Ton; Pulverize and Relay, 38,500 SY; Signs, 155 SF.

DBE Goal: 5 % **Contract Completion Time:** 30 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

13. Marengo - Ashland, Anderson Creek Bridge, B-02-0004; Ashland County; 8727-06-70, WISC 2015 336; STH 112; 0.000 Miles; Base, Beam Guard, Pavement Marking, and Structure B-02-0004.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 90 Ton; Concrete Masonry Bridges, 34 CY; Polymer Overlay, 207 SY; Bar Steel Reinforcement Coated, 8,840 Lbs; Pavement Marking Epoxy, 350 LF; Construction Staking, 1 LS; Incentive Strength Concrete Structure, 500 Dol; Steel Plate Beam Guard, 102 LF; Riprap, 10 CY; Signs, 12 SF.

DBE Goal: 5 % **Contract Completion Time:** 50 Working Days

Contact Information: Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

14. Park Falls - Manitowish, Bear River Bridge, B-26-0039; Park Falls - Manitowish, Price County Line to STH 47; Iron County; 9240-09-70; 9240-09-80; STH 182; 14.565 Miles; Mill, Grade, Base, Asphalt Pavement, Culvert Pipes, Guardrail, Signs, Pavement Marking, and Structure B-26-39.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 4,225 CY; Borrow, 950 CY; Backfill Granular, 1,680 CY; Backfill Structure, 255 CY; Base Aggregate Dense, 12,320 Ton; Concrete Masonry Bridges, 225 CY; Prestressed Girders, 450 LF 36W-Inch; Bar Steel Reinforcement, 4,740 Lbs; Bar Steel Reinforcement Coated, 24,710 Lbs; Piling Steel, 700 LF 10-Inch; Pavement Marking Epoxy, 345,815 LF; Construction Staking, 79,705 LF; Construction Staking, 18 Each; Construction Staking, 3 LS; Incentive Density HMA Pavement, 23,580 Dol; Incentive IRI Ride, 57,200 Dol; Incentive Strength Concrete Structure, 2,100 Dol; Culvert Pipe Reinforced Concrete, 736 LF 24", 812 LF 30"; Steel Plate Beam Guard, 283 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 1,045 Ton; HMA Pavement Type E-0.3, 36,845 Ton; Removing Asphaltic Surface Milling, 197,860 SY; Tack Coat, 17,030 Gals; Asphaltic Material, 2,135 Ton; Concrete Staining Multi-Color, 230 SF; Architectural Surface Treatment, 230 SF; Signs, 565 SF.

DBE Goal: NA **Contract Completion Time:** 55 Working Days

Contact Information: Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

15. Park Falls - Springstead, Saunders Avenue to Iron County Line; Price County; 9240-10-70; STH 182; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Asphalt Pavement, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,080 CY; Backfill Granular, 120 CY; Base Aggregate Dense, 2,780 Ton; Pavement Marking Epoxy, 369,820 LF; Construction Staking, 77,480 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 23,060 Dol; Incentive IRI Ride, 60,000 Dol; Culvert Pipe Reinforced Concrete, 176 LF 24"; Asphaltic Surface, 477 Ton; HMA Pavement Type E-0.3, 36,030 Ton; Removing Asphaltic Surface Milling, 208,930 SY; Tack Coat, 17,050 Gals; Asphaltic Material, 1,990 Ton; Riprap, 22 CY; Signs, 649 SF.

DBE Goal:NAContract Completion Time:40 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

16. Lodi - Merrimac, South Ferry Landing Wayside; Columbia County; 5640-02-81; STH 113; 0.000 Miles; Restroom Facility with Septic System, Well, Grade, Base, Asphaltic Surface, and Sidewalk.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 305 CY; Base Aggregate Dense, 352 Ton; Construction Staking, 800 LF; Construction Staking, 1 LS; Concrete Sidewalk, 1,790 SF; Asphaltic Surface, 88 Ton; Well Casing Pipe, 175 LF; Conduit, 180 LF; Electrical Wire, 720 LF; Restroom Facility Building, 1 Lump Sum; Restroom Facility Plumbing, 1 Lump Sum; Restroom Facility (HVAC) Ventilation, 1 Lump Sum; Restroom Facility Electrical, 1 Lump Sum; Septic System, 1 Lump Sum.

DBE Goal: NA**Contract Completion Date:** May 27, 2016

Contact Information: Robert Lex, (608) 246-5622 / robert.lex@dot.wi.gov

By order of:

Dan Grasser Administrator Division of Transportation System Development