

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, February 13, 2018, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 5, 6, 7, 8, 9, 10, 17, 20, 22, 23, 24, 25, 27, 32, 34

GRADING

1, 3

CONCRETE PAVEMENT

9

ASPHALTIC PAVEMENT

6, 8, 23, 24, 25, 26, 27

STRUCTURES

4, 5, 7, 12, 13, 14, 15, 16, 17, 18, 19, 22, 28, 29, 30, 31, 32

BRIDGE PAINTING

13

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

2, 10, 13, 20, 21, 23, 24, 27

1. Fort Atkinson - Whitewater, Buckingham Road to Whitewater Bypass; Jefferson County; 3575-03-72, WISC 2018 080; USH 12; 0.783 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, and Box Culvert Construction.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 20,282 CY; Excavation Marsh, 170 CY; Backfill Structure, 515 Ton; Base Aggregate Dense, 12,634 Ton; Select Crushed Material, 20,687 Ton; Breaker Run, 66 Ton; Concrete Masonry Culverts, 140 CY; Bar Steel Reinforcement, 18,150 Lbs; Bar Steel Reinforcement Coated, 1,590 Lbs; Marking Epoxy, 16,544 LF; Construction Staking, 14,172 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 28 LF 12"; Culvert Pipe Reinforced Concrete, 208 LF 30"; Concrete Curb and Gutter, 1,764 LF; Beam Guard, 375 LF; Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 5,268 Ton; Tack Coat, 1,882 Gals.

DBE Goal: 12 %

Contract Completion Date: July 18, 2018

Contact Information: Jeremy Hall, (608) 245-2655 / jeremy.hall@dot.wi.gov

2. City of Beaver Dam, North Spring Street, West Maple Avenue - Mackie Street; **City of Beaver Dam, North Spring Street, West Maple Avenue - Mackie Street;** Dodge County; 3803-00-65, WISC 2018 081; 3803-00-66; Local Street; 0.210 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Concrete Driveway, Sidewalk, Signs, Pavement Markings, Street Lighting, Traffic Signal Modifications, Sanitary Sewer, and Water Main.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 5,255 CY; Excavation Rock, 2,700 CY; Breaker Run, 5,550 Ton; Concrete Pavement, 4,900 SY; Marking Epoxy, 4,819 LF; Construction Staking, 3,231 LF; Construction Staking, 22 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 129 LF 12", 73 LF 15", 35 LF 18"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 794 LF 24" X 38"; Concrete Curb and Gutter, 2,450 LF; Concrete Sidewalk, 10,000 SF; Asphaltic Surface, 130 Ton; Signs, 111 SF; Concrete Driveway, 400 SY; Conduit, 2,886 LF; Sanitary Lateral, 1,250 LF; Water Service, 400 LF; Sanitary Sewer Pipe, 1,250 LF; PVC Water Main, 1,300 LF; Ductile Iron Water Main, 110 LF; PVC Storm Sewer Pipe, 140 LF; Excavation, Hauling and Disposal of Contaminated Soil, 450 Ton.

DBE Goal: 9 %

Contract Completion Date: September 15, 2018

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

3. Mazomanie - Sun Prairie, STH 113 (S) Intersection; Dane County; 5290-02-70, WISC 2018 082; STH 19; 0.689 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Storm Sewer, and Street Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 94,342 CY; Borrow, 2,277 CY; Base Aggregate Dense, 54,351 Ton; Select Crushed Material, 44,947 Ton; Marking Wet Reflective Tape, 36,575 LF; Marking Epoxy, 37,458 LF; Marking Paint, 23,150 LF; Construction Staking, 56,901 LF; Construction Staking, 96 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 58 LF 18"; Culvert Pipe Reinforced Concrete, 185 LF 48", 300 LF 54", 20 LF 24"; Storm Sewer Pipe Reinforced Concrete, 742 LF 15", 110 LF 30", 618 LF 18", 86 LF 24"; Concrete Curb and Gutter, 9,638 LF; Concrete Sidewalk, 45,196 SF; Asphaltic Surface, 2,518 Ton; HMA Pavement, 13,437 Ton; Removing Asphaltic Surface Milling, 256 SY; Tack Coat, 5,501 Gals; Signs, 1,451 SF; Overhead Sign Support, 3 LS.

DBE Goal: 14 %

Contract Completion Date: October 1, 2018

Contact Information: Matthew Dapp, (608) 246-5353 / matthew.dapp@dot.wi.gov

4. Town of Washington, Disch Road, Hefty Creek Bridge, B-23-0177; Green County; 5707-00-72, WISC 2018 083; Local Street; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Signing, and Structure B-23-0177.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 140 CY; Backfill Structure, 272 Ton; Base Aggregate Dense, 233 Ton; Concrete Pavement, 106 SY; Concrete Masonry Bridges, 168 CY; Bar Steel Reinforcement, 5,180 Lbs; Bar Steel Reinforcement Coated, 25,620 Lbs; Piling Steel, 275 LF 10-Inch; Construction Staking, 450 LF; Construction Staking, 2 LS; Asphaltic Surface, 49 Ton; Tack Coat, 14 Gals; Signs, 12 SF; Railing Tubular Type M, 105 LF; Riprap, 230 CY.

DBE Goal: 7 %

Contract Completion Time: 35 Working Days

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

5. Shullsburg - STH 81, Ames Branch Bridge, B-33-0134; Lafayette County; 5769-00-72, WISC 2018 084; CTH U; 0.063 Miles; Excavation, Base, Asphaltic Surface, Structure Replacement, Beam Guard, Signs, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 963 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 746 Ton; Breaker Run, 1,035 Ton; Concrete Masonry Bridges, 144 CY; Bar Steel Reinforcement, 4,880 Lbs; Bar Steel Reinforcement Coated, 17,520 Lbs; Piling Steel, 150 LF 10-Inch; Marking Epoxy, 969 LF; Construction Staking, 1,530 LF; Construction Staking, 2 LS; Beam Guard, 449 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 298 Ton; Tack Coat, 93 Gals; Signs, 18 SF.

DBE Goal: 7 %

Contract Completion Time: 35 Working Days

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

6. City of LaCrosse, Market Street, 14th Street to 19th Street; LaCrosse County; 5991-05-19, WISC 2018 085; Local Street; 0.000 Miles; Mill, Base, Asphalt Pavement, Curb and Gutter, Signing, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 300 Ton; Marking Epoxy, 1,915 LF; Construction Staking, 2,730 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 393 LF; Asphaltic Surface, 90 Ton; HMA Pavement, 1,863 Ton; Removing Asphaltic Surface Milling, 8,272 SY; Tack Coat, 584 Gals; Signs, 76 SF.

DBE Goal: 10 %

Contract Completion Time: 25 Working Days

Contact Information: John Bainter, (608) 785-9729 / john.bainter@dot.wi.gov

7. 108th Street, City of West Allis, Hank Aaron State Trail, B-40-107/108; Milwaukee County; 2030-14-70, WISC 2018 086; STH 100; 0.099 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Bridge Rehabilitation, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Street Lighting, Traffic Signals, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 2,970 CY; Backfill Structure, 1,548 Ton; Base Aggregate Dense, 3,156 Ton; Select Crushed Material, 1,617 Ton; Concrete Pavement, 2,955 SY; Concrete Masonry Bridges, 833 CY; Bar Steel Reinforcement, 12,480 Lbs; Bar Steel Reinforcement Coated, 180,650 Lbs; Structural Steel HS, 102,594 Lbs; Piling Steel, 2,675 LF 12-Inch; Marking Epoxy, 5,592 LF; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 71 LF 12"; Concrete Curb and Gutter, 2,256 LF; Concrete Sidewalk, 3,903 SF; Beam Guard, 558 LF; Asphaltic Surface, 521 Ton; HMA Pavement, 56 Ton; Removing Asphaltic Surface Milling, 285 SY; Tack Coat, 158 Gals; Signs, 192 SF; Concrete Driveway, 115 SY; Structure Painting, 2 LS; Conduit, 2,939 LF; Light Poles, 2 Each; Traffic Signal Standards, 1 Each; Management of Solid Waste, 1,210 Ton.

DBE Goal: 10 %

Contract Completion Date: August 24, 2018

Contact Information: Christopher Hager, (414) 750-1487 /
christopher.hager@dot.wi.gov

8. Washington Avenue, Village of Mount Pleasant, IH 94 to CTH H; Racine County; 2250-16-70, WISC 2018 176; STH 20; 2.518 Miles; Grading, Base, Milling, Base Patching, Concrete Pavement Repair, Diamond Grinding, Asphalt Pavement, Storm Sewer, Beam Guard, Signs, Pavement Markings, Traffic Signals, and Street Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 138 CY; Base Aggregate Dense, 4,777 Ton; Marking Epoxy, 80,117 LF; Construction Staking, 14,455 LF; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 8 LF 12"; Concrete Curb and Gutter, 1,858 LF; Concrete Sidewalk, 360 SF; Beam Guard, 382 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 157 Ton; HMA Pavement, 39,951 Ton; Removing Asphaltic Surface Milling, 117,193 SY; Tack Coat, 4,497 Gals; Signs, 274 SF; Base Patching Concrete, 3,089 SY; Concrete Pavement Repair, 179 SY; Concrete Pavement Replacement, 2,525 SY; Diamond Grinding Concrete Pavement, 7,900 SY; Traffic Signal Standards, 9 Each; Conduit, 5,878 LF.

DBE Goal: 12 %

Contract Completion Date: June 1, 2018

Contact Information: Frank Pritzlaff, (262) 548-5683 / frank.pritzlaff@dot.wi.gov

9. Hamilton Street / Douglas Avenue, City of Racine, Main Street to Gool Street; Racine County; 2350-00-70, WISC 2018 087; STH 32; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signals, Lighting, Signing, Landscaping, Overhead Sign Supports, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 32,986 CY; Subbase, 16,450 Ton; Base Aggregate Dense, 18,452 Ton; Concrete Pavement, 40,847 SY; Marking Epoxy, 31,606 LF; Construction Staking, 32,851 LF; Construction Staking, 228 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 2,353 LF 12", 234 LF 15", 310 LF 18", 175 LF 21", 580 LF 24"; Concrete Curb, 254 LF; Concrete Curb and Gutter, 15,497 LF; Concrete Sidewalk, 73,049 SF; Asphaltic Surface, 175 Ton; HMA Pavement, 148 Ton; Removing Asphaltic Surface Milling, 1,286 SY; Tack Coat, 64 Gals; Signs, 1,186 SF; Storm Sewer Pipe Composite, 41 LF; Trees, 25 Each; Shrubs, 45 Each; Overhead Sign Support, 2 LS; Pull Boxes, 59 Each; Concrete Bases, 117 Each; Poles, 100 Each; Lighting Control Cabinets, 2 Each; Traffic Signal Controller and Cabinet, 4 Each; Perennials, 776 Each.

DBE Goal: 15 %

Contract Completion Date: November 16, 2018

Contact Information: Mark Wilfert, (262) 548-5936 / mark.wilfert@dot.wi.gov

10. Washington Avenue, City of Racine, West Boulevard to Marquette Street; Racine County; 2440-12-60; STH 20; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Sanitary Sewer, Asphalt Pavement, Sidewalk, Curb and Gutter, Signing, Signals, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 24,643 LF; Construction Staking, 10,023 LF; Construction Staking, 91 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 208 LF 12"; Concrete Curb, 44 LF; Concrete Curb and Gutter, 1,604 LF; Concrete Sidewalk, 5,559 SF; HMA Pavement, 6,945 Ton; Removing Asphaltic Surface Milling, 6,476 SY; Removing Asphaltic Surface Milling, 6,740 Ton; Tack Coat, 3,436 Gals; Signs, 1,695 SF; Sanitary Sewer PVC, 140 LF; Steel Casing Pipe, 100 LF.

DBE Goal: NA

Contract Completion Time: 61 Working Days

Contact Information: Vida Shaffer, (414) 333-9116 / vida.shaffer@dot.wi.gov

11. DEFERRED

12. West Brown Street, Bridge Over CPRR, B-40-0925; Milwaukee County; 2984-06-76; Local Street; 0.000 Miles; Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Lighting, and Structures B-40-925 and R-40-763 - 766.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Backfill Structure, 3,014 Ton; Base Aggregate Dense, 230 Ton; Concrete Masonry Retaining Walls, 12 CY; Bar Steel Reinforcement, 33,370 Lbs; Bar Steel Reinforcement Coated, 96,640 Lbs; Structural Steel HS Stainless, 1,700 Lbs; Piling Steel, 5,060 LF 12-Inch; Construction Staking, 7 LS; Concrete Curb and Gutter, 80 LF; Concrete Sidewalk, 510 SF; Asphaltic Surface, 60 Ton; Tack Coat, 10 Gals; Railing Steel Type C2, 200 LF; Concrete Base, 2 Each; Wall Concrete Panel Mechanically Stabilized Earth, 2,122 SF.

DBE Goal: NA

Contract Completion Date: October 16, 2018

Contact Information: Paul Piccione, (262) 548-8706 / paul.piccione@dot.wi.gov

13. Northeast Region-Wide Deck Sealing FY18, Various Routes STH; NE Region-Wide; 1009-33-22; Various Highways; 0.000 Miles; Deck Sealing.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Protective Surface Treatment Reseal, 188,746 SY.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

14. Town of Holland, Hoitink Road, Onion River Bridge and Approaches; Town of Holland, Risseeuw Road, Onion River Bridge and Approaches; Sheboygan County; 4198-05-71, WISC 2018 088; 4198-06-71, WISC 2018 089; Local Streets; 0.000 Miles; Grade, Base, Asphalt Pavement, Signing, Pavement Marking, and Structures B-59-195 and 196.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 562 CY; Borrow, 401 CY; Backfill Structure, 755 Ton; Base Aggregate Dense, 1,042 Ton; Breaker Run, 110 Ton; Concrete Masonry Bridges, 536 CY; Prestressed Girders, 379 LF 28-Inch; Bar Steel Reinforcement, 8,320 Lbs; Bar Steel Reinforcement Coated, 70,410 Lbs; Piling Steel, 2,650 LF 10-Inch; Marking Epoxy, 150 LF; Construction Staking, 1,140 LF; Construction Staking, 4 LS; Asphaltic Surface, 250 Ton; Tack Coat, 13 Gals; Signs, 29 SF; Steel Diaphragms, 6 Each; Railing Tubular Type M, 462 LF.

DBE Goal: 4 %

Contract Completion Date: October 31, 2018

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

15. Town of Sheboygan Falls, Meadowlark Road, Sheboygan River Bridge and Approaches; Sheboygan County; 4200-05-71, WISC 2018 090; Local Street; 0.038 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Culvert Pipe, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 395 CY; Borrow, 1,050 CY; Backfill Structure, 536 Ton; Base Aggregate Dense, 306 Ton; Concrete Masonry Bridges, 436 CY; Bar Steel Reinforcement, 7,890 Lbs; Bar Steel Reinforcement Coated, 71,290 Lbs; Piling Steel, 736 LF 10-Inch; Marking Paint, 647 LF; Construction Staking, 1,229 LF; Construction Staking, 2 LS; Culvert Pipe, 51 LF 18"; Beam Guard, 181 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 64 Ton; Tack Coat, 20 Gals; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Time: 65 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

16. Town of Herman, CTH FF, Sheboygan River Bridge and Approaches; Sheboygan County; 4201-03-71, WISC 2018 104; CTH FF; 0.074 Miles; Grading, Base, Asphalt Pavement, Culvert Pipe, Bridge Replacement, Beam Guard, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 560 CY; Borrow, 330 CY; Backfill Structure, 680 Ton; Base Aggregate Dense, 1,430 Ton; Concrete Masonry Bridges, 279 CY; Prestressed Girders, 564 LF 72-Inch; Bar Steel Reinforcement, 4,240 Lbs; Bar Steel Reinforcement Coated, 34,640 Lbs; Piling Steel, 1,035 LF 12-Inch; Marking Epoxy, 1,365 LF; Construction Staking, 1,266 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 40 LF 24"; Beam Guard, 283 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 260 Ton; Tack Coat, 63 Gals; Signs, 12 SF.

DBE Goal: 8 %

Contract Completion Time: 40 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

17. Town of Franklin, Hillcrest Road, Branch River Bridge; Manitowoc County; 4316-09-71, WISC 2018 091; Local Street; 0.072 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement Approach, Bridge Replacement, Culvert Pipe, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 490 CY; Borrow, 1,800 CY; Backfill Granular, 260 CY; Backfill Structure, 620 Ton; Base Aggregate Dense, 880 Ton; Concrete Pavement, 80 SY; Concrete Masonry Bridges, 208 CY; Prestressed Girders, 420 LF 54-Inch; Bar Steel Reinforcement, 3,160 Lbs; Bar Steel Reinforcement Coated, 23,400 Lbs; Piling Steel, 210 LF 10-Inch; Marking Epoxy, 1,520 LF; Construction Staking, 1,200 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 32 LF 18"; Beam Guard, 274 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 200 Ton; Tack Coat, 55 Gals; Signs, 12 SF.

DBE Goal: 8 %

Contract Completion Time: 45 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

18. Town of Cooperstown, Pleasant Road, Devils River Bridge; Manitowoc County; 4317-08-71, WISC 2018 092; Local Street; 0.047 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 219 CY; Borrow, 275 CY; Backfill Structure, 140 Ton; Base Aggregate Dense, 475 Ton; Concrete Pavement, 110 SY; Concrete Masonry Bridges, 278 CY; Bar Steel Reinforcement, 5,430 Lbs; Bar Steel Reinforcement Coated, 37,180 Lbs; Piling Steel, 510 LF 10-Inch; Construction Staking, 378 LF; Construction Staking, 2 LS; Asphaltic Surface, 75 Ton; Tack Coat, 20 Gals; Signs, 12 SF.

DBE Goal: 6 %

Contract Completion Time: 45 Working Days

Contact Information: Dave Schmidt, (920) 360-0983 / dave.schmidt@dot.wi.gov

19. Town of New Denmark, Cooperstown Road, Devils River Bridge and Approaches; Town of New Denmark, Wanek Road, Branch Devils Creek Bridge and Approaches; Brown County; 4503-00-71, WISC 2018 093; 4503-03-71, WISC 2018 094; Local Streets; 0.079 Miles; Grading, Base, Asphalt Pavement, Bridge Replacements, Culvert Pipe, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 355 CY; Excavation Marsh, 99 CY; Borrow, 255 CY; Selected Borrow, 150 CY; Backfill Structure, 1,035 Ton; Base Aggregate Dense, 680 Ton; Concrete Masonry Bridges, 289 CY; Bar Steel Reinforcement, 10,430 Lbs; Bar Steel Reinforcement Coated, 25,570 Lbs; Piling Steel, 1,295 LF 10-Inch; Construction Staking, 1,083 LF; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 34 LF 24"; Asphaltic Surface, 211 Ton; Tack Coat, 55 Gals; Signs, 24 SF.

DBE Goal: 8 %

Contract Completion Time: 60 Working Days

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

20. Minocqua - Manitowish, 3rd Avenue - N. Jct. STH 70; Minocqua - Manitowish, 3rd Avenue - N. Jct. STH 70; Vilas County; 1170-19-70, WISC 2018 095; 1170-19-71; USH 51; 1.580 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Fence, Street Lighting, Traffic Signals, Water Main, Sanitary Sewer, Signs, and Pavement Markings.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 45,803 CY; Borrow, 98 CY; Base Aggregate Dense, 63,867 Ton; Marking Epoxy, 30,505 LF; Construction Staking, 44,911 LF; Construction Staking, 170 Each; Construction Staking, 5 LS; Culvert Pipe Reinforced Concrete, 170 LF 60"; Storm Sewer Pipe Reinforced Concrete, 87 LF 12", 1,050 LF 30", 2,694 LF 15", 303 LF 36", 7,102 LF 24", 114 LF 18"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 60 LF 19" X 30", 132 LF 24" X 38", 114 LF 48" X 76", 145 LF 58" X 91"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 532 LF 19" X 30", 347 LF 29" X 45"; Concrete Curb, 614 LF; Concrete Curb and Gutter, 17,155 LF; Concrete Sidewalk, 79,615 SF; Asphaltic Surface, 3,413 Ton; HMA Pavement, 22,103 Ton; Removing Asphaltic Surface Milling, 810 SY; Tack Coat, 9,033 Gals; Signs, 865 SF; Concrete Driveway, 3,513 SY; Woven Wire Fence, 40 LF; Conduit, 9,632 LF; Traffic Signal Standards, 14 Each; Temporary Traffic Signals, 2 LS; PVC Sanitary Sewer, 1,608 LF; PVC Sanitary Lateral, 177 LF; Water Main Ductile Iron, 5,938 LF; Force Main PVC, 871 LF; Water Service, 486 LF; Directional Drill Force Main, 120 LF; Excavation Hauling and Disposal of Contaminated Soil, 320 Ton; Contaminated Soil Disposal, 1,250 Ton.

DBE Goal: 10 %

Contract Completion Date: October 15, 2019

Contact Information: Jed Peters, (715) 365-5731 / jed.peters@dot.wi.gov

21. Stevens Point - Waupaca, Erickson Road - STH 22/54 CTH A Intersection; Waupaca - Appleton, STH 22/54 Intersection - East of Reek Road; Waupaca County; 1510-00-70, WISC 2018 096; 1510-00-71, WISC 2018 097; USH 10; 0.000 Miles; Grading, Base, Storm Sewer, Cable Barrier, Beam Guard, Asphalt Pavement, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,146 CY; Base Aggregate Dense, 3,414 Ton; Construction Staking, 67,597 LF; Construction Staking, 39 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 1,023 LF 18", 120 LF 30"; Beam Guard, 23,948 LF; Asphaltic Surface, 80 Ton; Signs, 24 SF; Cable Barrier, 16,648 LF.

DBE Goal: 12 %

Contract Completion Time: 40 Working Days

Contact Information: Mark Steidl, (715) 421-8043 / mark.steidl@dot.wi.gov

22. STH 13 - S. Airport Road, Lake Duroy Bridge, B-50-0028; Price County; 9480-00-70, WISC 2018 098; CTH H; 0.095 Miles; Excavation, Base, HMA Pavement, Structure Rehabilitation, Structure Painting, Curb and Gutter, Beam Guard, Sidewalk, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 554 CY; Backfill Structure, 120 Ton; Base Aggregate Dense, 1,691 Ton; Concrete Masonry Bridges, 346 CY; Bar Steel Reinforcement Coated, 75,200 Lbs; Marking Epoxy, 2,243 LF; Construction Staking, 1,672 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 78 LF 18"; Concrete Curb and Gutter, 373 LF; Concrete Sidewalk, 1,935 SF; Beam Guard, 251 LF; Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 339 Ton; Tack Coat, 105 Gals; Signs, 74 SF; Structure Repainting Recycled Abrasive, 1 LS.

DBE Goal: 9 %

Contract Completion Date: August 17, 2018

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

23. SFY 2018 LIL Chip Seals - East, Northwest Region; NW Region-Wide; 1000-18-06; Various Highways; 48.590 Miles; Signs, Pavement Marking, Chip Seal, Scrub Seal, and Fog Seal.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 137,343 LF; Marking Paint, 845,150 LF; Signs, 4,411 SF; Chip Seal, 261,000; Scrub Seal, 542,000 SY; Fog Seal, 853,000 SY.

DBE Goal: NA

Contract Completion Date: August 31, 2018

Contact Information: Mohamad Hayek, (715) 836-2065 /
mohamad.hayek@dot.wi.gov

24. SFY 2018 LIL Chip Seals - West, Northwest Region; NW Region-Wide; 1000-18-95; Various Highways; 20.400 Miles; Signs, Pavement Marking, Chip Seal, Scrub Seal, and Fog Seal.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 914 LF; Marking Paint, 475,503 LF; Signs, 2,472 SF; Chip Seal, 150,000 SY; Scrub Seal, 227,000 SY; Fog Seal, 407,000 SY.

DBE Goal: NA

Contract Completion Date: August 31, 2018

Contact Information: Mohamad Hayek, (715) 836-2065 /
mohamad.hayek@dot.wi.gov

25. Chippewa Falls - Thorp, On/Off Ramps at Two Interchanges; **Chippewa Falls - Rice Lake, On/Off Ramps at Four Interchanges;** Chippewa; Chippewa and Barron Counties; 1050-00-72; 1190-10-70; STH 29; USH 53; 4.690 Miles; Base, HMA Pavement, Beam Guard, Pavement Marking, and Signing.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Backfill Structure, 20 Ton; Base Aggregate Dense, 1,120 Ton; Bar Steel Reinforcement, 293 Lbs; Marking Wet Reflective Tape, 2,550 LF; Marking Epoxy, 57,820 LF; Construction Staking, 24,100 LF; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 5 LF 24"; Concrete Curb and Gutter, 6 LF; Beam Guard, 1,715 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 80 Ton; HMA Pavement, 11,680 Ton; Removing Asphaltic Surface Milling, 56,330 SY; Signs, 7,690 SF.

DBE Goal: NA

Contract Completion Time: 50 Working Days

Contact Information: Tyler Rongstad, (715) 836-2094 / tyler.rongstad@dot.wi.gov

26. Minong - Solon Springs, Bus. 53 (Minong) to CTH T (NB); Washburn and Douglas Counties; 1196-00-70, WISC 2018 099; USH 53; 4.890 Miles; Base, HMA Pavement, Guardrail, Pavement Marking, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 2,237 Ton; Marking Wet Reflective Tape, 2,000 LF; Marking Epoxy, 54,942 LF; Marking Paint, 5,711 LF; Construction Staking, 23,002 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 52 LF 18"; Concrete Curb and Gutter, 160 LF; Beam Guard, 398 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 787 Ton; HMA Pavement, 15,413 Ton; Removing Asphaltic Surface Milling, 83,720 SY; Tack Coat, 4,110 Gals; Signs, 468 SF.

DBE Goal: 10 %

Contract Completion Date: August 21, 2018

Contact Information: Brendan Dirkes, (715) 395-3026 / brendan.dirkes@dot.wi.gov

27. Park Falls - Mellen, South County Line to Morse Road; Ashland County; 1610-00-63; STH 13; 17.330 Miles; Signs, Pavement Marking, Scrub Seal, and Fog Seal.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Marking Paint, 275,516 LF; Signs, 1,084 SF; Scrub Seal, 260,286 SY; Fog Seal, 347,309 SY.

DBE Goal: NA

Contract Completion Time: 25 Working Days

Contact Information: Matthew Dickenson, (715) 395-3022 / matthew.dickenson@dot.wi.gov

28. CTH E - CTH OO, Elk Creek Bridge, B-61-0222; Trempealeau County; 7175-00-70, WISC 2018 100; CTH O; 0.071 Miles; Excavation, Base, HMA, Structure Replacement, Guardrail, Pavement Marking, and Signing.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 347 CY; Borrow, 752 CY; Backfill Structure, 136 Ton; Base Aggregate Dense, 625 Ton; Concrete Masonry Bridges, 274 CY; Bar Steel Reinforcement, 7,040 Lbs; Bar Steel Reinforcement Coated, 24,838 Lbs; Piling CIP Concrete, 1,385 LF 10 3/4-Inch; Marking Epoxy, 1,500 LF; Construction Staking, 885 LF; Construction Staking, 2 LS; Beam Guard, 392 LF; Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement, 220 Ton; Tack Coat, 55 Gals; Signs, 46 SF.

DBE Goal: 10 %

Contract Completion Time: 55 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

29. STH 95 - CTH D, Turton Creek Bridge, B-61-0224; Trempealeau County; 7178-00-70, WISC 2018 101; CTH T; 0.057 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, Signs, Guardrail, and Structure Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 325 CY; Borrow, 443 CY; Backfill Structure, 335 Ton; Base Aggregate Dense, 836 Ton; Concrete Masonry Bridges, 155 CY; Bar Steel Reinforcement, 4,240 Lbs; Bar Steel Reinforcement Coated, 20,320 Lbs; Piling Steel, 200 LF 10-Inch; Marking Epoxy, 1,600 LF; Construction Staking, 1,050 LF; Construction Staking, 2 LS; Beam Guard, 156 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 257 Ton; Tack Coat, 50 Gals; Signs, 29 SF.

DBE Goal: 10 %

Contract Completion Time: 40 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

30. Town of Sumner, Rippenberg Road, King Creek Bridge, B-61-0219; Trempealeau County; 7287-00-71, WISC 2018 102; Local Street; 0.057 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 302 CY; Borrow, 239 CY; Backfill Structure, 230 Ton; Base Aggregate Dense, 303 Ton; Breaker Run, 150 Ton; Concrete Masonry Bridges, 127 CY; Bar Steel Reinforcement, 3,140 Lbs; Bar Steel Reinforcement Coated, 15,390 Lbs; Piling CIP Concrete, 400 LF 10 3/4-Inch; Construction Staking, 943 LF; Asphaltic Surface, 113 Ton; Tack Coat, 36 Gals; Signs, 12 SF.

DBE Goal: 10 %

Contract Completion Time: 40 Working Days

Contact Information: Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

31. Town of Holway, Wren Drive, Pine Creek Bridge, B-60-0142; Taylor County; 8888-00-70, WISC 2018 103; Local Street; 0.057 Miles; Excavation, Base, Asphaltic Surface, and Structure Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 253 CY; Borrow, 29 CY; Backfill Structure, 230 Ton; Base Aggregate Dense, 595 Ton; Concrete Masonry Bridges, 106 CY; Bar Steel Reinforcement, 4,040 Lbs; Bar Steel Reinforcement Coated, 11,690 Lbs; Piling Steel, 500 LF 10-Inch; Construction Staking, 798 LF; Construction Staking, 2 LS; Asphaltic Surface, 70 Ton; Tack Coat, 16 Gals; Signs, 19 SF.

DBE Goal: 10 %

Contract Completion Time: 35 Working Days

Contact Information: Jeff Olson, (715) 395-3032 / jeffrey.olson@dot.wi.gov

32. Eau Claire - Osseo, 2 BR / Hobbs Road, B-18-210 / CTH I B-18-232; Eau Claire County; 1021-03-74, WISC 2018 129; IH 94; 0.672 Miles; Excavation, Base, Asphaltic Surface, Guardrail, Pavement Marking, Signs, Bridge Replacements, and Retaining Walls.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,240 CY; Borrow, 23,670 CY; Backfill Structure, 814 Ton; Base Aggregate Dense, 7,924 Ton; Concrete Pavement, 279 SY; Concrete Masonry Bridges, 1,018 CY; Prestressed Girders, 2,427 LF 45-Inch; Bar Steel Reinforcement, 14,250 Lbs; Bar Steel Reinforcement Coated, 177,630 Lbs; Piling CIP Concrete, 5,630 LF 10 3/4-Inch; Piling Steel, 5,350 LF 10-Inch; Marking Epoxy, 14,192 LF; Culvert Pipe Reinforced Concrete, 44 LF 24", 16 LF 36"; Beam Guard, 2,585 LF; Beam Guard Energy Absorbing Terminals, 8 Each; Asphaltic Surface, 2,623 Ton; Tack Coat, 519 Gals; Signs, 111 SF; SPV Wall Concrete Panel Mechanically Stabilized Earth, 5,350 SF.

DBE Goal: 6 %

Contract Completion Date: November 9, 2018

Contact Information: Matthew Thorsen, (715) 836-3922 /
matthew.thorsen@dot.wi.gov

33. DEFERRED

34. N-S Freeway Ken&Rac Work Zone Prep, STH 142 to CTH G; Racine and Kenosha Counties; 1035-04-71, WISC 2018 170; IH 41; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Signing, FTMS, and Pavement Marking.

Guaranty Required: \$300,000.00

Estimate of Principal Items: Excavation Common, 26,467 CY; Backfill Granular, 220 Ton; Base Aggregate Dense, 30,105 Ton; Select Crushed Material, 23,808 Ton; Concrete Pavement, 32,766 SY; Marking Epoxy, 54,000 LF; Marking Paint, 437,684 LF; Storm Sewer Pipe Reinforced Concrete, 304 LF 15", 46 LF 18", 314 LF 24", 1,168 LF 36", 25 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 41 LF 29" X 45", 240 LF 34" X 53"; HMA Pavement, 12,523 Ton; Removing Asphaltic Surface Milling, 927 SY; Tack Coat, 7,369 Gals; Backfill Controlled Low Strength, 335 CY; Riprap, 10 CY.

DBE Goal: 8 %

Contract Completion Date: December 1, 2018

Contact Information: Frank Pritzlaff, (262) 548-5683 / frank.pritzlaff@dot.wi.gov

35. DEFERRED

By order of:

Joe Nestler
Administrator
Division of Transportation System Development