



## Wisconsin Department of Transportation

---

June 28, 2018

**Division of Transportation Systems  
Development**

Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #09: 1060-62-70  
East West Freeway  
Grandview Boulevard Salt Shed  
IH 94  
Waukesha County**

### Letting of July 10, 2018

This is Addendum No. 02, which provides for the following:

#### Special Provisions:

Revised Special Provisions	
Article No.	Description
19	Brining Building General Construction, Item SPV.0105.03.
23	Salt Storage Shed, Item SPV.0105.07.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

**ADDENDUM NO. 02**

**1060-62-70**

**June 28, 2018**

**Special Provisions**

**19. Brining Building General Construction, Item SPV.0105.03.**

**General Construction Specification Section 03300 – Cast-In-Place Concrete:**

*Replace 3.10.C. with the following:*

- C. Protective Coating: Apply protective surface treatment coating to the interior surfaces of concrete walls above slab elevation of the Brining Building according to standard spec. 502.3.13.2. Furnish a product from the department's approved products list for Concrete Protective Surface Treatment.

**General Construction Specification Section 03400 – Precast Concrete:**

*Add the following as paragraph 3.05.A.:*

**3.05 Protective Coating**

- A. Apply protective surface treatment coating to the underside of the hollow core precast concrete roof plank of the Brining Building according to standard spec. 502.3.13.2. Furnish a product from the department's approved products list for Concrete Protective Surface Treatment.

**General Construction Specification Section 04220 – Concrete Unit Masonry:**

*Add the following as paragraph 3.06.A.:*

**3.06 Protective Coating**

- A. Apply protective surface treatment coating to the interior surfaces of concrete unit masonry walls of the Brining Building according to standard spec. 502.3.13.2. Furnish a product from the department's approved products list for Concrete Protective Surface Treatment that is compatible with concrete masonry units.

**23. Salt Storage Shed, Item SPV.0105.07.**

**Part 3 – Design Criteria & Products:**

*Replace sub-paragraphs K.6.a, b, and c.. with the following:*

- a. Asphalt Shingles – Architectural asphalt shingles, carrying a manufacturer's warranty of at least 30 years for labor and materials. Roofing color to be selected by the engineer. Acceptable products are "Custom Sealdon" by CertainTeed, "Premium 30" by Georgia-Pacific, "Super Seal" by Globe, "Aristocrat" by IKO, "Seal – Down 30" by Tamko, or equivalent.
- b. Roofing Underlayment – Roofing underlayment to be No. 30 asphalt felt paper complying with ASTM D226.
- c. Sheathing – APA rated, minimum 5/8-inch thick nominal, CDX plywood roof sheathing.

**END OF ADDENDUM**