

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, February 11, 2020, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4th Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 3, 5, 6, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 23, 24, 25, 26, 27, 38, 39, 40

GRADING

5

CONCRETE PAVEMENT

ASPHALTIC PAVEMENT

1, 3, 6, 9, 15, 17, 18, 27

STRUCTURES

4, 7, 10, 22, 23, 24, 28, 29, 32, 33, 34, 35, 36, 39

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

2, 11, 19, 20, 21, 30, 31, 37, 39

1. **Lake Mills - Oconomowoc, CTH Q Bridge, B-28-0186; Lake Mills - Oconomowoc, Rock Creek Bridge, B-28-0187; Madison - Oconomowoc, Airport Road to CTH Y;** Jefferson County; 1066-06-72, WISC 2020 031; 1067-02-76, WISC 2020 032; 1067-04-71, WISC 2020 033; IH 94; 10.778 Miles; Excavation, Base, HMA Pavement, Concrete Pavement, Curb and Gutter, Pavement Marking, Bridge Replacement, and Retaining Wall Construction.

Guaranty Required: \$480,000.00

Estimate of Principal Items: Excavation Common, 36,862 CY; Borrow, 16,121 CY; Backfill Granular, 237 CY; Backfill Structure, 772 Ton; Base Aggregate Dense, 21,329 Ton; Select Crushed Material, 54,929 Ton; Concrete Pavement, 902 SY; Concrete Masonry Bridges, 1,202 CY; Prestressed Girders, 459 LF 28-Inch, 1,380 LF 45-Inch; Bar Steel Reinforcement, 13,390 Lbs; Bar Steel Reinforcement Coated, 166,350 Lbs; Piling Steel, 6,180 LF 10-Inch; Marking Epoxy, 11,448 LF; Construction Staking, 142,016 LF; Construction Staking, 10 Each; Construction Staking, 7 LS; Storm Sewer Pipe Reinforced Concrete, 243 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 60 LF 14" X 23"; Concrete Curb and Gutter, 1,912 LF; Asphaltic Surface, 280 Ton; HMA Pavement, 95,168 Ton; Removing Asphaltic Surface Milling, 493,437 SY; Tack Coat, 59,895 Gals; Marking Line Grooved Wet Ref Epoxy 4-Inch, 228,230 LF; Wall Concrete Panel Mechanically Stabilized Earth, 3,733 SF.

DBE Goal: 5 %

Contract Completion Date: October 15, 2020

Contact Information: John Jenkins, (608) 246-3866 / john.jenkins@dot.wi.gov

2. **Beloit - Elkhorn, IH 39 to E. County Line;** Rock County; 1093-01-61; IH 43; 9.685 Miles; Route and Seal and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Marking Epoxy, 251,690 LF; Routing and Sealing Asphalt Pavement Cracks, 20 Mi.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Jim Simpson, (608) 246-5628 / jim.simpson@dot.wi.gov

3. Sun Prairie - Beaver Dam, STH 73 to CNW RR; Dodge County; 1111-03-82, WISC 2020 034; USH 151; 7.084 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$250,000.00

Estimate of Principal Items: Excavation Common, 10,909 CY; Base Aggregate Dense, 27,448 Ton; Construction Staking, 152,033 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 65 LF 18"; Storm Sewer Pipe Reinforced Concrete, 84 LF 18"; Concrete Curb and Gutter, 3,187 LF; HMA Pavement, 71,245 Ton; Removing Asphaltic Surface Milling, 37,623 SY; Tack Coat, 34,166 Gals; Signs, 746 SF; Mill and Relay, 73,154 SY; Marking Line Grooved Wet Ref Epoxy 4-Inch, 142,821 LF.

DBE Goal: 6 %

Contract Completion Time: 90 Working Days

Contact Information: Amy Coughlin, (608) 245-5358 / amy.coughlin@dot.wi.gov

4. Town of Turtle, South Smith Road, Turtle Creek Bridge, B-53-0373; Rock County; 3621-00-77, WISC 2020 035; Local Street; 0.082 Miles; Excavation, Base, HMA Pavement, Signs, and Bridge Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 339 CY; Backfill Structure, 250 Ton; Base Aggregate Dense, 765 Ton; Concrete Masonry Bridges, 415 CY; Bar Steel Reinforcement, 6,920 Lbs; Bar Steel Reinforcement Coated, 65,560 Lbs; Piling Steel, 523 LF 10-Inch; Construction Staking, 900 LF; Construction Staking, 2 LS; HMA Pavement, 241 Ton; Tack Coat, 57 Gals; Signs, 12 SF.

DBE Goal: 2 %

Contract Completion Time: 50 Working Days

Contact Information: Zach Pearson, (608) 246-5319 / zachary.pearson@dot.wi.gov

5. Lake Mills - Columbus, CTH T / Dalman Road Intersection; Dodge County; 3670-00-73, WISC 2020 036; STH 89; 0.109 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 3,789 CY; Base Aggregate Dense, 1,681 Ton; Select Crushed Material, 2,668 Ton; Marking Epoxy, 2,329 LF; Construction Staking, 3,428 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 52 LF 18", 52 LF 24"; Concrete Curb and Gutter, 329 LF; HMA Pavement, 773 Ton; Tack Coat, 173 Gals; Signs, 143 SF.

DBE Goal: 6 %

Contract Completion Time: 40 Calendar Days

Contact Information: Jeremy Hall, (608) 245-2655 / jeremy.hall@dot.wi.gov

6. Viroqua - Richland Center, Camp Creek Bridge to STH 80; Richland County; 5730-00-60; STH 56; 15.171 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, Signs, Bridge Rehabilitation, and Box Culvert Construction.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,644 CY; Backfill Structure, 4,692 Ton; Base Aggregate Dense, 14,506 Ton; Select Crushed Material, 500 Ton; Breaker Run, 782 Ton; Concrete Masonry Culverts, 54 CY; Bar Steel Reinforcement, 1,720 Lbs; Marking Epoxy, 80,611 LF; Construction Staking, 45,552 LF; Construction Staking, 4 Each; Construction Staking, 10 LS; Culvert Pipe Reinforced Concrete, 42 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 90 LF 38" X 60"; Concrete Curb and Gutter, 3,439 LF; Beam Guard, 332 LF; Beam Guard Energy Absorbing Terminals, 7 Each; Asphaltic Surface, 228 Ton; HMA Pavement, 25,218 Ton; Removing Asphaltic Surface Milling, 1,145 SY; Tack Coat, 30,972 Gals; Signs, 210 SF; Mill and Relay, 124,081 SY; Precast Concrete Box Culvert 10 X 5-Ft, 174 LF.

DBE Goal: NA

Contract Completion Time: 80 Working Days

Contact Information: Daniel Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

7. STH 23 - Lone Rock, WI R Bridges, B-25-81, B-52-856, and B-52-857; Richland, Sauk, and Iowa Counties; 5770-01-61, WISC 2020 037; STH 130; 0.105 Miles; Bridge Rehabilitation.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Concrete Masonry Bridges, 10 CY; Bar Steel Reinforcement, 70 Lbs; Structural Steel Carbon, 8,395 Lbs; Concrete Surface Repair Special, 470 SF.

DBE Goal: 2 %

Contract Completion Time: 40 Working Days

Contact Information: Daniel M. Kleinertz, (608) 789-5709 / daniel.kleinertz@dot.wi.gov

8. C. Fitchburg, Mckee Road, Commerce Park Drive to Seminole Hwy.; Dane County; 5849-02-02, WISC 2020 038; 5849-02-03; CTH PD; 0.709 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Retaining Wall Construction, Bridge Replacement, Street Lighting, and Traffic Signals.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 50,024 CY; Backfill Granular, 400 Ton; Base Aggregate Dense, 33,215 Ton; Select Crushed Material, 34,619 Ton; Concrete Masonry Bridges, 64 CY; Bar Steel Reinforcement, 2,780 Lbs; Bar Steel Reinforcement Coated, 2,300 Lbs; Piling Steel, 315 LF 10-Inch; Marking Epoxy, 18,156 LF; Construction Staking, 38,374 LF; Construction Staking, 4 LS; Storm Sewer Pipe Reinforced Concrete, 2,608 LF 12", 1,225 LF 15", 741 LF 18", 887 LF 24", 63 LF 30", 1,134 LF 36", 16 LF 48"; Concrete Curb and Gutter, 10,199 LF; Concrete Sidewalk, 11,255 SF; HMA Pavement, 12,455 Ton; Removing Asphaltic Surface Milling, 1,032 SY; Tack Coat, 1,630 Gals; Signs, 397 SF.

DBE Goal: 8 %

Contract Completion Date: October 9, 2020

Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov

9. Wyeville - Babcock, STH 21 to County Line Road; Juneau and Monroe Counties; 7020-02-60, WISC 2020 039; STH 173; 19.361 Miles; Excavation, Base, HMA Pavement, Beam Guard, Pavement Marking, and Culvert Construction.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 3,239 CY; Borrow, 1,277 CY; Backfill Structure, 1,880 Ton; Base Aggregate Dense, 21,900 Ton; Concrete Masonry Culverts, 261 CY; Bar Steel Reinforcement, 16,770 Lbs; Bar Steel Reinforcement Coated, 4,040 Lbs; Piling Steel, 5,265 LF 10-Inch; Marking Epoxy, 18,744 LF; Construction Staking, 104,975 LF; Construction Staking, 4 LS; Beam Guard, 1,652 LF; Beam Guard Energy Absorbing Terminals, 27 Each; HMA Pavement, 74,170 Ton; Removing Asphaltic Surface Milling, 289,300 SY; Tack Coat, 77,550 Gals; Marking Line Grooved Wet Ref Epoxy 4-Inch, 204,450 LF.

DBE Goal: 5 %

Contract Completion Date: September 24, 2020

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Anthony Vander Wielen.

Contact Information: Anthony Vander Wielen, (608) 789-7878 /
anthony.vanderwielen@dot.wi.gov

10. Various Bridge Locations, Locations on STN Per Annual Plan; Southeast Region-Wide; 1000-09-73, WISC 2020 040; Various Highways; 0.000 Miles; Culvert Pipe, Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Pavement Marking, and Structures.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 437 CY; Backfill Structure, 900 Ton; Base Aggregate Dense, 278 Ton; Concrete Masonry Culverts, 141 CY; Bar Steel Reinforcement, 7,867 Lbs; Bar Steel Reinforcement Coated, 8,623 Lbs; Marking Epoxy, 432 LF; Construction Staking, 432 LF; Construction Staking, 2 Each; Construction Staking, 5 LS; Culvert Pipe Corrugated Steel, 38 LF 18"; Culvert Pipe Reinforced Concrete, 124 LF 48"; Concrete Curb and Gutter, 150 LF; Concrete Sidewalk, 555 SF; Asphaltic Surface, 149 Ton; Tack Coat, 58 Gals; Piling Steel Permanent, 630 SF; Riprap, 6 CY; Strapping, 21 Each.

DBE Goal: 10 % **Contract Completion Time:** 45 Working Days

Contact Information: Julie Jenks (262) 548-6462 / julie.jenks@dot.wi.gov

11. Epoxy Pavement Marking - 2020, Per STN Annual Plan; Southeast Region-Wide; 1000-77-20, WISC 2020 041; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 1,233,902 LF.

DBE Goal: 10 % **Contract Completion Date:** November 15, 2020

Contact Information: Tom Heydel, (262) 548-6763 / tom.heydel@dot.wi.gov

12. FRA Step Grant Roadway Improvements, Various Locations - Waukesha County - CP RLWY; Waukesha County; 1009-86-18, FR-STE-0001-1; Various Highways; 0.000 Miles; Grading, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Guardrail, Fence, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 194 CY; Base Aggregate Dense, 564 Ton; Marking Epoxy, 432 LF; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 118 LF 12"; Concrete Curb, 139 LF; Concrete Curb and Gutter, 1,846 LF; Concrete Sidewalk, 4,395 SF; Beam Guard, 50 LF; HMA Pavement, 289 Ton; Tack Coat, 69 Gals; Signs, 208 SF; Chain Link Fence, 2,271 LF.

DBE Goal: NA **Contract Completion Date:** July 15, 2020

Contact Information: Lisa Stern, (608) 294-8057 / lisa.stern@dot.wi.gov

13. STH 20 - NS FRWY IC Arterial Cross Street, CTH C to 900' W. of International Drive; International Drive Traffic Mitigation, STH 20 Limits to International Drive Construction; Racine County; 1033-02-71; 1033-02-76; STH 20; Local Street; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Concrete Barrier, Sidewalk, Beam Guard, Signing, Signals, Lighting, Overhead Sign Supports, and Pavement Marking.

Guaranty Required: \$530,000.00

Estimate of Principal Items: Excavation Common, 135,980 CY; Base Aggregate Dense, 31,705 CY; Select Crushed Material, 57,874 CY; Concrete Pavement, 189,926 SY; Marking Tape, 2,583 LF; Marking Epoxy, 87,210 LF; Construction Staking, 2 LS; Culvert Pipe, 163 LF 36"; Culvert Pipe Corrugated Steel, 99 LF 18"; Storm Sewer Pipe Reinforced Concrete, 1,807 LF 18", 4,834 LF 24", 2,434 LF 30", 32 LF 36", 226 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 86 LF 19" X 30", 144 LF 38" X 60", 918 LF 24" X 38", 180 LF 29" X 45"; Concrete Curb and Gutter, 29,134 LF; Concrete Sidewalk, 27,148 SF; Beam Guard, 67 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 409 Ton; HMA Pavement, 2,420 Ton; Removing Asphaltic Surface Milling, 16,148 Ton; Signs, 4,703 SF; Concrete Barrier, 1,068 LF; Riprap, 528 CY; Overhead Sign Support, 9 LS; Pull Boxes, 164 Each; Concrete Bases, 85 Each; Poles, 73 Each; Communications Vault, 7 Each; EBS Excavation, 27,202 CY; EBS Backfill, 27,202 CY; Roadway Embankment, 22,863 CY.

DBE Goal: NA

Contract Completion Date: December 11, 2020

Contact Information: Frank Pritzlaff, (262) 923-0722 / frank.pritzlaff@dot.wi.gov

14. North South Freeway, Hampton Road to Bender Road; Milwaukee County; 1228-22-72, WISC 2020 042; IH 43; 0.000 Miles; Milling, Grading, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Concrete Barrier, Sidewalk, Beam Guard, Signing, Signals, Lighting, Pavement Marking, Structures, and Lighting High Mast Towers.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 845 CY; Backfill Granular, 130 CY; Base Aggregate Dense, 551 Ton; Base Aggregate Open Graded, 327 Ton; Breaker Run, 359 CY; Concrete Pavement, 5,395 SY; Concrete Masonry Bridges, 134 CY; Bar Steel Reinforcement Coated, 23,120 Lbs; Structural Steel HS, 1,000 Lbs; Marking Tape, 492 LF; Marking Epoxy, 81,685 LF; Storm Sewer Pipe Reinforced Concrete, 217 LF 12", 74 LF 18"; Concrete Curb, 61 LF; Concrete Curb and Gutter, 1,301 LF; Concrete Sidewalk, 5,999 SF; Beam Guard, 127 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 212 Ton; HMA Pavement, 712 Ton; Removing Asphaltic Surface Milling, 1,359 SY; Tack Coat, 400 Gals; Signs, 2,669 SF; Expansion Device, 676 LF; HMA Overlay Polymer Modified, 932 Ton; Concrete Barrier, 76 LF; Sigh Supports Steel Reinforcement, 98 Lbs; Pull Boxes, 70 Each; Concrete Bases, 64 Each; Poles, 69 Each; High Mast Foundation, 6 LS; High Mast Tower, 6 LS; Communications Vault, 4 Each.

DBE Goal: 10 %

Contract Completion Date: October 23, 2020

Contact Information: David Pittman, (262) 548-6439 / david.pittman@dot.wi.gov

15. Chinook Pass, Town of Waukesha, CTH ES to Les Paul Parkway; Waukesha County; 2718-15-70, WISC 2020 043; STH 164; 0.000 Miles; Mill, Grade, Base, Culvert Pipe, Asphalt Pavement, Curb and Gutter, Beam Guard, Sidewalk, Signing, Signals, and Pavement Marking.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 2,041 CY; Base Aggregate Dense, 786 Ton; Marking Epoxy, 121,951 LF; Construction Staking, 58,140 LF; Construction Staking, 26 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 168 LF 36"; Concrete Curb and Gutter, 11,044 LF; Concrete Sidewalk, 11,537 SF; Beam Guard, 1,338 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 70 Ton; HMA Pavement, 49,100 Ton; Removing Asphaltic Surface Milling, 217,391 SY; Tack Coat, 30,438 Gals; Signs, 186 SF; Riprap, 10 CY; Pull Boxes, 43 Each; Concrete Bases, 30 Each; Poles, 28 Each.

DBE Goal: 11 %

Contract Completion Time: 90 Working Days

Contact Information: Mark Wilfert, (262) 548-5936 / mark.wilfert@dot.wi.gov

16. CTH O, IH 43 WB Ramp - Beloit Road; Waukesha County; 2782-03-76, WISC 2020 044; CTH O; 0.198 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Signs, Pavement Markings, Traffic Signals, and Street Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 9,787 CY; Base Aggregate Dense, 13,750 Ton; Base Aggregate Open Graded, 40 Ton; Concrete Pavement, 8,160 SY; Marking Epoxy, 16,325 LF; Construction Staking, 10,105 LF; Construction Staking, 76 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 480 LF 12", 326 LF 30", 361 LF 15", 92 LF 18", 413 LF 24", 140 LF 36"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 188 LF 29" X 45"; Concrete Curb, 85 LF; Concrete Curb and Gutter, 3,890 LF; Concrete Sidewalk, 10,540 SF; Asphaltic Surface, 810 Ton; HMA Pavement, 1,195 Ton; Removing Asphaltic Surface Milling, 2,575 SY; Tack Coat, 400 Gals; Signs, 777 SF; Base Patching Concrete, 55 SY; Concrete Safety Islands, 3,840 SF; Conduit, 6,559 LF; Traffic Signal and Light Poles, 22 Each; Temporary Traffic Signals, 1 LS; Construction Staking Sidewalk, 6,325 SF.

DBE Goal: 15 %

Contract Completion Date: October 1, 2020

Contact Information: Kathleen Kramer, (262) 548-8772 /
kathleen1.kramer@dot.wi.gov

17. Burlington Bypass, Racine Co. Line to STH 83; Racine and Walworth Counties; 3180-00-74, WISC 2020 045; STH 11; 0.000 Miles; Grade, Base, Asphalt Pavement, Signals, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 36 CY; Base Aggregate Dense, 5,317 Ton; Marking Epoxy, 71,138 LF; Construction Staking, 20,592 LF; Construction Staking, 1 LS; HMA Pavement, 34,300 Ton; Tack Coat, 11,310 Gals; Pull Boxes, 2 Each.

DBE Goal: 10 %

Contract Completion Time: 55 Working Days

Contact Information: Douglas Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

18. Bristol - Union Grove, STH 50 - STH 11; Kenosha and Racine Counties; 3200-01-72, WISC 2020 046; USH 45; 7.865 Miles; Grading, Base, Milling, Concrete Pavement, Concrete Pavement Repair, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Street Lighting, Traffic Signals, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 6,576 CY; Excavation Marsh, 1,000 CY; Backfill Granular, 2,410 CY; Base Aggregate Dense, 8,181 Ton; Base Aggregate Open Graded, 3,085 Ton; Breaker Run, 4,603 Ton; Concrete Pavement, 1,097 SY; Marking Epoxy, 153,508 LF; Construction Staking, 51,495 LF; Construction Staking, 22 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 30 LF 18"; Culvert Pipe Reinforced Concrete, 82 LF 24", 120 LF 60", 128 LF 36", 68 LF 84", 88 LF 42"; Storm Sewer Pipe Reinforced Concrete, 76 LF 12", 10 LF 21", 368 LF 15", 30 LF 18"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 78 LF 19" X 30", 58 LF 38" X 60"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 48 LF 24" X 38"; Concrete Curb, 24 LF; Concrete Curb and Gutter, 2,076 LF; Concrete Sidewalk, 485 SF; Asphaltic Surface, 225 Ton; HMA Pavement, 22,161 Ton; Removing Asphaltic Surface Milling, 141,791 SY; Tack Coat, 12,424 Gals; Signs, 517 SF; Asphaltic Base, 4,311 Ton; Base Patching Concrete, 962 SY; Concrete Pavement Repair, 546 SY; Concrete Pavement Replacement, 1,963 SY; Conduit, 5,066 LF; Signal and Light Poles, 10 Each; Temporary Traffic Signals, 1 LS.

DBE Goal: 10 %

Contract Completion Date: August 31, 2020

Contact Information: Brian Pluemer, (262) 548-6721 / brian.pluemer@dot.wi.gov

19. Replace Existing Signals, Various Signalized Intersections; Milwaukee County; 3700-20-80; Various Highways; 0.000 Miles; Grade, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, Lighting, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 8 CY; Base Aggregate Dense, 126 Ton; Concrete Pavement, 2,121 SY; Marking Epoxy, 28,072 LF; Construction Staking, 21 Each; Construction Staking, 2 LS; Concrete Curb, 299 LF; Concrete Curb and Gutter, 402 LF; Concrete Sidewalk, 5,332 SF; Asphaltic Surface, 4 Ton; Tack Coat, 1 Gals; Signs, 1,427 SF; Pull Boxes, 67 Each; Concrete Bases, 56 Each; Poles, 31 Each.

DBE Goal: NA

Contract Completion Time: 81 Working Days

Contact Information: Sean McKinney, (414) 651-2937 / sean.mckinney@dot.wi.gov

20. Clay Street, Dunn Street to Rice Street; Clay Street, Dunn Street to Rice Street; Walworth County; 3835-00-73, WISC 2020 047; 3835-00-74; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Water Utility, Sanitary Utility, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 8,701 CY; Base Aggregate Dense, 11,136 Ton; Select Crushed Material, 1,000 Ton; Concrete Pavement, 1,135 SY; Marking Epoxy, 478 LF; Construction Staking, 15,757 LF; Construction Staking, 12 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 602 LF 12", 65 LF 15", 334 LF 18", 34 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 155 LF 14" X 23", 855 LF 19" X 30", 209 LF 24" X 38"; Concrete Curb, 77 LF; Concrete Curb and Gutter, 6,330 LF; Concrete Sidewalk, 17,550 SF; Asphaltic Surface, 47 Ton; HMA Pavement, 2,645 Ton; Signs, 138 SF; Riprap, 8 CY; Water Service, 1,757 LF; Water Main Ductile Iron, 3,418 LF; Sanitary Laterals, 4,723 LF; Rock Excavation, 1,500 LF; Granular Backfill, 9,433 LF.

DBE Goal: 10 %

Contract Completion Date: September 30, 2020

Contact Information: Kathleen Kramer, (262) 548-8772 /
kathleen1.kramer@dot.wi.gov

21. Epoxy Pavement Marking - Various STH / USH - Northeast Region-Wide; NE Region-Wide; 1009-34-32, WISC 2020 107; Various Highways; 0.000 Miles; Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 4,803,595 LF.

DBE Goal: 6 %

Contract Completion Date: September 4, 2020

Contact Information: Mike Frewerd, (920) 492-5653 / michael.frewerd@dot.wi.gov

22. STH 15 - STH 47, Gillett Street - RR Bridges; Outagamie County; 1130-59-71, WISC 2020 048; IH 41; 0.000 Miles; Bridge Rehabilitation, Asphalt Pavement, Base, Guardrail, Fencing, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Backfill Structure, 44 Ton; Base Aggregate Dense, 471 Ton; Concrete Masonry Bridges, 392 CY; Bar Steel Reinforcement Coated, 78,790 Lbs; Marking Tape, 440 LF; Marking Epoxy, 11,980 LF; Construction Staking, 12,303 LF; Construction Staking, 1 LS; Beam Guard, 1,193 LF; Asphaltic Surface, 2,852 Ton; Removing Asphaltic Surface Milling, 10,209 SY; Tack Coat, 725 Gals; Chain Link Fence, 752 LF.

DBE Goal: 8 %

Contract Completion Date: July 1, 2020

Contact Information: Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

23. T. Greenbush, CTH A, Mullet River Bridge; Sheboygan County; 4210-07-71; CTH A; 0.220 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement, Bridge Replacement, Culvert Pipe, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 4,088 CY; Borrow, 2,338 CY; Backfill Structure, 462 Ton; Base Aggregate Dense, 3,680 Ton; Breaker Run, 2,300 Ton; Concrete Pavement, 159 SY; Concrete Masonry Bridges, 172 CY; Prestressed Girders, 310 LF 36-Inch; Bar Steel Reinforcement, 3,900 Lbs; Bar Steel Reinforcement Coated, 19,930 Lbs; Piling Steel, 1,050 LF 12-Inch; Marking Epoxy, 4,656 LF; Construction Staking, 4,656 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 100 LF 12"; Beam Guard, 156 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 10 Ton; HMA Pavement, 774 Ton; Tack Coat, 158 Gals; Signs, 22 SF.

DBE Goal: NA

Contract Completion Time: 89 Working Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

24. T. Morrison, Park View Road, Devils River Bridge and Approaches; T. Wrightstown, County Line Road, Golden Creek Bridge and Approaches; Brown County; 4508-08-71; 4519-09-71; Local Streets; 0.000 Miles; Grade, Base, Culvert Pipe, Asphalt Pavement, and Structures.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 585 CY; Excavation Marsh, 100 CY; Selected Borrow, 150 CY; Backfill Structure, 970 Ton; Base Aggregate Dense, 600 Ton; Breaker Run, 440 Ton; Concrete Masonry Bridges, 260 CY; Bar Steel Reinforcement, 8,340 Lbs; Bar Steel Reinforcement Coated, 24,600 Lbs; Piling Steel, 1,200 LF 10-Inch; Construction Staking, 846 LF; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 30 LF 18"; Culvert Pipe Reinforced Concrete, 29 LF 36"; Asphaltic Surface, 195 Ton; Tack Coat, 65 Gals; Signs, 24 SF; Railing Tubular Type M, 171 LF; Riprap, 250 CY.

DBE Goal: NA

Contract Completion Time: 55 Working Days

Contact Information: Eric Gwidt, (920) 366-8896 / eric.gwidt@dot.wi.gov

25. V. Ashwaubenon, Vanderperren Way, Holmgren Way - Ashland Avenue; Brown County; 9266-11-03, WISC 2020 049; CTH HH; 0.342 Miles; Grading, Base, Temporary Asphalt, Culvert Pipe, Storm Sewer, Pavement Markings, Signs, and Traffic Signals.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 13,130 CY; Base Aggregate Dense, 5,854 Ton; Breaker Run, 8,629 Ton; Marking Epoxy, 2,661 LF; Construction Staking, 11,174 LF; Construction Staking, 39 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 144 LF 18"; Storm Sewer Pipe Reinforced Concrete, 421 LF 12", 1,724 LF 24", 44 LF 15"; Concrete Curb and Gutter, 7,298 LF; Concrete Sidewalk, 11,067 SF; Asphaltic Surface, 27 Ton; Signs, 358 SF; Conduit, 710 LF; Traffic Signal Standard, 1 Each.

DBE Goal: 8 %

Contract Completion Date: August 5, 2020

Contact Information: Scott Ebel, (920) 360-2225 / scott.ebel@dot.wi.gov

26. Wittenberg - Shawano, Spruce Road - CTH M, WB; Shawano County; 1058-23-71, WISC 2020 050; STH 29; 5.212 Miles; Milling, Diamond Grinding, Base, Asphalt Pavement, Concrete Pavement Repair, Concrete Pavement Replacement, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,800 Ton; Marking Tape, 8,240 LF; Marking Epoxy, 54,593 LF; Construction Staking, 27,675 LF; Construction Staking, 1 LS; Asphaltic Surface, 816 Ton; HMA Pavement, 3,545 Ton; Removing Asphaltic Surface Milling, 31,635 SY; Tack Coat, 2,450 Gals; Concrete Pavement Repair, 2,010 SY; Concrete Pavement Replacement, 605 SY; Continuous Diamond Grinding, 5,810 SY.

DBE Goal: 3 %

Contract Completion Time: 35 Working Days

Contact Information: Jim Volkmann, (715) 365-5773 / jim.volkmann@dot.wi.gov

27. Plainfield - Wisconsin Rapids, Various Culvert Replacements; Plainfield - Wisconsin Rapids, CTH F to CTH U; Wood and Adams Counties; 6320-00-62; 6320-00-74, WISC 2019 308; STH 73; 0.000 Miles; Grading, Culvert Pipe, Base, Asphalt Pavement, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,754 CY; Base Aggregate Dense, 2,617 Ton; Select Crushed Material, 564 Ton; Marking Epoxy, 47,589 LF; Construction Staking, 20,258 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 101 LF 24", 73 LF 54"; HMA Pavement, 8,652 Ton; Tack Coat, 5 Gals; Culvert Pipe Liners, 256 LF; Riprap, 41 CY.

DBE Goal: 5 %

Contract Completion Time: 32 Working Days

Contact Information: Daniel Holloway, (715) 421-7305 / daniel.holloway@dot.wi.gov

28. Hogarty - Antigo, Spring Brook Bridge, B-34-0057; Langlade County; 9391-00-70, WISC 2020 051; CTH Y; 0.095 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, and Beam Guard.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 493 CY; Borrow, 1,309 CY; Backfill Structure, 510 Ton; Base Aggregate Dense, 989 Ton; Concrete Masonry Bridges, 239 CY; Bar Steel Reinforcement, 4,660 Lbs; Bar Steel Reinforcement Coated, 27,220 Lbs; Piling CIP Concrete, 550 LF 12 3/4-Inch; Construction Staking, 1,350 LF; Construction Staking, 2 LS; Beam Guard, 208 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 330 Ton; Tack Coat, 73 Gals.

DBE Goal: 5 %

Contract Completion Time: 40 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

29. STH 29 - CTH N, Plover River Bridge, B-37-0454; Marathon County; 9443-01-70; CTH Y; 0.000 Miles; Grade, Base, Asphalt Pavement, Beam Guard, Signing, Pavement Marking, and a Structure.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 236 CY; Borrow, 99 CY; Backfill Structure, 280 Ton; Base Aggregate Dense, 1,933 Ton; Concrete Masonry Bridges, 132 CY; Prestressed Girders, 354 LF 26-Inch; Bar Steel Reinforcement, 3,680 Lbs; Bar Steel Reinforcement Coated, 14,490 Lbs; Piling Steel, 275 LF 1-Inch; Marking Epoxy, 1,950 LF; Construction Staking, 1,146 LF; Construction Staking, 2 LS; Beam Guard, 508 LF; Asphaltic Surface, 125 Ton; Tack Coat, 41 Gals; Signs, 12 SF; Steel Diaphragms, 5 Each; Railing Tubular Type M, 174 LF; Riprap, 175 CY.

DBE Goal: NA

Contract Completion Time: 45 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

30. Northwest Region Pavement Marking 2020, Various Highways, NW Region-Wide; NW Region-Wide; 1000-18-19, WISC 2020 060; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 2,538,422 LF; Marking Line Epoxy 8-Inch, 82,239 LF; Marking Arrow Epoxy, 237 Each.

DBE Goal: 5 %

Contract Completion Date: October 26, 2020

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

31. SFY 2020 Chip Seals - South, Northwest Region-Wide - Various Highways; NW Region-Wide; 1000-18-31; Various Highways; 0.000 Miles; Chip, Scrub, and Fog Seal Roadways and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Paint, 949,896 LF; Chip Seal, 262,911 SY; Scrub Seal, 890,308 SY; Fog Seal, 1,153,219 SY.

DBE Goal: NA

Contract Completion Date: August 31, 2020

Contact Information: Paula Groom, (715) 579-6776 / paula.groom@dot.wi.gov

32. ECL - Ettrick, S. Fork Beaver Creek Bridge, B-61-0230; T. Ettrick, Dopp Road, Smikrud Coulee Creek Bridge, B-61-0232; Trempealeau County; 7146-00-71, WISC 2020 052; 7281-00-72, WISC 2020 053; CTH D; Local Street; 0.052 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, and Structure Replacements.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 299 CY; Borrow, 746 CY; Backfill Structure, 457 Ton; Base Aggregate Dense, 538 Ton; Concrete Masonry Bridges, 511 CY; Prestressed Girders, 180 LF 28-Inch; Bar Steel Reinforcement, 10,098 Lbs; Bar Steel Reinforcement Coated, 55,754 Lbs; Piling CIP Concrete, 2,125 LF 10 3/4-Inch; Piling Steel, 680 LF 10-Inch; Construction Staking, 978 LF; Construction Staking, 4 LS; Beam Guard, 25 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 164 Ton; Tack Coat, 47 Gals; Signs, 904 SF.

DBE Goal: 5 %

Contract Completion Time: 90 Working Days

Contact Information: Matthew Thorsen, (715) 225-4159 / matthew.thorsen@dot.wi.gov

33. CTH H - CTH P, Trout Run Creek Bridge, B-27-165; Jackson County; 7340-00-70, WISC 2020 054; CTH X; 0.028 Miles; Excavation, Base, Asphaltic Surface, Signs, Pavement Marking, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 85 CY; Borrow, 195 CY; Backfill Structure, 320 Ton; Base Aggregate Dense, 255 Ton; Concrete Masonry Bridges, 132 CY; Prestressed Girders, 220 LF 36-Inch; Bar Steel Reinforcement, 3,560 Lbs; Bar Steel Reinforcement Coated, 16,290 Lbs; Piling Steel, 500 LF 10-Inch; Marking Epoxy, 600 LF; Construction Staking, 279 LF; Construction Staking, 2 LS; Asphaltic Surface, 63 Ton; Tack Coat, 14 Gals; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Time: 35 Working Days

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

34. T. Unity, Riplinger Road, S. Fork Popple River Bridge, B-10-0238; Clark County; 7842-00-70, WISC 2019 760; Local Street; 0.028 Miles; Excavation, Base, Signs, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 133 CY; Borrow, 112 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 240 Ton; Concrete Masonry Bridges, 187 CY; Bar Steel Reinforcement, 3,580 Lbs; Bar Steel Reinforcement Coated, 23,760 Lbs; Structural Steel Carbon, 470 Lbs; Piling Steel, 720 LF 10-Inch; Construction Staking, 196 LF; Construction Staking, 2 LS; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Date: October 31, 2020

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

35. T. Clinton, 17th Avenue, Hay River Bridge, B-03-0207; T. Prairie Farm, 9 1/2 - 10 1/2 Street, Doritty Creek Bridge, B-03-0208; T. Sumner, 28th Street, BR Rock Creek Bridge, B-03-0209; Barron County; 8317-00-70; 8328-00-70; 8333-00-70; Local Streets; 0.104 Miles; Excavation, Base, Asphaltic Surface, and Bridge Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 379 CY; Borrow, 554 CY; Backfill Structure, 886 Ton; Base Aggregate Dense, 805 Ton; Concrete Masonry Bridges, 394 CY; Bar Steel Reinforcement, 13,240 Lbs; Bar Steel Reinforcement Coated, 42,700 Lbs; Piling CIP Concrete, 1,380 LF 10 3/4-Inch; Piling Steel, 292 LF 10-Inch; Construction Staking, 1,332 LF; Construction Staking, 6 LS; Asphaltic Surface, 250 Ton; Tack Coat, 26 Gals.

DBE Goal: NA

Contract Completion Time: 105 Working Days

Contact Information: Matthew Van Natta, (715) 392-7934 /
matthew.vannatta@dot.wi.gov

36. T. Stubbs, S. Hutchinson Road, Soft Maple Creek Bridge, B-54-0127; Rusk County; 8439-00-72, WISC 2020 055; Local Street; 0.030 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 114 CY; Borrow, 41 CY; Backfill Structure, 350 Ton; Base Aggregate Dense, 199 Ton; Concrete Masonry Bridges, 137 CY; Prestressed Girders, 252 LF 36-Inch; Bar Steel Reinforcement, 4,000 Lbs; Bar Steel Reinforcement Coated, 17,150 Lbs; Piling Steel, 690 LF 10-Inch; Construction Staking, 285 LF; Construction Staking, 2 LS; Asphaltic Surface, 47 Ton; Tack Coat, 12 Gals; Signs, 12 SF.

DBE Goal: 5 %

Contract Completion Time: 45 Working Days

Contact Information: Matthew Van Natta, (715) 392-7934 /
matthew.vannatta@dot.wi.gov

37. T. Parkland, CTH Z, Canadian National RR Bridge, B-16-0070; Douglas County; 8744-00-72, WISC 2019 601; CTH Z; 0.000 Miles; Over Height Detection System and Warning Lights and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Signs, 147 SF; Cable Traffic Signal 3-14 AWG, 1,398 LF; Poles Type 2, 6 Each; Over Height Vehicle Detection Assembly Solar Powered, 1 Each; Over Height Vehicle Detection Assembly Hardwired, 2 Each.

DBE Goal: 5 %

Contract Completion Time: 16 Working Days

Contact Information: Matthew Van Natta, (715) 392-7934 /
matthew.vannatta@dot.wi.gov

38. CTH S, CTH H - Brumback Boulevard; Green Bay Road, City of Kenosha, CTH S Intersection; Kenosha County; 3210-00-75, WISC 2019 742; 3340-10-70; CTH S; STH 31; 2.117 Miles; Grading, Base, Milling, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Guardrail, Fence, Bridge Construction, Box Culvert Construction, Pavement Markings, Signs, Traffic Signals, and Water Main.

Guaranty Required: \$450,000.00

Estimate of Principal Items: Excavation Common, 255,514 CY; Borrow, 80,732 CY; Backfill Structure, 6,350 Ton; Base Aggregate Dense, 137,023 Ton; Breaker Run, 112,035 Ton; Concrete Pavement, 128 SY; Concrete Masonry Bridges, 846 CY; Concrete Masonry Culverts, 281 CY; Prestressed Girders, 867 LF 36-Inch; Bar Steel Reinforcement, 40,500 Lbs; Bar Steel Reinforcement Coated, 123,030 Lbs; Piling CIP Concrete, 4,080 LF 10 3/4-Inch; Marking Epoxy, 74,295 LF; Construction Staking, 103,298 LF; Construction Staking, 259 Each; Construction Staking, 5 LS; Culvert Pipe Corrugated Steel, 287 LF 12", 65 LF 24", 108 LF 15", 100 LF 36", 158 LF 18", 97 LF 48"; Culvert Pipe Reinforced Concrete, 97 LF 21", 91 LF 36", 74 LF 48"; Storm Sewer Pipe Reinforced Concrete, 2,780 LF 12", 114 LF 36", 351 LF 24", 1,531 LF 15", 1,191 LF 42", 339 LF 30", 835 LF 18", 384 LF 48"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 115 LF 19" X 30", 331 LF 24" X 38"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 251 LF 24" X 38", 339 LF 38" X 60"; Concrete Curb and Gutter, 28,887 LF; Concrete Sidewalk, 21,063 SF; Beam Guard, 1,547 LF; Beam Guard Energy Absorbing Terminals, 5 Each; Asphaltic Surface, 3,415 Ton; HMA Pavement, 48,519 Ton; Removing Asphaltic Surface Milling, 1,514 SY; Tack Coat, 19,510 Gals; Signs, 2,324 SF; Excavation, Hauling and Disposal of Contaminated Soil, 2,129 Ton; Concrete Driveway, 193 SY; Bar Steel Reinforcement HS Stainless, 1,940 Lbs; Pipe Arch Corrugated Steel 35 X 24-Inch 210 LF, 57 X 38-Inch 197 LF; Concrete Barrier, 43 LF; Chain Link Fence, 187 LF; Conduit, 8,161 LF; Traffic Signal Standards, 10 Each; Traffic Signal Poles, 15 Each; Temporary Traffic Signals, 2 LS; Split Rail Fence, 1,780 LF; Water Main, 192 LF.

DBE Goal: 8 %

Contract Completion Date: November 1, 2021

***** NON-MANDATORY PRE-BID MEETING *****

DATE: January 21, 2020 **TIME:** 9 AM

LOCATION: Kenosha County Center
19600 75th Street
Bristol, WI 53104

NOTE: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

39. Black River Falls - Tomah, B-41-0062, 0064, 0066, and 0068; Monroe County; 1023-06-72, WISC 2019 574; IH 94; 0.000 Miles; Structure Overlays, Bridge Maintenance, Concrete Pavement, HMA Pavement, Beam Guard, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 12 Ton; Concrete Pavement, 218 SY; Concrete Masonry Bridges, 1 CY; Concrete Masonry Overlay, 107 CY; Bar Steel Reinforcement Coated, 960 Lbs; Marking Epoxy, 9,453 LF; Construction Staking, 1 LS; Beam Guard, 357 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 129 Ton; HMA Pavement, 207 Ton; Tack Coat, 44 Gals.

DBE Goal: 4 %

Contract Completion Date: May 22, 2020

Contact Information: Brian Meyer, (608) 789-5676 / brian.meyer@dot.wi.gov

40. LaCrosse - Sparta, STH 157 Interchange; LaCrosse County; 1070-04-75, WISC 2019 673; IH 90; 1.289 Miles; Excavation, Base, HMA Pavement, Concrete Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Beam Guard, and Traffic Signals.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 4,910 CY; Base Aggregate Dense, 4,819 Ton; Concrete Pavement, 9,677 SY; Marking Epoxy, 685 LF; Marking Paint, 20,125 LF; Construction Staking, 25,227 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 5,618 LF; Concrete Sidewalk, 4,180 SF; Beam Guard, 1,109 LF; Beam Guard Energy Absorbing Terminals, 10 Each; HMA Pavement, 9,027 Ton; Removing Asphaltic Surface Milling, 25,668 SY; Tack Coat, 6,270 Gals; Signs, 1,953 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 54,209 LF.

DBE Goal: 6 %

Contract Completion Date: September 4, 2020

Contact Information: Todd Waldo, (608) 785-9462 / todd.waldo@dot.wi.gov

By order of:

Rebecca Burkel
Administrator
Division of Transportation System Development