

June 1, 2021

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #02: 3576-01-71, WISC 2021344 Albion – Fort Atkinson STH 73 – Park Drive STH 106 Jefferson County

Letting of June 8, 2021

This is Addendum No. 01, which provides for the following:

Schedule of Items:

	Revised Bid Item Quantities								
Bid Item	Item Description	Unit	Old	Revised	Proposal				
Did item	Item Description	Offic	Quantity	Quantity	Total				
460.2005	Incentive Density PWL HMA Pavement	DOL	26,028	-760	25,302				
460.2010	Incentive Air Voids HMA Pavement	DOL	34,267	-907	33,360				
460.5224	HMA Pavement 4 LT 58-28 S	TON	34,267	-907	33,360				

	Added Bid Item Quant	tities			
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
465.0105	Asphaltic Surface	TON	0	907	907

Plan Sheets:

	Revised Plan Sheets
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
46	Added 465.0105 and revised quantities for 460.5224 in the HMA Pavement Table
53	The bottom two rows of the PWL Incentives table were eliminated because the Asphaltic Surface used to patch the Distressed Pavement Milling areas will not be included with these incentives.

	Added Plan Sheets
Plan Sheet	Plan Sheet Title (brief description of why sheet was added)
15	Added a detail for the Distressed Pavement Milling to help clarify this item.

Schedule of Items

Attached, dated June 1, 2021, are the revised Schedule of Items Pages 2 and 9.

Plan Sheets

The following $8\frac{1}{2} \times 11$ -inch sheets are attached and made part of the plans for this proposal: Revised: 46 and 53. Added: 15.


The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

END OF ADDENDUM



Building					•	ASPHALIIC SHOULDER WIDENING	ER WIDENING				*	*		
					(305.0120) BASE AGGREGATE DENSE 1 1/4-INCH	(315.0200) ASPHALTIC BASE WIDENING	LOWER LA HMA PAVEMENT (460.5224)	AYER 4 LT 58-28 S SHOULDER ##	UPPER LA) HMA PAVEMENT 4 (460.5224)	rer (45 LT 58-28 S SHOULDER (55.0605) (69 TACK S COAT A3	0.0150) WING PHALT LF		
							TON	TON 52	TON 52	TON 52	GAL 37	i 1		
							72	22	72	22	32			
		4 4					00 100	89 100	80 100	68 100	43 51			
		80 80					55 69	54 66	54 66	54 66	34			
		. 10			•		25	25	25	25	5 65			
		11 11					3 1	0 J	0 J	0 11 0	9 1			
		12					ž 7	7	7	ž	4			
		24			- 22		- 24	-	14 24	14 24	5	- 44		
		56				22	18		18	18	6			
		27				6	444		4 4	4	2	- 560		
		28			122	82	67		67	67	34	253		
		*ADDITIONAL QUANT	TOTA TOTA	LS WHERE	1,255	928	751		765	765	388	,849		
INTRODUCTION CALCULARIA COLOR DECIDING		# # Tonnage is eligible	for Incentive Air Voi	ds HMA Pavement ((460.2010) and density is te	sted for acceptance in t	hose areas.							
						ROADWAY RECONSTE	RUCTION AREA							
												[
Torring is dight for Incentive Air Voids HMA Framenet (460, 2005) and Thorative Air Voids HMA Framenet (460, 2001) and Grand Thorative Air Voids HMA Framenet (460, 2001) and Grand Thorative Air Voids HMA Framenet (460, 2001) and Grand Thorative Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand State Air Voids HMA Framenet (460, 2001) and Grand Stat			TO STATION 581+69 582+84		(305.0120) (31. E. AGGREGATE SELECT VISE 1.1/4-INCH MAT 712 147	7)	A PAVEMENT 4 LT 5; 24) TRAVEL LANE # TON 57 57	8-28 S SHOULDER (, # 10N 26 3	HIMA PAVEMEN 460.5224) TRAVE * 7 TON TO 16 1 16 1	I 4 LT 58-28 S L LANE SHOULDE # # # DN TON 15 15 51 0 0 6 6		(690.0150) SAVING ASPHALT LF 24 24		
# Tomage is digle for Incentive Air Voids HM Perement (460.2000) and Contrible HM Perement		*additional Quantite	I FOUND ELSEWH	TOTALS ERE			62	28			93	48		
HAM EAVENERI HAM EAVENERI (450-400) UPPER LIVER (000000000000000000000000000000000000		# Tonnage is eligible for Ir # # Tonnage is eligible for	icentive Density PWI Incentive Air Voids I	L HMA Pavement (4 HMA Pavement (46	60.2005) and Incentive Air 0.2010) and density is tested	Voids HMA Pavement (4 I for acceptance in thos	460 .2010). e areas.							
Image: Figure 1 Figre 1 Figure 1 Figure														
(450.400) (450.400) (450.400) (450.400) (450.400) (450.400) (450.005) <t< td=""><td></td><td></td><td></td><td></td><td></td><td>HMAP</td><td>PAVEMENT</td><td></td><td>I OWER I A</td><td></td><td>Ę</td><td></td><td>Jun</td><td>Ado ID 3 Rev</td></t<>						HMAP	PAVEMENT		I OWER I A		Ę		Jun	Ado ID 3 Rev
CATEGORY FATINOV TOSTITION TON TERD					00	(460	MA PAVEMENT 4 LT 5	II DFR	HMA PAVEMENT 4 50 5224) TRAVELL		Y	5.0605) ACK		357
000 7+50 124+00		CATEG									\checkmark	OAT		' 6-
20140 20048 17.8 H -		001 001								470	\frown	305 ,305		01
563-10 563-60 15 ki 100 524 106 <th< td=""><td></td><td></td><td>124+0 204+9 337+9</td><td></td><td>LT&RT LT&RT LT&RT</td><td></td><td></td><td></td><td></td><td></td><td>•••</td><td>,882 ,203 940</td><td></td><td>I-71</td></th<>			124+0 204+9 337+9		LT&RT LT&RT LT&RT						•••	,882 ,203 940		I - 71
562+50 569 569 569 569 560 567 567			543+0		LT&RT LT&RT			10	8	8		670 341		
ADDITIONAL QLANTITIES FOLMD ELSEWHERE ADDITIONAL QLANTITIES ADDITIONAL			582+5 **UN	STRBU	LT&RT LT&RT					-	X	721 567	_	
# Tomage is eligible for Incentive Density PML MMA Pavement (460.2010) and density is tested for acceptance in those areas.		*ADDITION	AL QUANTITES FOUR	ND ELSEWHERE	TOTALS STRESSED PAVEMENT MILL	2,896 25,75 ING	98 20,352	5,446	5,747 4,742	1,004	907	,630		
		# Tonnage i # # Tonnage	s eligible for Incentive s is eligible for Incentiv	Density PWL HMA F ve Air Voids HMA Pa	Pavement (460.2005) and Ince vement (460.2010) and densit	intive Air Voids HMA Pave v is tested for acceptance	ement (460.2010). e in those areas	J		Ţ	5			
	PROJECT NO: 3576-01-71	HWY: STH 106	106		COUNTY- IFFFFRSON	Z	MISCELL	ANFOUS OUA	UTITIES				SHEFT 50	

	\sim				Y	$\mathbf{\gamma}$			\sim		\sim	\checkmark	\sim			$\boldsymbol{\sim}$	$\boldsymbol{\gamma}$	\checkmark	γ		\sim		Addendum No. 01 ID 3576-01-71 Revised Sheet 57 June 1, 2021		5/ E
5		П	ь	ь	<u> </u>	ь	T	5	r	ы	<u> </u>	Б	r	ь	T	5	1		Б	ь	<u> </u>			11	SHEEL
		QUALITY MANAGEMENT PROGRAM TO BE USED FOR CEPTANCES DENSITY ACCEPTANCES	ACCEPTANCE TESTING BY THE DEPARTMENT; NOT ELIGIBLE FOR INCENTIVE	ACCEPTANCE TESTING BY THE DEPARTMENT; NO ELIGIBLE FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005	ACCEPTANCE TESTING BY THE DEPARTMENT; NO ELIGIBLE FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460 2005	ACCEPTANCE TESTING BY THE DEPARTMENT; NO FLIGRI F FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005	ACCEPTANCE TESTING BY THE DEPARTMENT; NOT ELIGIBLE FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005	ACCEPTANCE TESTING BY THE DEPARTMENT; NOT ELIGIBLE FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460 2005	ACCEPTANCE TESTING BY THE DEPARTMENT; NO FI IGIRI F FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460 2006	ACCEPTANCE TESTING BY THE DEPARTMENT; NO ELIGIBLE FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005	ACCEPTANCE TESTING BY THE DEPARTMENT; NOT ELIGIBLE FOR INCENTIVE	ACCEPTANCE TESTING BY THE DEPARTMENT; NO ELIGIBLE FOR INCENTIVE	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2005	INCENTIVE DENSITY PWL HMA PAVEMENT 460.2006		č	5
		QUALITY MANA MIXTURE ACCEPTANCES	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	WL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010	PWL INCENTIVE AIR VOIDS HMA PAVEMENT 460.2010			
Ę		THICKNESS (IN)		1.75 P	1.75 P	1.75 P	1.75 P	1.75 P	2.50 P	2.50 P	2.00 P	2.00 P	1.75 P	1.75 P	1.75 P	1.75 P	3.5 P	1.75 P	3.5 P	1.75 P	1.75 P	1.75 P		ANTITICS	AN ILLES
<pre></pre>		TONS	751	765	3,045	470	3,045	470	15,610	4,441	21	5	1,109	534	1,109	534	125	62	57	28	589	589			VISCELANEDUS QUANITIES
	PWL MIXTURE USE TABLE	BID ITEM	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	AVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	AENT 4 LT 58-28 S HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S	HMA PAVEMENT 4 LT 58-28 S		MICCE	NISCE
3	PWL MXT				HMA P/	S HMA P	HMA P/	S HMA P	S HMA P	S HMA P			HMA P/		S HMA P	S HMA P		S HMA P		S HMA P	HMA P/		2		
		UNDERLDAYING SURFACE	BASE AGGREGATE DENSE	HMA PAVEMENT 4 LT 58-28 S	MILLED SURFACE	LOWER LAYER HMA PAVEMENT 4 LT 58-28 S	MILLED SURFACE	UPPER LAYER HMA PAVEMENT 4 LT 58-28 S	UPPER LAYER HMA PAVEMENT 4 LT 58-28 S HMA PAVEMENT 4 LT 58-28 S	UPPER LAYER HMA PAVEMENT 4 LT 58-28 S	BASE AGGREGATE DENSE	BASE AGGREGATE DENSE	MILLED SURFACE	HMA PAVEMENT 4 LT 58-28 S	MA PAVEMENT 4 LT 58-28	UPPER LAYER HMA PAVEMENT 4 LT 58-28 S	BASE AGGREGATE DENSE	UPPER LAYER HMA PAVEMENT 4 LT 58-28 S	BASE AGGREGATE DENSE	HMA PAVEMENT 4 LT 58-28 S	MILLED SURFACE	HMA PAVEMENT 4 LT 58-28 S		2.5	COUNTY: JEFERSON
Ę		MIXTURE USE	~	UPPER LAYER	LOWER LAYER	LOWER LAYER	UPPER LAYER		UPPER LAYER	UPPER LAYER	LOWER LAYER	LOWER LAYER	LOWER LAYER	LOWER LAYER	UPPER LAYER HMA PAVEN	UPPER LAYER	LOWER LAYER	UPPER LAYER	LOWER LAYER	UPPER LAYER	LOWER LAYER	UPPER LAYER		COL	EQU
5		LOCATION	LT & RT	LT & RT	LT & RT	LT & RT	LT & RT	LT & RT	LT & RT	LT & RT	LT & RT	LT & RT	LT&RT	LT & RT	LT & RT	LT & RT	LT & RT	LT&RT	LT & RT	LT&RT	LT & RT	LT & RT	1		
2		TO STATION	606+10	606+10	124+00	124+00	124+00	124+00	543+00	543+00	351+71	351+71	579+16	579+16	579+16	579+16	582+50	582+50	582+50	582+50	606+10	606+10		TU 10C	110b
4		STATION	7+50	7+50	7+50	7+50	7+50	7+50	124+00	124+00	351+01	351+01	543+00	543+00	543+00	543+00	579+16	579+16	579+16	579+16	582+50	582+50	く	LIMM. C	HWY: 51H 106
		LOCATION	ASPHALTIC SHOULDER WIDENING	ASPHALTIC SHOULDER WIDENING	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 3-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 3-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 3-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 3-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 3-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 3-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	DRIVING LANES, 2 - 12 FOOT LANES	MAINLINE 6-FOOT SHOULDER	MAINLINE 6-FOOT SHOULDER	DRIVING LANES, 2 - 12 FOOT LANES	DRIVING LANES, 2 - 12 FOOT LANES		×F 10	35/6-01-/1
E	r	۲	٦	ر	ر		r	۲	٦	ر	ر		r	X	٦	ر	ں		r	۲	٦	٦	کہ		PROJECT NO: 35/6



	Proposal Schedule of Items	Page 2 of 9
Proposal ID: 2021060	08002 Project(s): 3576-01-71	
	Federal ID(s): WISC 2021344	
SECTION: 0001	Contract Items	
Alt Set ID:	Alt Mbr ID:	

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	305.0120 Base Aggregate Dense 1 1/4-Inch	2,615.000 TON		
0034	305.0504.S Hauling Excess Shoulder Material	150.000 CY	i	
0036	312.0115 Select Crushed Material	684.000 CY		
0038	315.0200 Asphaltic Base Widening	928.000 TON		
0040	415.0080 Concrete Pavement 8-Inch	48.000 SY		
0042	415.0410 Concrete Pavement Approach Slab	116.000 SY		
0044	416.1010 Concrete Surface Drains	2.000 CY	i	. <u></u>
0046	450.4000 HMA Cold Weather Paving	2,896.000 TON	i	
0048	455.0605 Tack Coat	18,111.000 GAL	i	. <u></u>
0050	460.0105.S HMA Percent Within Limits (PWL) Test Strip Volumetrics	1.000 EACH	. <u></u>	
0052	460.0110.S HMA Percent Within Limits (PWL) Test Strip Density	2.000 EACH		
0054	460.2005 Incentive Density PWL HMA Pavement	25,302.000 DOL	1.00000	25,302.00
0056	460.2007 Incentive Density HMA Pavement Longitudinal Joints	30,383.000 DOL	1.00000	30,383.00
0058	460.2010 Incentive Air Voids HMA Pavement	33,360.000 DOL	1.00000	33,360.00
0060	460.5224 HMA Pavement 4 LT 58-28 S	33,360.000 TON	. <u></u>	
0062	465.0120 Asphaltic Surface Driveways and Field Entrances	15.000 TON		



.

	Propo	osal Schedule of Items		Page 9 of 9
Proposal ID: 202106	08002 Project(s)	: 3576-01-71		
	Federal ID(s)	: WISC 2021344		
SECTION: 0001	Contract Items	3		
Alt Set ID:	Alt M	br ID:		
Proposal Line	Item ID	Approximate Quantity and	Unit Price	Bid Amount

Number	Description	Quantity and Units
0254	465.0105	907.000
	Asphaltic Surface	TON

Section: 0001

Total:

Total Bid: