



# Wisconsin Department of Transportation

September 8, 2021

## Division of Transportation Systems Development

Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #13: 1166-06-75, WISC 2021482**  
**Plainfield – Stevens Point**  
**USH 10 B-49-24**  
**IH 39**  
**Portage County**

**6290-09-70, WISC 2021484**  
**Stevens Point - Waupaca**  
**SB IH 39 Ramp to Wildwood Dr**  
**USH 10**  
**Portage County**

**6290-09-71, WISC 2021494**  
**Stevens Point – Waupaca**  
**Country Club Drive Intersection**  
**STH 66**  
**Portage County**

### Letting of September 14, 2021

This is Addendum No. 03, which provides for the following:

#### Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
502.0100	Concrete Masonry Bridges	CY	1,119	-103	1,016

#### Plan Sheets:

Added Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of why sheet was added)
667A	Structure Plan Quantities and Notes (revised quantity)

**Schedule of Items**

Attached, dated September 8, 2021, are the revised Schedule of Items Page 4.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 667.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

END OF ADDENDUM

**GENERAL NOTES**

DRAWINGS SHALL NOT BE SCALED.  
DIMENSIONS ARE BASED ON ORIGINAL STRUCTURE PLANS.  
BARS SHALL BE EMBEDDED 2 INCHES CLEAR UNLESS SHOWN OTHERWISE.  
THE FIRST DIGIT OF A THREE DIGIT BAR NO. AND THE FIRST TWO DIGITS OF A FOUR DIGIT BAR NO. SIGNIFIES THE BAR SIZE.  
ALL CONCRETE REMOVAL SHALL BE DEFINED BY A 1" DEEP SAW CUT UNLESS SHOWN OR NOTED OTHERWISE.  
AT ABUTMENTS ALL SPACES EXCAVATED AND NOT OCCUPIED BY THE NEW STRUCTURE SHALL BE BACKFILLED WITH STRUCTURE TYPE A. CONCRETE SHALL BE SUBMITTED BY THE FIELD ENGINEER TO THE STRUCTURE DESIGNER FOR APPROVAL.  
THE CONTRACTOR SHALL SUPPLY A NEW NAME PLATE IN ACCORDANCE WITH SECTION 502.3.11 OF THE STANDARD SPECIFICATIONS AND THE STANDARD DETAIL DRAWINGS. NAME PLATE TO SHOW THE ORIGINAL CONSTRUCTION YEAR OF 1968.  
UTILIZE EXISTING BARS AND 24 BAR DIAMETERS INTO NEW WORK, UNLESS SPECIFIED OTHERWISE.  
THE EXISTING GROUNDLINE SHALL BE THE UPPER LIMIT FOR EXCAVATION FOR STRUCTURES.  
JOINT FILLER SHALL CONFORM TO THE REQUIREMENTS OF A.A.S.H.T.O. DESIGNATION M 153, TYPE I, II OR III OR A.A.S.H.T.O. DESIGNATION M 213.  
THE MINIMUM CONCRETE HAUNCH SHALL BE 2" FOR DESIGN CALLED OUT IN THE DRAWINGS. THE MINIMUM HAUNCH SHALL BE AN AVERAGE DEPTH OF 1.5" WHICH IS THE MAXIMUM HAUNCH QUANTITY FOR WHICH THE CONTRACTOR WILL BE PAID.  
BEVEL EXPOSED EDGES OF CONCRETE  $\frac{1}{4}$ " UNLESS NOTED OTHERWISE.  
ALL EXISTING STRUCTURAL STEEL SHALL BE PAINTED. THE PAINT COLOR OF THE FINISH TOP COAT SHALL BE LIGHT GRAY (MS COLOR NO. 26993).  
EXISTING SURFACE TREATMENT SHALL BE PROTECTED AND PRESERVED.  
PROTECT THE SURFACE TREATMENT AND PIGMENTED SURFACE SEALER ARE TO BE APPLIED AS SHOWN IN THE DETAILS ON THIS SHEET.  
APPLY BRIDGE SEAT PROTECTION, AS PER SECTION 502.3.12 OF THE STANDARD SPECIFICATIONS, TO THE TOP SURFACES OF THE ABUTMENT BEAM SEATS BELOW EXPANSION DEVICES.

Addendum No. 03  
ID 166-06-75  
Revised Sheet 667  
September 8, 2021

**TOTAL ESTIMATED QUANTITIES**

BID ITEM NUMBER	BID ITEMS	UNIT	W. ABUT.	PIER	E. ABUT.	SUPER.	TOTAL
203.0200	REMOVING OLD STRUCTURE STATION 91+42.00 'EB'	LS	-----	-----	-----	-----	1
203.0210.S	ABATEMENT OF ASBESTOS CONTAINING MATERIAL B-49-24	LS	-----	-----	-----	-----	1
206.1000	EXCAVATION FOR STRUCTURES BRIDGES B-49-24	LS	-----	-----	-----	-----	1
210.1500	BACKFILL STRUCTURE TYPE A	TON	330	330	330	660	660
502.0100	CONCRETE MASONRY BRIDGES	CY	79	79	79	158	158
502.3101	EXPANSION DEVICE	LF	-----	-----	-----	-----	240
502.3200	PROTECTIVE SURFACE TREATMENT	SY	-----	-----	-----	-----	2,145
502.3210	PIGMENTED SURFACE SEALER	SY	-----	-----	-----	-----	700
502.4204	ADHESIVE ANCHORS NO. 4 BARS	EACH	115	115	115	230	230
502.4205	ADHESIVE ANCHORS NO. 5 BARS	EACH	308	308	308	616	616
505.0600	BAR STEEL REINFORCEMENT HS COATED STRUCTURES	LB	8,090	8,112	8,112	16,212	16,212
506.0605	STRUCTURAL STEEL HS	LB	-----	-----	-----	-----	5,650
506.2610	BEARING PAIDS ELASTOMERIC LIMITATED	EA	12	12	12	24	24
506.0900.S	EXPANSION DEVICE B-49-24	EACH	12	12	12	24	24
509.1020.S	CONCRETE SURFACE REPAIR	SF	400	500	1,000	1,900	1,900
511.0500	TEMPERARY SHORING B-49-24	SF	240	240	240	480	480
511.0600	RUBBERIZED MEMBRANE WATERPROOFING	SY	22	22	22	44	44
517.0800	PAINTING AND COATING OF TOP FLANGES B-49-24	LS	-----	-----	-----	-----	1
517.1800.S	STRUCTURE REPAINTING RECYCLED ABRASIVE B-49-24	LS	-----	-----	-----	-----	1
517.4500.S	NEGATIVE PRESSURE CONTAINMENT AND COLLECTION OF WASTE MATERIALS B-49-24	EACH	-----	-----	-----	-----	1
531.6001.S	PORTABLE DECONTAMINATION FACILITY	EACH	-----	-----	-----	-----	1
531.8990	ANCHOR ASSEMBLIES POLES ON STRUCTURES	EACH	-----	-----	-----	-----	2
604.0500	SLOPE PAVING CRUSHED AGGREGATE	SY	40	40	40	80	80
604.9015.S	RESEAL CRUSHED AGGREGATE SLOPE PAVING	SY	230	415	415	645	645
612.0406	PIPE UNDERDRAIN WRAPPED 6-INCH	LF	185	185	185	370	370
614.0150	ANCHOR ASSEMBLIES FOR STEEL PLATE BEAM GUARD	EACH	2	2	2	4	4
645.0111	GEOTEXTILE TYPE DF SCHEDULE A	SY	140	140	140	280	280
652.0125	CONDUIT RIGID METALLIC 2-INCH	LF	24	24	24	48	48
652.0210	CONDUIT RIGID NON-METALLIC SCHEDULE 40 1-INCH	LF	-----	-----	-----	-----	134
652.0225	CONDUIT RIGID NON-METALLIC SCHEDULE 40 2-INCH	LF	175	175	175	350	350
653.0222	JUNCTION BOXES 18x12x6-INCH	EACH	-----	-----	-----	-----	2
SPV.0060.01	PRECAST CONCRETE BEARING BLOCK	EACH	12	12	12	24	24
	NON-BID ITEMS						
	BRIDGE SEAT PROTECTION						
	FILLER						

• UNDISTRIBUTED AS DIRECTED BY THE ENGINEER.  
▲ EXISTING GIRDERS, DIAPHRAGMS, AND PIER BEARINGS TO BE PAINTED.  
▲ SALVAGE EXISTING ALUMINUM RAILING AND NAMEPLATE TO THE DEPARTMENT.  
● REQUIRED AT FRONT FACE OF ABUTMENTS.

09/08/21




**DESIGN DATA**

LIVE LOAD: 09/07/2021  
DESIGN LOADING: HS-20 + 18  
OPERATING RATING: HS-31  
WISCONSIN STANDARD PERMIT VEHICLE (WIS-SPV) = 190 KIPS  
MATERIAL PROPERTIES:  
CONCRETE MASONRY (SUPERSTRUCTURE) f'c = 4,000 p.s.i.  
HIGH STRENGTH BARS (ALL OTHER) f'c = 3,500 p.s.i.  
HIGH STRENGTH STRUCTURAL STEEL (WASIM A709, GRADE 50) fy = 50,000 p.s.i.

**TRAFFIC DATA:**

A.A.D.T. = 25,755 (2022)  
A.A.D.T. = 21,650 (2042)  
R.D.S. = 45 W.P.H.  
I19 TRAFFIC DATA:  
A.A.D.T. = 34,605 (2022)  
A.A.D.T. = 42,271 (2042)  
R.D.S. = 70 W.P.H.



**PROTECTIVE SURFACE TREATMENT AND PIGMENTED SURFACE SEALER DETAIL**

NO.	DATE	REVISION	CONCRETE QUANTITY	AYRES
9/7/21		REVISED		

STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION

STRUCTURE B-49-24

DESIGNED BY	DATE	CHECKED BY	DATE

QUANTITIES AND NOTES  
SHEET 2 OF 29  
667

AVRES  
3433 Oakwood Hills Parkway  
Eau Claire, WI 54601  
www.avresinc.com



Proposal Schedule of Items

Proposal ID: 20210914013 Project(s): 1166-06-75, 6290-09-70, 6290-09-71

Federal ID(s): WISC 2021482, WISC 2021484, WISC 2021494

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0096	416.1715 Concrete Pavement Repair SHES	151.000 SY	_____.	_____.
0098	416.1720 Concrete Pavement Replacement	950.000 SY	_____.	_____.
0100	465.0105 Asphaltic Surface	453.000 TON	_____.	_____.
0102	465.0110 Asphaltic Surface Patching	84.100 TON	_____.	_____.
0104	465.0120 Asphaltic Surface Driveways and Field Entrances	20.000 TON	_____.	_____.
0106	465.0125 Asphaltic Surface Temporary	1,770.000 TON	_____.	_____.
0108	465.0315 Asphaltic Flumes	91.000 SY	_____.	_____.
0110	465.0400 Asphaltic Shoulder Rumble Strips	3,683.000 LF	_____.	_____.
0112	502.0100 Concrete Masonry Bridges	1,016.000 CY	_____.	_____.
0114	502.3101 Expansion Device 01. B-49-24	240.000 LF	_____.	_____.
0116	502.3200 Protective Surface Treatment	2,145.000 SY	_____.	_____.
0118	502.3210 Pigmented Surface Sealer	700.000 SY	_____.	_____.
0120	502.4204 Adhesive Anchors No. 4 Bar	230.000 EACH	_____.	_____.
0122	502.4205 Adhesive Anchors No. 5 Bar	1,332.000 EACH	_____.	_____.
0124	505.0600 Bar Steel Reinforcement HS Coated Structures	204,810.000 LB	_____.	_____.
0126	506.0605 Structural Steel HS	5,650.000 LB	_____.	_____.