



Wisconsin Department of Transportation

January 28, 2022

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #27: 4656-06-71, WISC 2022177
T Buchanan, Emons Road
Pinecrest Blvd to CTH N
Local Street
Outagamie County

Letting of February 8, 2022

This is Addendum No. 01, which provides for the following:

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
40-50	Storm Sewer Details - Revisions to Pipe Elevations, Sump Connections
67-70	Miscellaneous Quantities - Revisions to Storm Sewer Pipe Tables
79	Miscellaneous Quantities - Sump Pump Elevation Changes

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:
Revised: 40-50, 67-70, and 79.


The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman


Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM





Addendum No. 01
 ID 4656-06-71
 Revised Sheet 40
 January 28, 2022

PROJECT NO: 4656-06-71 COUNTY: OUTAGAMIE HWY: EMONS RD	SHEET 40 STORM SEWER	FILE NAME: I:\CLIENTS\GRABBY\B916 BUCHANAN TOWN OF\082 EMONS ROAD RECONSTRUCTION - WISDOT PROJECT ID 4656-06-00\46560600\082\SSDWG LAYOUT NAME: -025201-55 PLOT DATE: 1/25/2022 2:37 PM PLOT NAME: MIKE LARSEN PLOT SCALE: 1 IN=30 FT WISDOT/CADDIS SHEET 41
--	-------------------------	---




Addendum No. 01
 ID 4656-06-71
 Revised Sheet 41
 January 28, 2022



Addendum No. 01
 ID 4656-06-71
 Revised Sheet 42
 January 28, 2022

PROJECT NO: 4656-06-71	COUNTY: OUTAGAMIE	STORM SEWER	SHEET 42
HWY: EMONS RD			
FILE NAME: I:\CLIENTS\GRBAY\B916 BUCHANAN TOWN OF\082 EMONS ROAD RECONSTRUCTION - WISDOT PROJECT ID 4656-06-00\46560600\B916\PLANS\PLANO2500-SS.DWG	DATE: 1/25/2022 3:35 PM	PLOT NAME: MKE LARSEN	PLOT SCALE: 1"=30.00'
LAYOUT NAME: 02500-SS			WISDOT/CADDIS SHEET 41



2


2

JONATHAN & JENNY HUYNH
 SAMUEL BERENDES & JENNIFER VALENTE
 MATTHEW ABRAHAM & DANIELLE ZARLING
 ANDREW & MOLIE VERLIERTH
 AARON P. & KIM M WALLACE
 ANDREW & NICOLE CRULL

Addendum No. 01
 ID 4656-06-71
 Revised Sheet 43
 January 28, 2022



PROJECT NO: 4656-06-71	COUNTY: OUTAGAMIE	STORM SEWER	SHEET 43
FILE NAME: I:\CLIENTS\GRAY\B916 BUCHANAN TOWN OF\082 EMONS ROAD RECONSTRUCTION - WISDOT PROJECT ID 4656-06-00\46560600\0\BHEETS\PLANO\23501-SS.DWG	LAYOUT NAME: 023501-SS	DATE: 1/25/2022 3:27 PM	PLOT NAME: MIKE LARSEN
			PLOT SCALE: 1"=30.00'
			WISDOT/CADDIS SHEET 43

Addendum No. 01
 ID 4656-06-71
 Revised Sheet 44
 January 28, 2022



PROJECT NO: 4656-06-71	COUNTY: OUTAGAMIE	STORM SEWER	SHEET 44
FILE NAME: I:\CLIENTS\GRAY\B916 BUCHANAN TOWN OF\82 EMONS ROAD RECONSTRUCTION - WISDOT PROJECT ID 4656-06-06\46560600\B916SHEETS\PLANO\2500-SS.DWG	DATE: 1/25/2022 3:21 PM	DESIGNER: MIKE LARSEN	SCALE: 1"=30.00'
LAYOUT NAME: 025205-55			

Addendum No. 01
 ID 4656-06-71
 Revised Sheet 49
 January 28, 2022





PROJECT NO: 4656-06-71	COUNTY: OUTAGAMIE	STORM SEWER	SHEET 49
FILE NAME: I:\CLIENTS\GRBAY\B916 BUCHANAN TOWN OF\082 EMONS ROAD RECONSTRUCTION - WISDOT PROJECT ID 4656-06-00\46560600\B916\PLAN\22501-SS.DWG	DATE: 1/25/2022 2:27 PM	DESIGNER: MIKE LARSEN	DATE: 1/25/2022 2:27 PM
LAYOUT NAME: 02530-5			

2

2

Addendum No. 01
 ID 4656-06-71
 Revised Sheet 50
 January 28, 2022



PI STA = 56+16.86
 Y = 538252.699
 D = 107.1634721"
 Df = 1172753"
 T = 72.82'
 L = 144.62'
 R = 500.00'
 PC STA = 55+44.04
 PT STA = 56+88.66
 ΔI = 0.3 FT
 ΔO = 0.3 FT

STORM SEWER PIPE (SHEET 1 OF 3)

CATEGORY	FROM	TO	LOCATION	INVERT	DISCHARGE	SLOPE (FT/FT)	608.0312		608.0315		608.0318		608.0321		608.0324		608.0330		608.6008		608.6012		608.6015			
							REINFORCED CONCRETE CLASS III 12-INCH	LF	REINFORCED CONCRETE CLASS III 15-INCH	LF	REINFORCED CONCRETE CLASS III 18-INCH	LF	REINFORCED CONCRETE CLASS III 21-INCH	LF	REINFORCED CONCRETE CLASS III 24-INCH	LF	REINFORCED CONCRETE CLASS III 30-INCH	LF	STORM SEWER PIPE	LF	STORM SEWER PIPE	LF	STORM SEWER PIPE COMPOSITE 8-INCH	LF	STORM SEWER PIPE COMPOSITE 12-INCH	LF
0010	7B	7	EMONS ROAD	752.69	752.63	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	4C	4	EMONS ROAD	750.76	750.58	0.0133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	4	6	EMONS ROAD	750.58	750.50	0.0054	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	4A	4	EMONS ROAD	750.68	750.58	0.0074	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	4E	4	EMONS ROAD	750.85	750.83	0.0054	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	3	6	EMONS ROAD	751.20	750.50	0.0026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	3A	3	EMONS ROAD	751.25	751.20	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	5	6	EMONS ROAD	752.19	750.50	0.0259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	EW7A	7	EMONS ROAD	753.26	752.63	0.0540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	1B	1	EMONS ROAD	751.54	751.46	0.0026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	1	2	EMONS ROAD	751.46	751.29	0.0026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	2	3	EMONS ROAD	751.29	751.20	0.0026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	EW5B	5A	EMONS ROAD	753.07	752.39	0.0776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	5C	5	EMONS ROAD	752.21	752.19	0.0026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	5A	5	EMONS ROAD	752.39	752.19	0.0122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	EW4D	4C	EMONS ROAD	752.21	750.76	0.1311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	EW4B	4A	EMONS ROAD	751.63	750.68	0.0584	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	6	6A	EMONS ROAD	750.50	750.36	0.0026	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	EW1A	1	EMONS ROAD	752.21	751.46	0.1895	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	10A	10	EMONS ROAD	751.16	751.11	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	EX INL 11		EMONS ROAD	750.92	750.89	0.0053	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	12C	EX MH12	EMONS ROAD	750.80	750.69	0.0037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	13B	13	EMONS ROAD	750.70	750.63	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	13A	13	EMONS ROAD	750.86	750.63	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	7	EX8	EMONS ROAD	752.63	752.52	0.0060	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	9A	9	EMONS ROAD	751.82	751.68	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	14A	14	EMONS ROAD	753.84	753.73	0.0057	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	14	15	EMONS ROAD	753.73	751.78	0.0057	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	15	16	EMONS ROAD	751.78	750.52	0.0067	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	15C	15B	EMONS ROAD	752.14	752.04	0.0055	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	15B	15A	EMONS ROAD	752.04	751.84	0.0055	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	15A	15	EMONS ROAD	751.84	751.78	0.0055	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	16A	16	EMONS ROAD	751.09	751.02	0.0055	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	16	17	EMONS ROAD	750.52	749.31	0.0067	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	17A	17	EMONS ROAD	749.87	749.81	0.0050	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	17	18	EMONS ROAD	749.31	747.48	0.0071	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	18	19	EMONS ROAD	747.48	745.52	0.0071	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	19	20	EMONS ROAD	745.52	743.21	0.0071	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	20	21	EMONS ROAD	743.21	740.60	0.0071	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	20I	PIPE JUNCTION	EMONS ROAD	741.77	741.69	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	21	EX MH23	EMONS ROAD	740.60	740.47	0.0083	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	20A	20	EMONS ROAD	743.82	743.71	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	21A	21	EMONS ROAD	741.24	741.10	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	19A	19	EMONS ROAD	746.10	746.02	0.0070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	25A	25	EMONS ROAD	750.95	750.71	0.0100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	21B	21	EMONS ROAD	741.54	741.44	0.0101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	30	31	EMONS ROAD	745.08	742.74	0.0070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	31	32	EMONS ROAD	742.74	740.40	0.0070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	32	33	EMONS ROAD	740.40	739.59	0.0070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	33	34	EMONS ROAD	739.59	738.42	0.0070	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SUBTOTAL SHEET 1							0	23	1816	1071	270	52	18	201	386											

Addendum No. 01
ID 4656-06-71
Revised Sheet 67
January 28, 2022

Addendum No. 01
ID 4656-06-71
Revised Sheet 69
January 28, 2022

STORM SEWER PIPE (SHEET 3 OF 3)

CATEGORY	FROM	TO	LOCATION	INVERT	DISCHARGE	SLOPE (FT/FT)	608.0312		608.0315		608.0318		608.0321		608.0324		608.0330		608.6008		608.6012		608.6015	
							REINFORCED CONCRETE CLASS III 12-INCH	LF	REINFORCED CONCRETE CLASS III 15-INCH	LF	REINFORCED CONCRETE CLASS III 18-INCH	LF	REINFORCED CONCRETE CLASS III 21-INCH	LF	REINFORCED CONCRETE CLASS III 24-INCH	LF	REINFORCED CONCRETE CLASS III 30-INCH	LF	REINFORCED CONCRETE CLASS III 36-INCH	LF	REINFORCED CONCRETE CLASS III 42-INCH	LF	REINFORCED CONCRETE CLASS III 48-INCH	LF
0010	52B	52	EMONS ROAD	738.37	738.27	0.0054	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	49	50	EMONS ROAD	742.79	741.77	0.0116	-	-	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	50	50A	EMONS ROAD	741.77	741.36	0.0116	-	-	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	48C	48	EMONS ROAD	743.55	743.45	0.0074	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	48E	48	ROGERS LN	743.47	743.45	0.0100	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	48	49	EMONS ROAD	743.45	743.04	0.0101	-	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	45D	45B	EMONS ROAD	749.79	749.52	0.0100	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	52A	52	EMONS ROAD	738.37	738.27	0.0054	19	-	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	46C	47	EMONS ROAD	745.03	743.57	0.0140	-	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	51C	51B	EMONS ROAD	739.51	739.41	0.0051	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	50A	50C	EMONS ROAD	741.36	740.55	0.0116	-	-	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	50E	51	EMONS ROAD	739.67	739.31	0.0116	-	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	50C	50E	EMONS ROAD	740.55	739.67	0.0116	-	-	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	EW 48D	48C	EMONS ROAD	745.90	743.55	0.2266	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
0010	52	53	EMONS ROAD	737.85	736.29	0.0086	-	-	-	-	-	182	-	-	-	-	-	-	-	-	-	-	-	-
0010	CB11	53	EMONS ROAD	737.84	736.83	0.0200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
0010	53	54	EMONS ROAD	736.29	734.73	0.0086	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	54	EW 54A	EMONS ROAD	734.73	734.08	0.0086	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0010	EW 48B	48A	EMONS ROAD	745.90	743.55	0.2267	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
0010	EW 45E	45D	EMONS ROAD	752.02	749.79	0.2263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
0010	EW 45C	45B	EMONS ROAD	751.99	749.52	0.2608	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
SUBTOTAL SHEET 3							99	188	300	438	1,528	319	52	1,059	241	422								
TOTAL 0010							464	963	3,151	438	1,528	319	52	1,059	241	422								

Addendum No. 01
ID 4656-06-71
Revised Sheet 70
January 28, 2022

This area now left
blank due to
condensed storm
sewer pipe tables

STORM SEWER STRUCTURE(S) SHEET 1 OF 3

CATEGORY	STRUCTURE	STATION	OFFSET	LOCATION	RIM	INVERT	DEPTH	MANHOLE		611.0612		611.0624		611.0639		611.2003		611.2004		611.2005		611.2006		611.3003		611.3004		611.3230		650.4000							
								SPECIAL	COVERS	TYPE C	COVERS	TYPEH	COVERS	INLET	COVERS	TYPEH-S	COVERS	MANHOLES	3-FT	DIAMETER	MANHOLES	4-FT	DIAMETER	MANHOLES	6-FT	DIAMETER	MANHOLES	5-FT	DIAMETER	MANHOLES	3-FT	DIAMETER	INLETS	4-FT	DIAMETER	INLETS	2X3-FT
0010	1	111+55.00	23.00	RT Lavender Ln	755.89	751.46	4.43	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0010	1B	15+33.88	18.50	RT Emons Rd	756.01	751.54	4.47	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	2	14+55.22	23.50	RT Emons Rd	755.12	751.29	3.83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
0010	3	14+20.49	23.50	RT Emons Rd	755.05	751.20	3.85	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	3A	14+20.49	18.50	RT Emons Rd	755.32	751.25	4.07	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	4	102+34.42	0.00	LT Emons Rd	755.63	750.58	5.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	4A	102+34.42	13.50	RT Pinecrest Rd	755.28	750.68	4.60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	4C	102+34.42	13.50	LT Pinecrest Rd	755.28	750.76	4.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	5	103+15.01	0.00	LT Pinecrest Rd	755.63	752.19	3.44	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	5A	103+15.00	16.50	LT Pinecrest Rd	755.22	752.39	2.83	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	6	11+50.23	24.61	RT Emons Rd	755.55	750.50	5.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	7	103+15.00	22.50	RT Pinecrest Rd	755.56	752.35	3.21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	7B	103+15.00	16.50	RT Pinecrest Rd	755.22	752.69	2.53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	10	14+20.55	23.58	LT Emons Rd	755.18	751.11	4.07	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	10A	14+20.49	18.50	LT Emons Rd	755.32	751.16	4.16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	12C	15+31.13	18.50	LT Emons Rd	755.99	750.80	5.19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	13	112+38.03	7.81	RT Lavender Ln	756.04	750.63	5.41	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	13A	112+38.03	15.35	LT Lavender Ln	755.82	750.86	4.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	13B	112+38.03	15.53	RT Lavender Ln	755.81	750.70	5.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	9	13+25.00	24.78	LT Emons Rd	755.99	751.68	4.31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	9A	13+25.00	38.50	LT Emons Rd	756.02	751.82	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	14	11+84.01	29.50	LT Emons Rd	758.89	753.73	5.16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	14A	18+29.47	38.99	LT Emons Rd	758.23	753.84	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	15	21+87.50	29.50	LT Emons Rd	757.00	751.78	5.22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	15A	21+87.50	18.50	LT Emons Rd	756.29	751.84	4.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	15B	21+87.49	18.50	RT Emons Rd	756.29	752.04	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	15C	21+87.50	35.50	RT Emons Rd	756.47	752.14	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	16	23+75.03	29.50	LT Emons Rd	755.56	750.52	5.04	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	16A	23+75.01	18.49	LT Emons Rd	754.85	751.08	3.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
0010	17	25+56.04	29.50	LT Emons Rd	754.78	749.31	5.47	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
								12	2	7	7	0	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
								SUBTOTAL SHEET 1																													

Addendum No. 01
ID 4656-06-71
Revised Sheet 79
January 28, 2022

MISC STORM SEWER CONNECTIONS

CATEGORY	MAINLINE CONNECTION LOCATION		INVERT ELEVATION AT STORM SEWER/MIH	INVERT ELEVATION AT R/W	INVERT ELEVATION AT SUMP CONNECTION	LOCATION	SPECIAL (04) SUMP PUMP CONNECTION EACH	SPECIAL (05) DOWNSPOUT CONNECTION EACH	SPECIAL (02) STORM SEWER PIPE COMPOSITE 4-INCH LF	REMARKS
	OFFSET	LT/RT								
0020	12+27	26.0	LT	752.72	755.75	EMONS RD	1	-	11	CONNECT TO EXISTING SSPRC 15-INCH
0020	14+09	23.6	LT	751.61	755.93	EMONS RD	1	-	21	CONNECT TO MH 10
0020	20+46	29.5	LT	753.04	753.11	EMONS RD	1	-	7	STUB AND CAP 3' BEYOND R/W
0020	21+56	29.5	LT	752.42	756.81	EMONS RD	1	-	10	CONNECT TO SPC 15-INCH
0020	22+44	29.5	LT	751.98	752.02	EMONS RD	1	-	8	CONNECT TO SSPRC 18-INCH
0020	22+82	29.5	LT	751.73	754.36	EMONS RD	1	-	7	CONNECT TO SSPRC 18-INCH
0020	23+30	38.5	RT	751.32	754.43	EMONS RD	1	-	10	CONNECT TO INLET 266
0020	23+60	18.5	RT	750.73	754.36	EMONS RD	1	-	22	CONNECT TO INLET 26A
0020	23+72	32.9	LT	751.27	754.5	EMONS RD	1	-	9	CONNECT TO MH 16
0020	26+05	29.5	LT	749.55	754.44	EMONS RD	1	-	10	CONNECT TO SSPRC 18-INCH
0020	28+00	36.5	RT	749.00	753.87	EMONS RD	1	-	5	CONNECT TO PVC CATCH BASIN 30H
0020	28+14	29.5	LT	747.98	754.29	EMONS RD	1	-	12	CONNECT TO MH 18
0020	28+34	34.5	LT	747.84	753.7	EMONS RD	1	-	12	CONNECT TO SSPRC 18-INCH
0020	28+84	29.5	RT	748.09	753.18	EMONS RD	1	-	11	CONNECT SSPC 8-INCH
0020	29+06	29.5	LT	747.41	752.90	EMONS RD	1	-	11	CONNECT TO SSPRC 18-INCH
0020	29+80	29.5	RT	747.14	753.02	EMONS RD	1	-	12	CONNECT TO SSPC 8-INCH
0020	29+84	29.5	LT	746.78	752.46	EMONS RD	1	-	11	CONNECT TO SSPRC 18-INCH
0020	30+76	29.5	RT	746.17	752.00	EMONS RD	1	-	12	CONNECT TO SSPC 8-INCH
0020	30+91	29.5	LT	749.50	752.41	EMONS RD	1	-	8	CONNECT TO MH 19
0020	31+48	29.5	LT	745.69	751.18	EMONS RD	1	-	11	CONNECT TO SSPRC 18-INCH
0020	31+83	39.0	RT	746.20	750.54	EMONS RD	1	-	19	CONNECT TO SSPC 8-INCH
0020	32+66	29.5	RT	745.28	749.23	EMONS RD	1	-	9	CONNECT TO SSPC 8-INCH
0020	32+87	29.5	LT	744.70	749.78	EMONS RD	1	-	11	CONNECT TO SSPRC 18-INCH
0020	33+52	29.5	RT	744.42	748.21	EMONS RD	1	-	9	CONNECT TO SSPC 8-INCH
0020	34+25	18.5	RT	743.42	748.12	EMONS RD	1	-	35	CONNECT TO STIM INLET 31A
0020	34+77	29.5	LT	743.36	747.12	EMONS RD	1	-	9	CONNECT TO SSPRC 18-INCH
0020	35+50	29.5	RT	742.88	746.23	EMONS RD	1	-	8	CONNECT TO SSPC 8-INCH
0020	35+81	29.5	LT	742.61	745.45	EMONS RD	1	-	7	CONNECT TO SSPRC 18-INCH
0020	36+23	29.5	LT	742.32	744.38	EMONS RD	1	-	6	CONNECT TO SSPRC 18-INCH
0020	36+49	29.5	RT	741.90	744.82	EMONS RD	1	-	8	CONNECT TO SSPC 8-INCH
0020	37+36	29.5	LT	741.51	743.64	EMONS RD	1	-	6	CONNECT TO SSPRC 18-INCH
0020	38+75	18.5	LT	740.38	743.25	EMONS RD	1	-	35	CONNECT TO INLET 33A
0020	45+72	29.5	LT	746.77	746.84	EMONS RD	1	-	7	CONNECT TO SSPRC 15-INCH, STUB AND CAP 3' BEYOND R/W
0020	47+55	29.5	LT	749.00	749.07	EMONS RD	1	-	7	BEYOND R/W - SUMP BURIED AT WEST PROPERTY LINE??
0020	48+51	29.5	LT	749.91	755.06	EMONS RD	1	-	13	CONNECT TO MH 39
0020	54+20	0.0	RT	745.49	749.31	EMONS RD	1	-	37	CONNECT TO SSPRC 15-INCH
0020	56+86	1.2	LT	741.94	745.84	EMONS RD	1	-	39	CONNECT TO SSPRC 18-INCH
0020	57+56	0.8	LT	741.13	744.10	EMONS RD	1	-	36	CONNECT TO SSPRC 18-INCH
0020	58+31	0.2	LT	740.25	740.61	EMONS RD	1	-	36	CONNECT TO SSPRC 18-INCH, EXISTING SUMP HOSE LAYING ACROSS YARD. EXTEND STIM LATERAL 3' BEYOND R/W
						TOTAL 0020	37	2	557	

PROJECT NO: 4656-06-71 HWY: EMONS RD COUNTY: OUTAGAMIE MISCELLANEOUS QUANTITIES SHEET 79 E

FILE NAME: I:\CLIENTS\GRAY\B916 BUCHANAN TOWN OF\82 EMONS ROAD RECONSTRUCTION - WISDOT PROJECT ID 4656-06-00\6560600\B916\PLAN\30201-IMG.DWG PLOT DATE: 1/25/2022 2:08 PM PLOT NAME: MISC STORM SEWER CONNECTIONS PLOT SCALE: 1"=1'

LAYOUT NAME: 20

