



# Wisconsin Department of Transportation

July 20, 2022

**Division of Transportation Systems Development**  
Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

## NOTICE TO ALL CONTRACTORS:

**Proposal #03: 5952-03-72, WISC 2022484**  
**Edmund – Mineral Point**  
**USH 18 to N Limits V Linden**  
**STH 39**  
**Iowa County**

**5952-03-73, WISC 2022493**  
**Edmund – Mineral Point**  
**N Limits V Linden to Fair Street**  
**STH 39**  
**Iowa County**

## Letting of August 9, 2022

This is Addendum No. 01, which provides for the following:

### Special Provisions:

Revised Special Provisions	
Article No.	Description
3	Prosecution and Progress
10	Environmental Protection, Blanchard's Cricket Frog

Added Special Provisions	
Article No.	Description
28	Site Mowing, Item SPV.0105.01

### Schedule of Items:

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
201.0105	Clearing	Sta	0	1	1
201.0205	Grubbing	Sta	0	1	1
630.0175	Seeding Mixture No. 75	Lb	0	2	2
SPV.0150.01	Site Mowing	LS	0	1	1

**Plan Sheets:**

<b>Revised Plan Sheets</b>	
<b>Plan Sheet</b>	<b>Plan Sheet Title (brief description of changes to sheet)</b>
55	Miscellaneous Quantities – added Site Preparation table
61	Miscellaneous Quantities – added Seed Mixture no. 75

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

**ADDENDUM NO. 01**

**5952-03-72/73**

**July 20, 2022**

**Special Provisions**

**3. Prosecution and Progress**

*Replace paragraph four with the following:*

The Notice to Proceed will be issued such that work shall start no later than March 27, 2023, unless otherwise approved by the engineer.

**10. Environmental Protection, Blanchard's Cricket Frog.**

*Insert the following after paragraph one:*

Blanchard's Cricket Frog has been identified near the southern limits of the project and habitat has been identified near the inlet (north side) of culvert (C-25-0024). All work on this side of the structure will need to follow the attached Broad Incidental Take Permit/Authorization for the Blanchard's Cricket frog as outlined below

*Replace 10.1.C with the following:*

- c. Contractor shall seed all disturbed areas along the road within 75ft of the stream of C-25-0024 with WisDOT #75 Seed Mix. Alternative seed mixes (or variations of the above seed mixes) can be used if the maximum height of the species is 2-3 feet or less AND if approved in advance by the Endangered Resources Transportation Liaison Wisconsin Department of Natural Resources and Wisconsin Department of Transportation.

**28. Site Mowing, Item SPV.0105.01.**

**A Description**

This special provision describes providing mowing and maintaining existing ground and shoreline vegetation at disturbed areas shown in the plan. Perform work according to the standard specifications and as follows.

**B (Vacant)**

**C Construction**

**C.1 General**

Before any disturbance/construction takes place on site, the vegetation within the disturbance area must be cut or grazed according to the following specifications:

1. Ground and shoreline vegetation must be cut to a height of 3 inches or less initially and maintained at 3-6 inches until all project related disturbance has been completed.
2. Any in-stream vegetation (emergent, submergent or floating) within 1 foot of the water's surface and within 1 foot of the disturbance area must be cut so that the tops of the plants are more than 1 foot below the surface. The vegetation must then be maintained at least 1 foot below the water's surface until disturbance has been completed.

3. Blanchard's Cricket Frog removals (as described in subsection 1.b.iii. of the Blanchard's Cricket Frog section in Article 7., Environmental Work Restrictions., of the special provisions) must take place prior to vegetation cutting occurring.

**C.2 Equipment**

Provide a non-suction mower (flail mower, sickle bar mower, manual reel mower, electric/gas weed trimmer, or an equivalent) if cutting vegetation with a powered mower for mowing operations.

Provide hand tools (hand sickle, hand clippers or an equivalent) if cutting vegetation with hand tools for mowing operations.

**D Measurement**

The department will measure Site Mowing by the lump sum, acceptably completed.

**E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0105.01	Site Mowing	LS

Payment is full compensation for mowing and maintenance of existing on-site vegetation.

**Schedule of Items**

Attached, dated July 20, 2022, are the revised Schedule of Items Page 9.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:  
Revised: 55 and 61

END OF ADDENDUM

**SITE PREPARATION**

CATEGORY	STATION	LOCATION LT & RT	201.0105 CLEARING	201.0205 GRUBBING	SPV.0105.01 SITE MOWING	REMARKS
0010	477+24..18	PROJECT	1	1	-	ALL AREAS OF GROUND DISBURBANCE
PROJECT 5952-03-73 TOTAL			1	1	1	

**FINISHING ROADWAY**

CATEGORY	LOCATION	REMARKS
0010	5952-03-73	1
PROJECT 5952-03-73 TOTAL		1

**PREPARATION FOUNDATION FOR ASPHALTIC PAVEMENT**

CATEGORY	LOCATION	REMARKS
0010	5952-03-73	1
PROJECT 5952-03-73 TOTAL		1

**BASE AGGREGATE DENSE & BREAKER RUN**

CATEGORY	STATION TO STATION	OFFSET	LOCATION	305.0110 BASE AGGREGATE DENSE 3/4-INCH TON	305.0120 BASE AGGREGATE DENSE 1 1/4-INCH TON	311.0110 BREAKER RUN TON	REMARKS
0010	194+65 - 237+72	LT/RT	STH 39	98	-	-	SHOULDERS*
	237+72 - 541+02	LT/RT	STH 39	4,717	-	-	SHOULDERS*
	194+65 - 237+72	LT/RT	STH 39	-	54	-	C&G REPLACEMENT/EXTENSION**
	233+48 - 237+47	LT/RT	STH 39	-	63	-	SHOULDER BASE AT BEAM GUARD**
	388+29 - 293+41	LT/RT	STH 39	-	68	-	SHOULDER BASE AT BEAM GUARD**
	289+03 - 289+33	LT	STH 39	-	23	-	DRIVEWAY REPLACEMENT***
	350+98 - 359+74	LT	STH 39	-	130	-	SHOULDER BASE AT BEAM GUARD**
	392+40 - 392+50	LT/RT	STH 39	-	20	-	ROADWAY BASE AT CULVERT PIPE****
	397+15 - 404+81	LT/RT	STH 39	-	209	-	SHOULDER BASE AT BEAM GUARD**
	415+82 - 415+92	LT/RT	STH 39	-	20	-	ROADWAY BASE AT BEAM GUARD**
	421+72 - 429+77	RT	STH 39	-	115	-	SHOULDER BASE AT BEAM GUARD**
	427+61 - 427+71	LT/RT	STH 39	-	20	-	ROADWAY BASE AT CULVERT PIPE****
	437+73 - 437+83	LT/RT	STH 39	-	20	-	ROADWAY BASE AT CULVERT PIPE****
	442+84 - 442+94	LT/RT	STH 39	-	20	-	ROADWAY BASE AT CULVERT PIPE****
	475+03 - 482+52	LT	STH 39	-	106	-	SHOULDER BASE AT BEAM GUARD**
	494+74 - 494+84	LT/RT	STH 39	-	20	-	ROADWAY BASE AT CULVERT PIPE****
	505+73 - 505+83	LT/RT	STH 39	-	20	-	ROADWAY BASE AT CULVERT PIPE****
	512+70 - 518+38	LT/RT	STH 39	-	70	-	SHOULDER BASE AT BEAM GUARD**
	520+45 - 527+76	RT	STH 39	-	104	-	SHOULDER BASE AT BEAM GUARD**
PROJECT				-	-	180	ERS
PROJECT 5952-03-73 TOTAL				4,815	1,082	180	

\* AVERAGE DEPTH COMPUTED IS 2-INCHES  
 \*\* AVERAGE DEPTH COMPUTED IS 4-INCHES  
 \*\*\* AVERAGE DEPTH COMPUTED IS 6-INCHES  
 \*\*\*\* AVERAGE DEPTH COMPUTED IS 8-INCHES

Addendum No. 01  
 ID 5952-03-73  
 Revised Sheet 55  
 July 20, 2022

LANDSCAPING SUMMARY

CATEGORY	APPROXIMATE STATION	OFFSET	LOCATION	62.5.0100 TOPSOIL SY	628.2006* EROSION MAT URBAN CLASS I TYPE A SY	629.0210* FERTILIZER TYPE B CWT	630.0120* SEED MIXTURE NO. 20 LB	630.0130 SEED MIXTURE NO. 40 LB	630.0175 SEED MIXTURE NO. 75 LB	630.0500* SEED WATER MGAL	REMARKS
0010	206+42	LT	VALLEY ST	15	15	0.009	-	0.3	-	0.17	
	206+68	LT	VALLEY ST	15	15	0.009	-	0.3	-	0.17	
	209+24	LT	WISCONSIN ST	15	15	0.009	-	0.3	-	0.17	
	209+52	LT	WISCONSIN ST	15	15	0.009	-	0.3	-	0.17	
	212+57	RT	MAIN ST	15	15	0.009	-	0.3	-	0.17	
	213+04	LT	MAIN ST	15	15	0.009	-	0.3	-	0.17	
	213+27	RT	MAIN ST	15	15	0.009	-	0.3	-	0.17	
	215+56	LT	JEFFERSON ST	15	15	0.009	-	0.3	-	0.17	
	215+92	LT	JEFFERSON ST	15	15	0.009	-	0.3	-	0.17	
	216+11	RT	JACKSON ST	15	15	0.009	-	0.3	-	0.17	
	216+48	RT	JACKSON ST	15	15	0.009	-	0.3	-	0.17	
	222+69	RT	GALENA ST	15	15	0.009	-	0.3	-	0.17	
	222+93	LT	WASLEY ST	15	15	0.009	-	0.3	-	0.17	
	223+33	LT	WASLEY ST	15	15	0.009	-	0.3	-	0.17	
	224+99	RT	STH 39	50	50	0.032	-	0.9	-	0.56	
	387+24	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	392+45	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	415+88	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	427+66	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	437+78	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	442+88	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	477+28.18	LT/RT	STH 39	-	-	-	-	-	1.6	-	AREAS OF GROUND DISTURBANCE
	494+79	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
	505+77	LT/RT	STH 39	50	50	0.032	1.4	-	-	0.56	
PROJECT		LT/RT	STH 39	150	150	0.095	4.1	2.7	-	1.68	UNDISTRIBUTED
SHEET SUBTOTALS				810	810	1.0	15	7	2	9	

\*ADDITIONAL QUANTITIES SHOWN ELSEWHERE ON THE PLAN

SIGNS

CATEGORY	APPROXIMATE STATION	OFFSET	638.2102 MOVING SIGNS TYPE II EACH	638.4000 MOVING SMALL SIGN SUPPORTS EACH	REMARKS
0010	521+30	RT	2	2	
PROJECT 5952-03-73 TOTAL			2	2	

Addendum No. 01  
ID 5952-03-73  
Revised Sheet 61  
July 20, 2022



Proposal Schedule of Items

Proposal ID: 20220809003 Project(s): 5952-03-72, 5952-03-73

Federal ID(s): WISC 2022484, WISC 2022493

SECTION: 0001 Roadway Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0250	ASP.1T0A On-the-Job Training Apprentice at \$5.00/HR	2,400.000 HRS	5.00000	12,000.00
0252	ASP.1T0G On-the-Job Training Graduate at \$5.00/HR	2,100.000 HRS	5.00000	10,500.00
0254	SPV.0075 Special 01. Street Sweeping	20.000 HRS	_____	_____
0256	SPV.0090 Special 01. Flashing Stainless Steel	308.000 LF	_____	_____
0258	201.0105 Clearing	1.000 STA	_____	_____
0260	201.0205 Grubbing	1.000 STA	_____	_____
0262	630.0175 Seeding Mixture No. 75	2.000 LB	_____	_____
0264	SPV.0105 Special 01. Site Mowing	LS	LUMP SUM	_____
Section: 0001			Total:	_____
			Total Bid:	_____

