

December 9, 2022

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone:(608) 266-1631Facsimile (FAX):(608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #13:5992-10-16, WISC 2023 094
C of Madison, Atwood Avenue
Fair Oaks Avenue – Cottage
Grove Road
Local Street
Dane County5992-10-17, WISC 2023 094
C of Madison, Atwood Avenue
Fair Oaks Avenue – Cottage
Grove Road
Local Street
Dane CountyProposal #13:5992-10-17, WISC 2023 094
C of Madison, Atwood Avenue
Fair Oaks Avenue – Cottage
Grove Road
Local Street
Dane County5992-10-17, WISC 2023 094
C of Madison, Atwood Avenue
Fair Oaks Avenue – Cottage
Grove Road
Local Street
Dane County

5992-10-18 C of Madison, Atwood Avenue Fair Oaks Avenue – Cottage Grove Road Local Street Dane County

Letting of December 13, 2022

This is Addendum No. 02, which provides for the following:

Special Provisions:

	Added Special Provisions
Article No.	Description
149	Remove, Salvage, and Reinstall Electrical Service Meter Breaker Pedestal, Item SPV.0060.96

Schedule of Items:

	Revised Bid Item	Quantitie	S		
Pid Itom	Itom Departmention	Lipit	Proposal Total Prior	Proposal Quantity	Proposal Total After
Bid Item	Item Description	Unit	to Addendum	Change (-)	Addendum
204.0210	Removing Manholes	Each	23	9	32

	Added Bid Item 0	Quantities			
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
SPV.0060.96	Remove, Salvage, and Reinstall Electrical Service Meter Breaker Pedestal (Location)	Each	0	2	2

Plan Sheets:

	Revised Plan Sheets
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
385, 387-389, 392,	Plan and Profile – Added additional AT&T manholes to be removed by the
394, 398-399	contractor.
332 - 333	Miscellaneous Quantities – Added Table for Removing AT&T Manholes. Added *
552 - 555	for additional quantities found elsewhere on original table.
357	Miscellaneous Quantities – Added Table for Remove, Salvage, and Reinstall
337	Electrical Service Meter Breaker Pedestal
178 & 181	Lighting Plans – Added Remove, Salvage, and Reinstall Electrical Service Meter
170 & 101	Breaker Pedestal to the plans

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

ADDENDUM NO. 02 5992-10-16/17/18 December 9, 2022

Special Provisions

149. Remove, Salvage, and Reinstall Electrical Service Meter Breaker Pedestal, Item SPV.0060.96.

A Description

This item describes the removal, salvaging, and delivery to the City of Madison of existing electric service meter pedestals serviced by Madison Gas and Electric.

B (Vacant)

C Construction

Notify the City of Madison traffic engineering inspector Troy Vant (608) 395-1975 to inspect meter pedestals prior to removing and salvaging at least 48-hours prior to removal. City of Madison will determine if the meter pedestal can be salvaged based on Madison Gas and Electric recommendations as follows:

- Meter pedestal must meet current MGE standards, being a heavy duty, ringless, commercial type socket with a jaw-releasing lever bypass.
- Meter pedestal must not show signs of damage, corroded connections, broken seals, or have missing parts.

Once the meter pedestal has been approved for salvage, carefully remove the meter pedestal in a way as to not damage or change the conditions of the above mentioned checklist. The contractor shall be responsible for storing and protecting the meter pedestal to maintain it's acceptable condition until the time of re-installation.

If Bid Item 656.0201 is not available for installation within the desired project timeline, coordinate with the City of Madison traffic engineering inspector for reinstallation in the new cabinets as shown on the plans in accordance with standard spec 656.

Contact City of Madison Building Inspection at, (608) 266-6503 a minimum of two working days in advance to coordinate inspection of each Electrical Service Meter Breaker Pedestal.

D Measurement

The department payment will be measured by each salvaged meter pedestal inspected, removed, delivered, reinstalled, and accepted by the City of Madison. If a meter pedestal is determined to not be salvageable, or if the contractor damages the meter pedestal during the removal or delivery process, payment on each damaged meter pedestal shall not be made.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.96	Remove, Salvage, and Reinstall Electrical Service Meter	EACH
	Breaker Pedestal	

Payment is full compensation for furnishing and installing all materials, and for furnishing all equipment and incidentals necessary to complete the work.


Schedule of Items


Attached, dated December 9, 2022, are the revised Schedule of Items Pages 1 and 25.

Plan Sheets

The following $8\frac{1}{2} \times 11$ -inch sheets are attached and made part of the plans for this proposal: Revised: 178, 181, 320, 326, 332, 333, 357, 385, 387, 388, 389, 392, 394, 398, 399

END OF ADDENDUM






) (204.0245.08) 54-INCH	<u>.</u>			. .	•		. .	·		. .				•								•			. .			•	•••				•							332	WISDOT/CADDS SHEET 4
SIZE 07	(204.0245.07) 48-INCH	<u> </u>	•			•			•					•	•								•														-				SHEET	
SIZE 06	(204.0245.06) 30-INCH	<u>u</u> .				•			ı		. .																		1					ı			 F	D : Rei	599 vise)2- ed	-1(SI	No)-16 heet
SIZE 05	(204.0245.05) 24-INCH	<u>.</u>							,					•								- 127			، ത		••	322 17	1					ı			Ľ		cen		er	9, 2
SIZE 04	(204.0245.04) 21-INCH	<u>.</u>	ı			•			ı														•						1			•		ı								
02 SIZE 03	(204.0245.03) 18-INCH	<u>ب</u>	20						ı						·				- 2	49	47	- 198												-		ON NEXT SHEET)					S	PLOT NAME
SIZE 02	(204.0245.02) 15-INCH	4.	- 20	3 8		ı			• ;	- 64	63 57	86		26	21	34 14	89	- 1											39 360	18				103		(CONTINUED ON					MISCELLANEOUS QUANTITIES	: JASON DOLENS
	(204.0245.01) (12-INCH OR LESS	LF 26			23	36	55 5 5	3 73	26	- 40		(38 23 8	، ע) I			:	. 1	-	R •		42 26	5 15	9 .	4	5 9				8 46	69	46 68		- 55						MISCELLANE	PLOT BY :
			RT DT	LT & RT	55	5!	LI RT & LT	LT LT	RT	LT & RT LT & RT	LT	1	LI & KI RT	RT	1	KI & LI	LT	55	LT LT	RT	RT & LT	55	RT DT 0 I T	RT	55	RT RT	RT	55	RT	RT	RT I T & RT	RT<	RT LT & RT	LT & RT	LT & RT							4/3/2019 3:55 PM
								18+32 19+04	19+05	19+05 19+18	19+68 20+45	21+51	20+93 21+34	21+53 21+66	21+72	22+06	23+15 23+47	23+67	23+67 24+31	24+10 24:40	24+31	26+30 27+59	27+58	27+63	27+60 27+68	27+67 27+79	27+79	31+49 31+65	32+98 36±48	36+60	36+67 36+67	46+40	46+46 46+46	47+38 662434	47+38							PLOT DATE :
			15+60 16+60	15+66	15+66 16+10	16+95	17+51	18+32 18+32	18+81	19+04 19+04	19+04 19+88	20+65	20+93 21+11	21+34 21+54	21+51	21+33 21+92	22+26 23±35	23+57	23+60 23+67	23+67	24+10	24+31 26+30	27+18 27+E8	27+58	27+59 27+59	27+63 27+63	27+73	28+28 31+49	32+68 32+08	36+48	36+60 36+67	45+78	46+02 46+40	46+40 46+40	40+40						COUNTY: DANE	
		CATEGORY 0030																																							Ö	
04.0220) MOVING	INLETS EACH	, ,	1.7		ı .	-							- +		- 1		.	• •		÷ •	- •		,,			1.4			•			- ·			-		(I ·		38		DD AVENUE	
	MANHOLES EACH	. –	-		- 1										÷ •						•		+			÷ .										~ ~	- 		23		HWY: ATWOOD AVENUE	
-	STRUCTURE N	IN 6042-008 CB 6042-052	AS 6042-006	N 6042-018	N 6042-013 N 6042-019	IN 6042-016	AS 6042-014 IN 6042-017	IN 6042-015 IN 6042-022	N 6042-023	IN 6042-024 AS 6042-025	N 6042-021 N 6042-020	N 6042-041	IN 6042-037 IN 6042-040	IN 6042-039 IN 6042-038	AS 6042 026	AS 5142-004 IN 6142-008	IN 6142-007 AS 6142-005	N 6142-006			AS 6142-003	AS 6143-001 AS 6143-002	AS 6143-003	N 6143-004	IN 6243-026 IN 6243-025	AS 6243-027 IN 6243-066	N 6243-023	AS 6243-021 IN 6243-022	AS 6244-004 AS 6244-004		AS 6244-009 AS 6244-008	IN 6244-007	IN 6244-006 IN 6345-022	IN 6345-021 IN 6042-035	N 6042-035	AS 6042-034 AS 6243-042	AS 6243-002	N 6243-041 N 6243-040	ERE			-MQ BORDER.DWG
																			21' RT 21' RT	51' RT 40' DT																	29'LT	21' LT 21' LT	Š Š	2	9	P.(3705);373);00373073);CADD);SHEETSPLAN(030201-MQ BORDER, DWG LAYOUT NAME - 030201-mij
	STATION	15+37 15+60						19+18 20+93										27+60										47+38 47+39				55+44						652+38 652+46	QUANTITIES FO	3	5992-10-16	(373\00373071\CADD NAME - 030201-mg
	CATEGORY	0030																																					*ADDITIONAL C	3	PROJECT NO:	FILE NAME : P:\3705\3 LAYOUT N


										ID Re	dendum No. 02 5992-10-16 vised Sheet 333 cember 9, 2022	I		11			
									-				(650.3920) SLOPE STAKES LF 5,536 5,536 996 269 617 617	7,418	389 389 7,807		
													(650.8000) RESURFACING REFERENCE LF 216 -	216	- 0 216		
	SIZE 08. (204.0245.08) 54-INCH	ц.		-					. .		φ.		(650.9911.01) SUPPLEMENTAL CONTROL EACH -		· o -		
	SIZE 07. (204.0245.07) 48-INCH	ц.	- 88								8	*	(650.5000) BASE LF 5,536 - 269 -	5,805	389 389 6,194		
	SIZE 06. (204.0245.06) 30-NCH	ч.						-17	- 68		8	CONSTRUCTION STAKING	(650.4500) SUBGRADE N LF 7 5,536 7		T 389 389 6,194		
	SIZE 05. (204.0245.05) 24-INCH	ц.						- 12			487		TON LOCATION 1 LT&RT 7 LT&RT 10 LT&RT 8 LT&RT 8 LT&RT 7 RT		4G LOT LT & RI D TOTALS DTALS	H.	
UED)	SIZE 04. (204 0245 04) 214NCH	ч.							- 34		Ř			CATEGORY 0010 TOTALS	D AVENUE PARKING LOT CATEGORY 0100 TOTALS PROJECT TOTALS	FOUND ELSEWHE	
REMOVING STORM SEWER (CONTINUED)	SIZE 03. (204.0245.03) 18-INCH	ц.									282		CATEGORY STATION 0010 12+75 08+11 68+11 68+10 68-10 50+00 200+00		0100 LAKELAND AVENUE PARKING LOT CATEGORY 0100 TOTA PROJECT TOTALS	IONAL QUANTITIES	
REMOVING STOR	SIZE 02. (204.0245.02) 15-INCH	ч.	-		266 49	- 332					2,193		CATE		0	HODA"	
	SIZE 01. (204.0245.01) 12-NCH OR LESS	LF 34		- 29		• ∞ [5 19			8	1,063						
		_	RT & LT LT & RT	RT RT & LT	LT LT & RT	RT LT	555	55	1	55	α				\sim		
		TO STATION 47+39	52+38 51+43	51+43 52+38	55+04 55+44	58+76 70+12	102+17 102+17 102+20	652+31 652+28	652+64 652+39	652+38 652+46	PROJECT TOTALS		NOTES AT&T MANHOLE AT&T MANHOLE AT&T MANHOLE AT&T MANHOLE AT&T MANHOLE AT&T MANHOLE AT&T MANHOLE		& I MANHOLE &T MANHOLE	3	
		RY STATION 47+38	47+38 51+42	51+43 52+37	52+38 55+04	55+44 70+04	102+12 102+17 102+17	652+30 652+30	652+30 652+31	652+31 652+38		AHOLES	(204.0210) REMOVING MANHOLES EACH 1 A 1 A 1 A 2			1	
		CATEGORY 0030										KEMOVING MAR	2	48' RT	21'LT 21'LT ECT TOTAL		
													CATEGORY STATION 0030 19-51 111-32 112-21 33-63 94-03	37-23 45+65 45+00	45+90 12'LT 61+47 21'LT PROJECT TOTAT		
											Ċ		<u> </u>	J	Ľ.	J	


			ID 5992-10-16 Revised Sheet 357 December 9, 2022
		COMMENTS FIELD LOCATED FIELD LOCATED FIELD LOCATED PARKS PULLBOX	
		(653.0905) REMOVING PULL BOXES PULL BOXES FACH	N N
		(sev.oo66.28) ELECTRICAL PULEOX TULEOX ELECTRICAL FULEOX F	~ · · · ~ 6
		ӥ <u>╞</u> ҡҡҡҝ _╘ ҄҄ ^ѵ ҡҡҡ ^ѵ ҡ⊣ҡาҝҡ	19. R 28. R 28. R 20. R EWHERE
		RUCTURE STATION OFF HH4 18-28 243 HH20 102+66 11 HH21 98+78 35 HH22 98+78 75 HH22 98+73 27 HH22 36+33 27 HH22 36+33 27 HH23 36+33 27 HH23 36+33 28 HH23 36+33 28 HH23 36+34 15 HH23 36+33 28 HH23 36+33 28 HH23 36+34 15 HH23 36+33 28 HH23 36+34 16 HH3 45+46 61 HH53 50+73 45 HH53 56+72 45 HH56 111+38 71 HH56 61-63 26 HH56 105-73 45 HH71 11 17 HH	-00 57+90 -64 55+67 55 5+67 CATECORY 0080 TOTAL PROJECT TOTALS TITLES FOUND ELSEWIN TITLES FOUND ELSEWIN
		CATEGORY STRUCTURE 0040 HH420 HH220 HH220 HH221 HH22 HH222 HH22 HH228 HH228 HH228 HH528 HH528 HH528 HH58 HH58 HH58 HH58 HH58 HH58 HH58	0080 HH60 57-90 191 HH65 67-67 301 AH65 67-67 301 CATEGORY 0080 TOTALS
		ð	4
60 14) LIGHT	2H M		
5) (SPV 0060-14) VG STREET LIGHT			
REMOVALS * (204.0195) REMOVING	CONCRETE BASERS L L L L L L L L L L L L L L L L L L L		TALS 32 ILEEVICAL SERVICE METER ALL ELECTRICAL SERVICE METER TO TO TO TO TO TO TO TO TO TO
STREET LIGHTING REMOVALS (20 REA	STATION OFFSET 13-45.5 26.4°L 13-45.5 26.4°L 15-73.8 26'L 15-73.8 26'L 17-13.9 25'S 17-13.9 25'S 19-57.8 25'L 19-57.8 25'L 19-57.8 25'L 22'-31.6 25'L 22'-31.6 26'L	24+30.00 24+30.00 27+34.1 30.81 27+34.1 30.81 27+34.1 30.81 27+34.1 30.81 30+42.7 28.31 31+70 28.51 31+70 28.51 34+51 28.11 34+51 28.11 34+51 28.11 34+51 28.11 34+51 28.11 45+48.1 28.71 45+48.1 28.71 45+48.1 28.71 45+48.1 28.71 45+48.1 28.71 45+48.1 28.71 46+41.7 27.91 46+41.7 27.91 47.91	PROJECT TOTALS ES FOUND ELSEWHERE IND REINSTALL ELECTRIC PEFSET TO 76.2.L 440-81.5 41 76.2.L 440-81.5 41 PROJ
S	STRUCTURE SL1033 SL1034 SL1035 SL1035 SL1036 SL1038 SL1038 SL1040 SL1040	Close (1004) C	*ADDITIONAL QUANTITIES FOUND ELSEWHERE REMOVE, SALVAGE, AND REINSTALL ELECTRIC GOON FROM FREE TO CONTRUE LECTRIC FROM FROM FREE TO FRE
			TITONAL QUAN
	CATEGORY 0040		REMOV


3


S






















Proposal Schedule of Items

Page 1 of 25

Proposal ID: 20221213	013 Project(s): 5992-10-16, 5992-10-17, 5992-10-18	
	Federal ID(s): WISC 2023094, WISC 2023095, N/A	
SECTION: 0001	Contract Items	
Alt Set ID:	Alt Mbr ID:	

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	201.0105 Clearing	3.000 STA	·	·
0004	201.0120 Clearing	408.000 ID	<u></u>	
0006	201.0205 Grubbing	3.000 STA	<u></u>	<u> </u>
0008	201.0220 Grubbing	408.000 ID		
0010	204.0100 Removing Concrete Pavement	20,085.000 SY		
0012	204.0115 Removing Asphaltic Surface Butt Joints	14.000 SY		·
0014	204.0120 Removing Asphaltic Surface Milling	1,235.000 SY		
0016	204.0130 Removing Curb	68.000 LF	·	
0018	204.0150 Removing Curb & Gutter	8,055.000 LF		
0020	204.0155 Removing Concrete Sidewalk	8,095.000 SY		
0022	204.0165 Removing Guardrail	45.000 LF	·	
0024	204.0195 Removing Concrete Bases	35.000 EACH	·	
0026	204.0210 Removing Manholes	32.000 EACH	·	
0028	204.0220 Removing Inlets	38.000 EACH		
0030	204.0245 Removing Storm Sewer (size) 01. 12- Inch or Less	1,063.000 LF	<u>.</u>	
0032	204.0245 Removing Storm Sewer (size) 02. 15- Inch	2,193.000 LF		



	Proposal Schedule of Items	Page 25 of 25
Proposal ID: 2022121	3013 Project(s): 5992-10-16, 5992-10-17, 5992-10-18	
	Federal ID(s): WISC 2023094, WISC 2023095, N/A	
SECTION: 0001	Contract Items	
Alt Set ID:	Alt Mbr ID:	

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0724	SPV.0165 Special 01. Wall Modular Block Gravity R-13-336	770.000 SF		·
0726	SPV.0165 Special 02. Cut-Stone Boulders	476.000 SF		
0728	SPV.0165 Special 03. High Friction Colored Surface, Green	5,670.000 SF		;;
0730	SPV.0170 Special 01. Pavement Cleanup	79.000 STA		
0732	SPV.0180 Special 01. Raised Concrete Crosswalk	176.000 SY		
0734	SPV.0180 Special 02. Shredded Hardwood Bark Mulch	915.000 SY		
0736	SPV.0180 Special 03. Planting Mix Topsoil	915.000 SY		
0738	SPV.0200 Special 01. Construct Inside Drop, 6-Inch	5.520 VF	·	
0740	SPV.0200 Special 02. Construct Inside Drop, 8-Inch	13.490 VF		
0742	SPV.0060 Special 96. Remove, Salvage, and Reinstall Electrical Service Meter Breaker Pedestal	2.000 EACH	·	
	Section: 000	1	Total:	·
			Total Bid:	·