



Wisconsin Department of Transportation

April 25, 2023

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #02: 3997-01-74, WISC 2023404
City of Watertown, Cady Street
Rock River Bridge P-28-0706
Loc Str
Jefferson County

Letting of May 9, 2023

This is Addendum No. 01, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
18	Notice to Contractor - Rock River Seasonal Water Levels Changes
19	Underwater Concrete Surface Repair, Item SPV.0165.01

Deleted Special Provisions	
Article No.	Description
13	Dam Drawdown

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
509.1500	Concrete Surface Repair	SF	244	-6	238

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
628.6005	Turbidity Barriers	SY	0	75	75
SPV.0165.01	Underwater Concrete Surface Repair	SF	0	6	6

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
10	Miscellaneous Quantities: Added bid item and quantity for turbidity barriers
13	Plan: Added turbidity barrier to plan view and legend
28	Structure P-28-706 General Plan: Added area of underwater concrete surface repair to elevation view.
29	Structure P-28-706 Typical Section, Quantities, & Notes: Revised quantity for concrete surface repair in quantity table. Added bid item and quantity for underwater concrete surface repair in quantity table

Added Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
17A	SDD: Turbidity Barrier

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

3997-01-74

April 25, 2023

Special Provisions

13 DELETED

18. Notice to Contractor – Rock River Seasonal Water Level Changes.

The Rock River water level within the project area is prone to seasonal water level changes. Contractor shall investigate historical water levels related to dams and storm events when preparing the bid. No additional compensation will be made, or additional time for delays will be granted, for fluctuation in water levels compared to what is shown in the plans or specifications.

19. Underwater Concrete Surface Repair, Item SPV.0165.01.

A Description

This special provision describes placement of a rapid strength gain, single component, permanent concrete repair material intended for underwater application by hand or trowel. Areas designated for repair will include abutment areas with exposed reinforcement steel. The intent of this item is to cover and protect exposed reinforcement steel.

B Materials

Furnish concrete repair material allowing for small volume hand placements with minimal underwater washout. Application thickness may range from 1/2 inch (13 mm) to several inches in a single installation, providing corrosion protection of steel reinforcement with migrating corrosion inhibitor technology and very low chloride ion permeability.

Provide pre-packaged cement-based mortar suitable for hand placement underwater requiring only the addition of potable water. The material shall not contain any chlorides or lime other than amounts contained within the hydraulic cement composition. The manufacturer shall be ISO 9001 certified and have at least ten years' experience in the manufacture of concrete repair materials. The manufacturer shall offer technical services and provide a representative at the jobsite for product training prior to product installation upon five days advance notice.

The concrete repair material shall meet all the following typical performance criteria when cured at 73°F (23°C):

1. Compressive Strength, ASTM C 109

3 Hours	3,000 psi (20.7 MPa)
1 Day	4,000 psi (27.6 MPa)
7 Days	5,000 psi (34.5 MPa)
28 Days	5,500 psi (37. MPa)
2. Underwater Bond Strength, ASTM C 882

7 Days	1,150 psi (7.9 MPa)
--------	---------------------
3. Coefficient of Thermal Expansion

ASTM C 531	5.0 x 10 ⁻⁶ in/in/°F
------------	---------------------------------

(9.0 x 10⁻⁶ mm/mm/°C)

Submit to the engineer for approval of concrete repair material at least three weeks prior to construction. All requests for approval shall contain certified test data verifying conformance with this specification.

C Construction

C.1 Surface Preparation

Completely remove all loose, delaminated and weak concrete in areas designated by the engineer. All concrete surfaces designated for repair shall be free of marine growth, laitance, and other contaminants. A perimeter edge and minimum depth of ½ inch (13 mm) is required without featheredging.

C.2 Mixing

Mix thoroughly with a drill and paddle mixer to a uniform consistency. Start by adding the minimum amount of potable water followed by repair material and mix for two to three minutes. Adjust consistency as necessary. Do not mix more material than can be placed in 10 minutes.

C.3 Placement Procedures

Repair surfaces shall be between 45°F and 90°F (7°C and 32°C) at time of placement.

Firmly work concrete repair material into concrete surfaces with a trowel or by hand, taking care not to leave air pockets. Application is from one side of the repair to the other, filling the repair to the desired level. Finish smooth by hand troweling.

C.4 Special Conditions

For use in cold temperatures, concrete repair materials must be maintained at a temperature of at least 45°F (7°C). Protect from freezing until a compressive strength of 1,000 psi (6.9 MPa) is obtained. In hot temperatures, concrete repair materials should be kept as cool as possible, but not exceeding 90°F (32°C). Cold water should be used for mixing to help maintain sufficient working time.

D Measurement

The department will measure Underwater Concrete Surface Repair by the square foot, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0165.01	Underwater Concrete Surface Repair	SF

Payment is full compensation for preparation and cleaning to include removing deteriorated concrete, placing underwater concrete surface repair materials, and for disposing of waste materials.

Schedule of Items

Attached, dated April 25, 2023, are the revised Schedule of Items Pages 1 – 4.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 10, 13, 28 and 29.

Added: 17A

END OF ADDENDUM

LANDSCAPING

CATEGORY	STA	LOCATION	OFFSET	SY	MULCHING	FERTILIZER TYPE A	CWT	NO.	MIXTURE	SEEDING
0010	19+12	CADY ST	LT	3	3	0.002	0.1			
0010	20+87	CADY ST	RT	3	3	0.002	0.1			
TOTAL				6	6	0.004	0.2			

SILT-FENCE EROSION CONTROL

CATEGORY	LOCATION	LF	MANTENANCE	SY
0010	CADY ST NW	25	50	
0010	CADY ST SE	25	50	
0010	CADY ST W. ABUT.	50	100	
TOTALS				75

CATEGORY	LOCATION	OFFSET	EACH	
0010	CADY ST	LT	1	
0010	CADY ST	RT	1	
0010	CADY ST	LT	1	
0010	CADY ST	RT	1	
TOTAL				4

CATEGORY	STATION	TO STA	LOCATION	LF	REMARKS
0010	18+88	- 21+11	CADY ST	450	DOUBLE YELLOW
TOTAL				450	

STAKING

CATEGORY	STATION TO STATION	LOCATION	LF	CONSTRUCTION
0010	18+88 - 21+11	MAINLINE	15	CONSTRUCTION STAKING
0010	19+24 - 20+76	MAINLINE	15	CONSTRUCTION STAKING SUPPLEMENTAL
TOTALS				30

MARKING LINE EPOXY 4-INCH

CATEGORY	STATION TO STA	LOCATION	LF	REMARKS
0010	18+88 - 21+11	CADY ST	450	DOUBLE YELLOW
TOTAL				450

CATEGORY	STATION TO STATION	LOCATION	LF	CONSTRUCTION
0010	18+88 - 21+11	CADY ST	450	CONSTRUCTION STAKING
0010	19+24 - 20+76	MAINLINE	15	CONSTRUCTION STAKING SUPPLEMENTAL
TOTALS				465


TRAFFIC CONTROL

CATEGORY	STATION TO STATION	LOCATION	LF	CONSTRUCTION
0010	18+88 - 21+11	MAINLINE	15	CONSTRUCTION STAKING
0010	19+24 - 20+76	MAINLINE	15	CONSTRUCTION STAKING SUPPLEMENTAL
TOTALS				30

CATEGORY	STATION TO STATION	LOCATION	LF	CONSTRUCTION
0010	18+88 - 21+11	CADY ST	450	CONSTRUCTION STAKING
0010	19+24 - 20+76	MAINLINE	15	CONSTRUCTION STAKING SUPPLEMENTAL
TOTALS				465

* ADDITIONAL QUANTITIES SHOWN ELSEWHERE

Addendum No. 01
ID 3997-01-74
Revised Sheet 10
April 25, 2023




PROJECT NO: 3997-01-74	HWY: CADY STREET	COUNTY: JEFFERSON	PLAN	SCALE, FEET 0 15 30	SHEET 13	E
I:\MENEF-1337.00 - Water-Town Cady St Remob 2022\Structures\CADD\Roadway\FE1337 appr - addendum.dgn			REVISION: (REV. SHEET) 11.11.21		DATE: 4/24/2023	UNITLED
I:\MENEF-1337.00 - Water-Town Cady St Remob 2022\Structures\CADD\Roadway\FE1337 appr - addendum.dgn			#PLOT: NA		WISDOT/CADD SHEET 42	

GENERAL NOTES

- 1 DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERMIT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND THE APPLICABLE SPECIAL PROVISIONS.
- 2 TURBIDITY BARRIER MAY BE REMOVED AT THE ENGINEER'S DISCRETION, WHEN PERMANENT EROSION CONTROL MEASURES HAVE BEEN ESTABLISHED.
- 3 1 DRIVEN STEEL POSTS, PIPES, OR CHANNELS. LENGTH SHALL BE SUFFICIENT TO SECURELY SUPPORT BARRIER AT HIGH WATER ELEVATIONS.
- 4 SAND BAGS TO BE USED AS ADDITIONAL BALLAST WHEN ORDERED BY THE ENGINEER TO MEET ADVERSE FIELD CONDITIONS. SPACE AS APPROPRIATE FOR SITE CONDITIONS.
- 5 WHEN BARRIER HEIGHT "H" EXCEEDS 8 FEET, POST SPACING MAY NEED TO BE DECREASED.
- 6 IN WATERWAYS SUBJECT TO FLUCTUATING WATER ELEVATIONS, PROVISIONS SHOULD BE MADE TO ALLOW THE WATER TO EQUALIZE ON EACH SIDE OF THE BARRIER. THIS MAY BE ACCOMPLISHED BY LEAVING A PORTION OF THE BARRIER OPEN ON THE UPSTREAM END.
- 7 ESTIMATED HIGH WATER ELEVATION DURING CONSTRUCTION PERIOD. MINIMUM BARRIER HEIGHT SHALL BE 2' GREATER THAN EITHER THE 02 ELEVATION OR THE ESTIMATED HIGH WATER ELEVATION DURING CONSTRUCTION, WHICHEVER IS GREATER.
- 8 FLOAT ALTERNATIVE WILL ONLY BE ALLOWED WITH WRITTEN APPROVAL OF THE ENGINEER, AND IS MEANT FOR LOCATIONS WHERE BEDROCK PREVENTS THE INSTALLATION OF POSTS.
- 9 ALLOW SUFFICIENT SLACK VERTICALLY AND HORIZONTALLY SO THAT SEDIMENT BUILD UP WILL NOT SEPARATE OR LOWER THE TURBIDITY BARRIER.
- 10 USE AS DIRECTED BY COAST GUARD OR DNR PERMIT WHEN WORKING IN NAVIGABLE WATERWAYS.

Addendum No. 01
ID 3997-01-74
Added Sheet 17A
April 25, 2023




PLAN VIEW

SECTION C - C


**TURBIDITY BARRIER
TYPICAL PLACEMENT AT STRUCTURES**

TURBIDITY BARRIER


STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
APPROVED _____
DATE 6/4/02
DATE _____
/S/ Beth Cunniff
ENGINEER
FPM



PLAN VIEW




PLAN VIEW



SECTION B - B

**TURBIDITY BARRIER - FLOAT ALTERNATIVE
CAUTION - SEE NOTE 6**




SECTION A - A

TURBIDITY BARRIER - STANDARD POST INSTALLATION

TURBIDITY BARRIER PLACEMENT DETAILS


STATE PROJECT NUMBER
3997-01-74

Addendum No. 01
ID 3997-01-74
Revised Sheet 28
April 25, 2023



PLAN

THREE-SPAN CONCRETE RIGID-FRAME BRIDGE
(CONCRETE OVERLAY & SURFACE REPAIR)



ELEVATION

NOTE:
CONCRETE SURFACE REPAIR
REQUIRED AS DIRECTED BY THE
ENGINEER IN THE FIELD.

- LIST OF DRAWINGS**
- 1. GENERAL PLAN
 - 2. TYPICAL SECTION, QUANTITIES & NOTES


**FOR TYPICAL SECTION
DESIGN DATE & NOTES:
SEE SHEET 2**

NO.	DATE	ADD UNDERWATER SURFACE REPAIR	REVISION	BY
1	04/23			AYRES

ORIGINAL PLANS PREPARED BY
AYRES
3413 Okewood Hills Parkway
Eau Claire, WI 54601
www.AyresAssociates.com

STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	ACCEPTED	DATE
CHIEF STRUCTURES DESIGN ENGINEER	DATE	
STRUCTURE P-28-706		
COUNTY	JEFFERSON	REHABILITATION WA
DESIGN SPEC.	JEFFERSON	CLP C/C/D
CADY STREET OVER ROCK RIVER		PLANS
		DESIGNED KFO
		BY AEB
		CLP C/C/D
		KFO

GENERAL PLAN	SHEET 1 OF 2
	28



Kristopher R. Olson
04/25/23

BRIDGE OFFICE CONTACT:
KRYSTOFFER OLSON
1609+281-0261

CONSULTANT CONTACT:
KRYSTOFFER OLSON
1920+438-1200

DATE:

DATE:

CHECKED BY:
DATE:

BACK CHECKED BY:
DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:


DATE:

DATE:

DATE:

DATE:

Addendum No. 01
ID 3997-01-74
Revised Sheet 29
April 25, 2023



TYPICAL SECTION THRU BRIDGE
(LOOKING EAST)

TOTAL ESTIMATED QUANTITIES

BID ITEM NUMBER	BID ITEMS	UNIT	TOTAL
502.3200	PROTECTIVE SURFACE TREATMENT	SY	506
502.3215	PROTECTIVE SURFACE TREATMENT RESEAL	SY	205
509.0301	PREPARATION DECKS TYPE 1	SY	50
509.0302	PREPARATION DECKS TYPE 2	SY	25
509.0505.S	CLEANING DECKS TO REAPPLY CONCRETE MASONRY OVERLAY	SY	506
509.1200	CURB REPAIR	LF	50
509.1500	CONCRETE SURFACE REPAIR	SF	244
509.2000	FULL DEPTH DECK REPAIR	SY	42
509.2500	CONCRETE MASONRY OVERLAY DECKS	SY	506
509.9005.S	REMOVING CONCRETE MASONRY DECK OVERLAY P-28-706	SY	506
SPV.0060	REPLACEMENT MANHOLE COVER	EACH	1
SPV.0165.01	UNDERWATER CONCRETE SURFACE REPAIR	SF	6

- ▲ BID ITEM INCLUDES CONCRETE FOR 1 1/2" MIN. OVERLAY, PREPARATION DECKS TYPE 1, PREPARATION DECKS TYPE 2, AND FULL DEPTH DECK REPAIR.
- UNDISTRIBUTED AS DIRECTED BY ENGINEER IN THE FIELD.
- ▣ IF REQUIRED BY THE ENGINEER.

DESIGN DATA

LIVE LOAD: DESIGN LOADING: H-15
INVENTORY RATING: HS-13
OPERATING RATING: HS-21
WISCONSIN STANDARD PERMIT BEHICLE (MIS-SPV): 230 KIPS

MATERIAL PROPERTIES:
CONCRETE MASONRY [DECK PATCHING & OVERLAY] $f'_c = 4,000$ p.s.i.
[ALL OTHER] $f'_c = 3,500$ p.s.i.

TRAFFIC DATA:

CADY STREET
A.A.D.T. = 4,200 (2023)
A.A.D.T. = 4,200 (2043)
R.D.S. = 30 M.P.H.

GENERAL NOTES

DRAWINGS SHALL NOT BE SCALED. DIMENSIONS SHOWN ARE BASED ON THE ORIGINAL STRUCTURE PLANS. PROTECTIVE SURFACE TREATMENT SHALL BE APPLIED TO THE ENTIRE TOP SURFACE OF THE NEW CONCRETE OVERLAY. PROTECTIVE SURFACE TREATMENT RESEAL SHALL BE APPLIED TO THE ENTIRE TOP SURFACE OF THE EXISTING SIDEWALK AND FACE OF EXISTING CURB. THE EXISTING SIDEWALK AND FACE OF EXISTING CURB SHALL BE INCLUDED IN THE BID ITEM "REMOVING CONCRETE MASONRY DECK OVERLAY".

THE AVERAGE OVERLAY THICKNESS IS BASED ON THE MINIMUM OVERLAY THICKNESS PLUS 1/2-INCH TO ACCOUNT FOR VARIATIONS IN THE DECK SURFACE.

PREPARATION DECKS TYPE 1, PREPARATION DECKS TYPE 2, AND FULL-DEPTH DECK REPAIR AREAS ARE BASED ON THE PLANS AND AS DETERMINED BY THE ENGINEER. DECK PREPARATION AND FULL-DEPTH DECK REPAIRS SHALL BE FILLED WITH "CONCRETE MASONRY OVERLAY DECKS". ANY EXCAVATION REQUIRED TO COMPLETE THE OVERLAY AT THE ABUTMENTS TO BE CONSIDERED INCIDENTAL TO THE BID ITEM "CONCRETE MASONRY OVERLAY DECKS".

CONCRETE MASONRY OVERLAY DECKS SHALL BE PLACED IN THE FIELD BASED ON A MINIMUM OVERLAY THICKNESS OF 1 1/2" PLACED ABOVE THE DECK SURFACE AFTER SURFACE PREPARATION. EXPECTED AVERAGE OVERLAY THICKNESS IS 2 3/4". IF EXPECTED AVERAGE OVERLAY THICKNESS IS EXCEEDED BY MORE THAN 1/2", CONTACT THE STRUCTURES DESIGN SECTION.

ALL CONCRETE REMOVAL NOT COVERED WITH A CONCRETE OVERLAY SHALL BE REPAIRED BY THE CONTRACTOR. ALL PREVIOUS PATCHES SHALL BE REMOVED UNDER THE BID ITEM "PREPARATION DECKS".


UTILIZE EXISTING BAR STEEL REINFORCEMENT WHERE SHOWN AND EXTEND 24 BAR DIAMETERS INTO NEW WORK.

BEVEL EXPOSED EDGES OF CONCRETE 3/4" UNLESS NOTED OTHERWISE.

OVERLAY CONSTRUCTION JOINTS, ACCORDING TO SECTION 502.31.31 OF THE STANDARD SPECIFICATIONS, COST INCIDENTAL TO BID ITEM "CONCRETE MASONRY OVERLAY DECKS".

"CONCRETE SURFACE REPAIR" TO INCLUDE BUT NOT LIMITED TO ABUTMENTS, SIDEWALKS, AND EDGE OF DECK AS DIRECTED BY THE ENGINEER.

04/25/23



CURB REPAIR DETAIL

NOTE: WIDTHS OF CURB REPAIR SHALL BE DETERMINED IN THE FIELD BY THE ENGINEER. VERTICAL AND HORIZONTAL LIMITS OF CURB REPAIR SHALL BE DEFINED BY A 1/2" DEEP SAW CUT.

NO.	DATE	REVISION
▲ 04/23		ADD UNDERWATER SURFACE REPAIR



STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
STRUCTURE P-28-706
ISSUED BY: CLP
DATE: 4/24/2023

TYPICAL SECTION,
QUANTITIES
& NOTES
SHEET 2 OF 2
29

ORIGINAL PLANS PREPARED BY
3433 Oakwood Hills Parkway
Eau Claire, WI 54601
www.avresinc.com





Proposal Schedule of Items

Proposal ID: 20230509002 Project(s): 3997-01-74

Federal ID(s): WISC 2023404

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	204.0100 Removing Concrete Pavement	42.000 SY	_____.	_____.
0004	204.0115 Removing Asphaltic Surface Butt Joints	12.000 SY	_____.	_____.
0006	204.0120 Removing Asphaltic Surface Milling	112.000 SY	_____.	_____.
0008	204.0150 Removing Curb & Gutter	36.000 LF	_____.	_____.
0010	204.0155 Removing Concrete Sidewalk	22.000 SY	_____.	_____.
0012	205.0100 Excavation Common	28.000 CY	_____.	_____.
0014	213.0100 Finishing Roadway (project) 01. 3997-01-74	1.000 EACH	_____.	_____.
0016	305.0120 Base Aggregate Dense 1 1/4-Inch	52.000 TON	_____.	_____.
0018	415.0120 Concrete Pavement 12-Inch	8.000 SY	_____.	_____.
0020	415.0410 Concrete Pavement Approach Slab	94.000 SY	_____.	_____.
0022	455.0605 Tack Coat	8.000 GAL	_____.	_____.
0024	465.0105 Asphaltic Surface	20.000 TON	_____.	_____.
0026	502.3200 Protective Surface Treatment	506.000 SY	_____.	_____.
0028	502.3215 Protective Surface Treatment Reseal	205.000 SY	_____.	_____.
0030	509.0301 Preparation Decks Type 1	50.000 SY	_____.	_____.
0032	509.0302 Preparation Decks Type 2	25.000 SY	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20230509002 Project(s): 3997-01-74

Federal ID(s): WISC 2023404

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0034	509.0505.S Cleaning Decks to Reapply Concrete Masonry Overlay	506.000 SY	_____.	_____.
0036	509.1200 Curb Repair	50.000 LF	_____.	_____.
0038	509.1500 Concrete Surface Repair	238.000 SF	_____.	_____.
0040	509.2000 Full-Depth Deck Repair	1.000 SY	_____.	_____.
0042	509.2500 Concrete Masonry Overlay Decks	42.000 CY	_____.	_____.
0044	509.9005.S Removing Concrete Masonry Deck Overlay (structure) 01. P-28-0706	506.000 SY	_____.	_____.
0046	601.0409 Concrete Curb & Gutter 30-Inch Type A	36.000 LF	_____.	_____.
0048	602.0415 Concrete Sidewalk 6-Inch	180.000 SF	_____.	_____.
0050	619.1000 Mobilization	1.000 EACH	_____.	_____.
0052	625.0100 Topsoil	6.000 SY	_____.	_____.
0054	627.0200 Mulching	6.000 SY	_____.	_____.
0056	628.1504 Silt Fence	50.000 LF	_____.	_____.
0058	628.1520 Silt Fence Maintenance	100.000 LF	_____.	_____.
0060	628.7015 Inlet Protection Type C	4.000 EACH	_____.	_____.
0062	629.0205 Fertilizer Type A	0.004 CWT	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20230509002 Project(s): 3997-01-74

Federal ID(s): WISC 2023404

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0064	630.0140 Seeding Mixture No. 40	0.200 LB	_____.	_____.
0066	643.0410 Traffic Control Barricades Type II	176.000 DAY	_____.	_____.
0068	643.0420 Traffic Control Barricades Type III	660.000 DAY	_____.	_____.
0070	643.0705 Traffic Control Warning Lights Type A	1,320.000 DAY	_____.	_____.
0072	643.0900 Traffic Control Signs	2,816.000 DAY	_____.	_____.
0074	643.1000 Traffic Control Signs Fixed Message	100.000 SF	_____.	_____.
0076	643.1050 Traffic Control Signs PCMS	14.000 DAY	_____.	_____.
0078	643.5000 Traffic Control	1.000 EACH	_____.	_____.
0080	644.1810 Temporary Pedestrian Barricade	72.000 LF	_____.	_____.
0082	646.1020 Marking Line Epoxy 4-Inch	450.000 LF	_____.	_____.
0084	650.4500 Construction Staking Subgrade	30.000 LF	_____.	_____.
0086	650.5000 Construction Staking Base	30.000 LF	_____.	_____.
0088	650.5500 Construction Staking Curb Gutter and Curb & Gutter	16.000 LF	_____.	_____.
0090	650.7000 Construction Staking Concrete Pavement	30.000 LF	_____.	_____.
0092	650.9500 Construction Staking Sidewalk (project) 01. 3997-01-74	1.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20230509002 Project(s): 3997-01-74

Federal ID(s): WISC 2023404

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0094	650.9911 Construction Staking Supplemental Control (project) 01. 3997-01-74	1.000 EACH	_____.	_____.
0096	690.0150 Sawing Asphalt	57.000 LF	_____.	_____.
0098	690.0250 Sawing Concrete	34.000 LF	_____.	_____.
0100	715.0502 Incentive Strength Concrete Structures	500.000 DOL	1.00000	500.00
0102	715.0720 Incentive Compressive Strength Concrete Pavement	500.000 DOL	1.00000	500.00
0104	999.2005.S Maintaining Bird Deterrent System (station) 01. 20+00	1.000 EACH	_____.	_____.
0106	SPV.0060 Special 01. Replacement Manhole Cover	1.000 EACH	_____.	_____.
0108	628.6005 Turbidity Barriers	75.000 SY	_____.	_____.
0110	SPV.0165 Special 1. Underwater Concrete Surface Repair	6.000 SF	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.

