



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

August 1, 2023

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #06: 1360-13-70, WISC 2023578
C Milwaukee, Fond du Lac Ave
76th, Ped Bridges
STH 145
Milwaukee Count

1360-13-71, WISC 2023579
C Milwaukee, Fond du Lac Ave
Silver Spring Bridges
STH 145
Milwaukee Count

Letting of August 8, 2023

This is Addendum No. 01, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
611.8110	Adjusting Manhole Covers	Each	12	1	13
SPV.0060.200	Adjusting Water Boxes	Each	8	-2	6

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
2	General Notes ID 1360-13-70 (deleted contact)
108	Miscellaneous Quantities 1360-13-70 (Deleted Adjusting Water Boxes Quantity)
100	Miscellaneous Quantities 1360-13-71 (Added additional Adjusting Manhole Covers Quantity)
104	Miscellaneous Quantities 1360-13-71 (Added additional Adjusting Water Boxes Quantity)

Schedule of Items

Attached, dated August 2, 2023, are the revised Schedule of Items Pages 7 and 17.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

1360-13-70 Revised: 2 and 108

1360-13-71 Revised: 100 and 104

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM

GENERAL NOTES

- THE LOCATIONS OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN. THE CONTRACTOR SHALL COORDINATE THEIR CONSTRUCTION ACTIVITIES WITH A CALL TO DIGGERS HOTLINE AND/OR A DIRECT CALL TO THE UTILITIES THAT HAVE FACILITIES IN THE AREA. NOT ALL UTILITIES ARE MEMBERS OF DIGGERS HOTLINE.
- THE CONTRACTOR SHALL NOTIFY DIGGERS HOTLINE AND AFFECTED UTILITIES PRIOR TO THE START OF WORK. ANY LOCAL MUNICIPALITY OR PUBLIC AGENCY WHICH IS NOT A MEMBER OF DIGGERS HOTLINE MUST BE CONTACTED SEPARATELY.
- ALL ELEVATIONS AND OFFSETS SHOWN IN THE PLAN SHALL BE VERIFIED IN THE FIELD.
- NO TREES OR SHRUBS ARE TO BE REMOVED WITHOUT THE APPROVAL OF THE ENGINEER.
- THE COST OF GRADING, CONSTRUCTING, MAINTAINING, AND REMOVING TEMPORARY ACCESS IS INCIDENTAL TO THE CONTRACT.
- HMA PAVEMENT WEIGHT CALCULATIONS ARE BASED ON 112 LB/FSYIN
- THE CONTRACTOR'S PAVING OPERATIONS SHALL BE CONSISTENT WITH THE PLAN TYPICAL SECTIONS AND CONSTRUCTED TO PREVENT HMA LONGITUDINAL JOINTS FROM BEING LOCATED WITHIN A DRIVING OR TURNING LANE.

EROSION CONTROL GENERAL NOTES

- RE-TOPSOIL DISTURBED AREAS, AS DESIGNATED BY THE ENGINEER. SEED AND E-MAT TOP-SOILED AREAS, AS DESIGNATED BY THE ENGINEER, WITHIN FIVE (5) CALENDAR DAYS AFTER PLACEMENT OF TOPSOIL. IF GRADED AREAS ARE LEFT EXPOSED FOR MORE THAN FOURTEEN (14) CALENDAR DAYS, SEED THOSE AREAS WITH TEMPORARY SEED.
- STOCKPILE EXCESS MATERIAL OR SPILLS ON UPLAND AREAS AWAY FROM WETLANDS, FLOODPLAINS AND WATERWAYS. STOCKPILED SOIL SHALL BE PROTECTED AGAINST EROSION. IF STOCKPILED MATERIAL IS LEFT FOR MORE THAN FOURTEEN (14) CALENDAR DAYS, SEED THE STOCKPILE WITH TEMPORARY SEED.
- QUANTITIES FOR EROSION CONTROL ITEMS HAVE BEEN INCLUDED IN THE PROJECT, BUT MAY NOT BE REPRESENTED ON THE PLAN. THE LOCATIONS FOR THESE ITEMS AND THE SPECIFIC ITEMS TO BE INSTALLED SHALL BE DETERMINED BY THE CONTRACTOR. THE EROSION CONTROL ITEMS SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR UNTIL THE ENGINEER DETERMINES THAT THE ITEMS IS NO LONGER REQUIRED.

COMMUNICATIONS

AT&T LOCAL NETWORK
TIMOTHY LAPOINTE
1301 FANNIN STREET
HOUSTON, TX 77002
PHONE: (281) 352-3631
EMAIL: HD695@ATT.COM



COMMUNICATIONS

CITY OF MILWAUKEE - SEWER
JAY BULANEK
2005 PEWAUKEE RD
WALKESHA, WI 53188-2443
PHONE: (262) 896-7669
EMAIL: JB5175@ATT.COM

UTILITIES

ELECTRICITY

CITY OF MILWAUKEE - STREET LIGHTING
NEAL MARWIK
1540 W CANAL ST
MILWAUKEE, WI 53204
PHONE: (414) 286-5543
EMAIL: NMARWE@MILWAUKEE.GOV

COMMUNICATIONS

CITY OF MILWAUKEE - SEWER
ZAFAR YOUSUF
841 N BROADWAY
MILWAUKEE, WI 53202
PHONE: (414) 286-6301
EMAIL: ZYOUSU@MILWAUKEE.GOV

WATER

CITY OF MILWAUKEE - MILWAUKEE WATER WORKS
DAVE GOLDAPE
841 N BROADWAY, ROOM 40
MILWAUKEE, WI 53202
PHONE: (414) 286-6301
EMAIL: DAVE.GOLDAPE@MILWAUKEE.GOV

UNDERGROUND CONDUIT

CITY OF MILWAUKEE - UNDERGROUND CONDUIT
HAZARD KAWADAT
324 E Wisconsin Ave, Suite 730
Milwaukee, WI 53202
PHONE: (414) 1972-6686
EMAIL: HKAWAD@MILWAUKEE.GOV

SEWER

MILWAUKEE METRO SEWERAGE DISTRICT
JILL WILSON
260 W SEEBOTH STREET
MILWAUKEE, WI 53204
PHONE: (414) 225-2241
EMAIL: MLEE@MMSD.CO

COMMUNICATIONS

PARTEC COMMUNICATIONS
ERIC BECKER
314 N DANZ AVE
GREEN BAY, WI 54302-3526
PHONE: (920) 461-9825
EMAIL: ERICBECKER@WINDSTREAM.COM

COMMUNICATIONS

SPECTRUM
BEAU ABUYA
1320 N DR MARTIN LUTHER KING JR DR
MILWAUKEE, WI 53212
PHONE: (414) 758-9241
EMAIL: BEAU.ABUYA@CHARTER.COM

COMMUNICATIONS

VERIZON BUSINESS
BI CICAROLLO JR
15725 W RYERSON RD
New Berlin, WI 53151
PHONE: (262) 232-1223
EMAIL: randy.cicariello@verizon.com

RUNOFF COEFFICIENT TABLE

LAND USE:	HYDROLOGIC SOIL GROUP													
	A		B		C		D							
	SLOPE RANCE (PERCENT)	SLOPE RANCE (PERCENT)	SLOPE RANCE (PERCENT)	SLOPE RANCE (PERCENT)	SLOPE RANCE (PERCENT)	SLOPE RANCE (PERCENT)	SLOPE RANCE (PERCENT)							
ROW CROPS	0.08	0.16	0.22	0.12	0.20	0.27	0.15	0.24	0.33	0.2-6 & OVER	0.2	2-6	2-6	2-6
MEDIAN STRIP TURF	0.19	0.20	0.24	0.19	0.22	0.26	0.19	0.22	0.23	0.30	0.20	0.25	0.25	0.30
SIDE SLOPE TURF	0.24	0.26	0.30	0.25	0.28	0.33	0.26	0.30	0.37	0.40	0.27	0.32	0.32	0.40
PAVEMENT:	0.25	0.27	0.32	0.30	0.30	0.34	0.27	0.28	0.34	0.36	0.28	0.28	0.30	0.36
ASPHALT	0.70 - 0.95		0.80 - 0.95		0.70 - 0.80		0.75 - 0.85		0.40 - 0.60					
CONCRETE	0.70 - 0.80		0.75 - 0.85		0.40 - 0.60									
BRICK	0.70 - 0.80		0.75 - 0.85		0.40 - 0.60									
DRIVES, WALKS	0.70 - 0.80		0.75 - 0.85		0.40 - 0.60									
ROOFS	0.70 - 0.80		0.75 - 0.85		0.40 - 0.60									
GRAVEL ROADS, SHOULDERS	0.70 - 0.80		0.75 - 0.85		0.40 - 0.60									

TOTAL PROJECT AREA = 1.70 ACRES
TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES = 0.55 ACRES

WISDOT CONTACT
Southeast Region
Vida Shaffer
141 NW BARSTOW ST
WAUKESHA, WI 53188
PHONE: (414) 333-9116
EMAIL: VIDA.SHAFER@DOT.WI.GOV

DNR CONTACT
DNR - Southeast Region
Kristina Betzold
2300 N Martin Luther King Jr Dr
Milwaukee, WI 53212
PHONE: (414) 507-4946
EMAIL: kristina.betzold@wisconsin.gov

ORDER OF SECTION 2 SHEETS
GENERAL NOTES
PROJECT OVERVIEW
TYPICAL SECTIONS
PLANNING DETAILS
PLAN DETAILS
CURB RAMP DETAILS
JOINT DETAILS
EROSION CONTROL PLAN
CITY UNDERGROUND CONDUIT
PERMANENT SIGNING
STREET LIGHTING
TEMPORARY TRAFFIC SIGNAL PLAN
TRAFFIC SIGNAL INTERCONNECT
PAVEMENT MARKING
TRAFFIC CONTROL
ALIGNMENT PLAN

LIST OF STANDARD ABBREVIATIONS


HYD	HYDRANT	RD	ROAD	SHDR	SHOULDER	SD	STANDARD	ST	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
INL	INLET	ROW	ROWAY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
INVT	INVERT	ROWY	ROWAY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
IRV	IRV	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
IP	IRON PIPE	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
IT	JOINT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
JCT	JUNCTION	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LF	LENGTH OF CURVE	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LHF	LEFT-HAND FORWARD	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LRF	RIGHT-HAND FORWARD	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SEWER	STR	STRUCTURE OR STRUCTURAL
LS	LINEAR FOOT	SAN	SANITARY	SW	SOFTWALK	SY	SQUARE FEET	STD	STANDARD	STN	STATION	STR	STORM SE		

CONSTRUCTION STAKING

CATEGORY	STATION	TO	STATION	LOCATION	650.4500		650.5000		650.7000		650.9920		REMARKS
					CONSTRUCTION STAKING SUBGRADE	LF	CONSTRUCTION STAKING BASE	LF	CONSTRUCTION STAKING CONCRETE PAVEMENT	LF	CONSTRUCTION STAKING CONCRETE PAVEMENT	LF	
1000	57+47	*	57+74	W OF WB BRIDGE	26	*	26	26	256				
1000	57+05	*	57+31	W OF EB BRIDGE	26	*	26	26	419				
1000	59+88	*	60+18	E OF WB BRIDGE	30	*	30	30	412				
1000	60+47	*	60+75	E OF EB BRIDGE	27	*	27	27	178				
1000	49+37	*	65+02	CROSSOVERS	556	*	556	556	-				
				TOTAL 1000	665		556	109	1,265				

ADJUSTING WATER BOXES

CATEGORY	STATION	TO	STATION	LOCATION	SPV.0060.200 SPECIAL (200. ADJUSTING WATER BOXES) EACH
1400	249+39	*	76th St NB	2	
1400	253+55	*	76th St NB	2	
1400	36+74	*	Silver Spring LT	2	
			TOTAL 1400	6	



Addendum No. 01
 ID 1360-13-71
 Revised Sheet 104
 August 2, 2023

SAWING

CATEGORY	LOCATION	CONCRETE	ASPHALT	SAWING	650.0250	REMARKS
1000		387	*	387		STAGE 1 SILVER SPRING
1000		179	*	179		STAGE 1 SILVER SPRING
1000		565	*	565		STAGE 1 SILVER SPRING
1000		699	20	699		STAGE 2 SILVER SPRING
1000		754	20	754		STAGE 3 SILVER SPRING
						TOTAL 1000
						2,584



Proposal Schedule of Items

Proposal ID: 20230808006 Project(s): 1360-13-70, 1360-13-71

Federal ID(s): WISC 2023578, WISC 2023579

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0168	601.0409 Concrete Curb & Gutter 30-Inch Type A	4,986.000 LF	_____.	_____.
0170	601.0600 Concrete Curb Pedestrian	117.000 LF	_____.	_____.
0172	602.0410 Concrete Sidewalk 5-Inch	5,159.000 SF	_____.	_____.
0174	602.0505 Curb Ramp Detectable Warning Field Yellow	104.000 SF	_____.	_____.
0176	603.8000 Concrete Barrier Temporary Precast Delivered	1,214.000 LF	_____.	_____.
0178	603.8125 Concrete Barrier Temporary Precast Installed	2,344.000 LF	_____.	_____.
0180	604.0400 Slope Paving Concrete	114.000 SY	_____.	_____.
0182	611.8110 Adjusting Manhole Covers	13.000 EACH	_____.	_____.
0184	611.8115 Adjusting Inlet Covers	7.000 EACH	_____.	_____.
0186	612.0406 Pipe Underdrain Wrapped 6-Inch	1,174.000 LF	_____.	_____.
0188	614.0150 Anchor Assemblies for Steel Plate Beam Guard	4.000 EACH	_____.	_____.
0190	614.0905 Crash Cushions Temporary	8.000 EACH	_____.	_____.
0192	614.2300 MGS Guardrail 3	112.500 LF	_____.	_____.
0194	614.2500 MGS Thrie Beam Transition	158.000 LF	_____.	_____.
0196	614.2610 MGS Guardrail Terminal EAT	4.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20230808006 Project(s): 1360-13-70, 1360-13-71

Federal ID(s): WISC 2023578, WISC 2023579

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0428	SPV.0060 Special 001. Cleaning Painting and Lubricating Bearings	8.000 EACH	_____.	_____.
0430	SPV.0060 Special 002. Fence Repairs B-40-297	1.000 EACH	_____.	_____.
0432	SPV.0060 Special 003. Fence Repairs B-40-298	1.000 EACH	_____.	_____.
0434	SPV.0060 Special 004. Grading Shaping Finishing Shoulders	4.000 EACH	_____.	_____.
0436	SPV.0060 Special 150. Adjusting MMSD Manhole Cover	2.000 EACH	_____.	_____.
0438	SPV.0060 Special 151. Reconstructing MMSD Manhole	1.000 EACH	_____.	_____.
0440	SPV.0060 Special 200. Adjusting Water Valve Boxes	6.000 EACH	_____.	_____.
0442	SPV.0060 Special 302. Pull Boxes 13-Inch x 24-Inch x 24-Inch	64.000 EACH	_____.	_____.
0444	SPV.0060 Special 303. Pull Boxes 17-Inch x 30-Inch x 24-Inch	2.000 EACH	_____.	_____.
0446	SPV.0060 Special 320. Poles Type 25-AL-BD	32.000 EACH	_____.	_____.
0448	SPV.0060 Special 347. Luminaire Arms Single Member 8-Ft.	56.000 EACH	_____.	_____.
0450	SPV.0060 Special 371. Installing City Furnished Luminaire LED Utility 2	56.000 EACH	_____.	_____.
0452	SPV.0060 Special 399. Utility Line Opening (ULO)	2.000 EACH	_____.	_____.