



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

December 5, 2023

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #20: 1150-64-71
Peshtigo - Marinette
Peshtigo Bypass - CTH T
USH 41
Marinette County

Letting of December 12, 2023

This is Addendum No. 02, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
465.0105	Asphaltic Surface	TON	210	125	335
690.0150	Sawing Asphalt	LF	585	5,092	5,677
690.0250	Sawing Concrete	LF	428	24	452

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
204.0110	Removing Asphaltic Surface	SY	0	1,135	1,135

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
12	Construction Details: Added Concrete Curb and Gutter Adjacent to Existing Pavement Detail.
107	Miscellaneous Quantities: Added Removing Asphaltic Surface table.
108	Miscellaneous Quantities: Added Sawing Asphalt and Sawing Concrete to Removing Curb & Gutter table
110	Miscellaneous Quantities: Added "Additional Quantities Listed Elsewhere" note to Base Patching Concrete and Concrete Joint and Crack Cleaning and Repair table

111	Miscellaneous Quantities: Added "Additional Quantities Listed Elsewhere" note to Asphaltic Items table
112	Miscellaneous Quantities: Added "Additional Quantities Listed Elsewhere" note to Asphaltic Items table
120	Miscellaneous Quantities: Added "Additional Quantities Listed Elsewhere" note to Sawing Asphalt table

Schedule of Items

Attached, dated December 5, 2023, are the revised Schedule of Items Pages 2 and 9.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 12, 107, 108, 110, 111, 112, and 120.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,


Mike Coleman

Proposal Development Specialist
Proposal Management Section


END OF ADDENDUM

Addendum No. 02
ID 1150-64-71
Revised Sheet 12
December 5, 2023

- NOTES:
- ① PERFORM CONCRETE JOINT AND CRACK CLEANING AND REPAIR IF ASPHALT OVERLAY WILL BE PLACED ON CONCRETE GUTTER
 - ② REMOVE UNDESIRABLE AND DETERIORATED MATERIAL INCLUDING EXISTING ASPHALT PATCHING
 - ③ EXISTING CONCRETE SHOULDER 5-FOOT OR LESS INCLUDED IN REPAIR AREA OF ADJACENT LANE



PLAN VIEW



CONCRETE JOINT AND CRACK CLEANING AND REPAIR

SEE MISCELLANEOUS QUANTITIES FOR LOCATION

1 3/4-INCHES HMA PAVEMENT 4 SMA 58-2 V (UPPER LAYER)
 1 3/4-INCHES HMA PAVEMENT 4 HT 58-28 S (LEVELING LAYER)

CONCRETE CURB & GUTTER 18-INCH TYPE J
 CONCRETE CURB & GUTTER 6-INCH SLOPED 30-INCH TYPE J
 CONCRETE CURB & GUTTER 6-INCH SLOPED 36-INCH TYPE D
 (SEE INTERSECTION DETAILS FOR LOCATIONS)

2' MAX.

EXISTING CRUSHED AGGREGATE BASE COURSE (TO REMAIN)

REMOVING ASPHALTIC SURFACE AND ASPHALTIC SURFACE SAWING ASPHALT

TOP OF EXISTING PAVEMENT OR TOP OF EXISTING MILLED SURFACE

CONCRETE CURB AND GUTTER ADJACENT TO EXISTING PAVEMENT DETAIL

REMOVING SMALL PIPE CULVERTS

CATEGORY	STATION	LOCATION	203.0100		REMARK
			EACH	SY	
0010	135+08	LT	1		12" X 14' RCCP
	135+32	LT	1		12" X 14' RCCP
	212+11	LT	1		12" X 8' RCCP
	212+93	LT	1		12" X 8' RCCP
	211+90 SB	LT	1		49" X 33" X 8' RCCP
	212+18 SB	LT	1		18" X 22' RCCP
TOTAL			6		

REMOVING ASPHALTIC SURFACE

CATEGORY	STAGE	LOCATION	204.0110	
			SY	TON
0010	3A	CURB AND GUTTER REPLACEMENT	85	10
	3B	CURB AND GUTTER REPLACEMENT	1,050	115
TOTAL			1,135	125

*ADDITIONAL QUANTITIES LISTED ELSEWHERE.

REMOVING ASPHALTIC SURFACE MILLING

CATEGORY	STAGE	STATION - STATION	LOCATION	204.0120	
				SY	SY
0010	1	1675+00 - 1677+50	US 41 SB, RT, RUMBLE STRIP	56	
		1675+00 - 1677+50	US 41 NB, RT, RUMBLE STRIP	56	
SUBTOTAL (STAGE 1)				112	
2A	1675+00 - 1677+50	US 41 SB, LT, RUMBLE STRIP		56	
				56	
SUBTOTAL (STAGE 2A)				112	
3A	1675+00 - 1677+50	US 41 NB, LT, RUMBLE STRIP		56	
				5,915	
				9,368	
				1,567	
				1,567	
				1,275	
3B	264+44 - 274+00	US 41 SB, RT		1,275	
				288	
				288	
				288	
SUBTOTAL (STAGE 3A)				21,599	
3B	133+88 - 169+38	US 41, NB, RT		4,733	
				9,368	
				1,487	
				1,487	
				1,487	
				1,593	
SUBTOTAL (STAGE 3B)				18,956	
3C	264+44 - 274+00	US 41, SB LT		1,593	
				360	
SUBTOTAL (STAGE 3C)				1,953	
TOTAL				42,676	

REMOVING ASPHALTIC SURFACE BUTT JOINTS

CATEGORY	STAGE	STATION - STATION	LOCATION	204.0115	
				SY	SY
0010	STAGE 3A/4C	133+88.67	LT & RT	0.1	
		169+38 - 168+88	LT & RT	2.8	
		253+52 - 256+02	RT	5.3	
		276+16.09	LT & RT	0.2	
		184+83 SB - 185+33 SB	LT & RT	3.5	
		240+54 SB - 241+04 SB	LT & RT	3.9	
3.9	255+52 SB - 256+02 SB	LT		2.8	
				2.8	
11.2	10+19.81 W - 10+56.17 W	LT & RT		11.2	
				11.4	
				11.4	
				5.5	
				5.4	
				5.4	
SUBTOTAL (STAGE 3A/4C)				52.1	
STAGE 3B/4A	133+88.67	LT		0.1	
				2.8	
				2.8	
				3.5	
				0.2	
				0.2	
SUBTOTAL (STAGE 3B/4A)				141.6	

REMOVING CONCRETE PAVEMENT BUTT JOINTS

CATEGORY	STAGE	STATION	LOCATION	204.0105	
				SY	SY
0010	3	133+88.67	LT	2.8	
		4	133+88.67	LT & RT	2.8
TOTAL				5.6	

REMOVING ENDWALLS

CATEGORY	STATION	LOCATION	204.9060.s.01	
			EACH	SY
0010	135+08	LT	1	
	135+32	LT	1	
	212+11	LT	1	
	212+93	LT	1	
1	154+00 SB	LT	1	
	166+97 SB	LT	1	
	211+90 SB	LT	1	
1	212+18 SB	LT	1	
	TOTAL			8

Addendum No. 02
 ID 1150-64-71
 Revised Sheet 107
 December 5, 2023

REMOVING CURB & GUTTER

CATEGORY	STAGE	204.0150		*690.0150		*690.0250	
		STATION - STATION	LOCATION	LF	SAWING ASPHALT	SAWING CONCRETE	LF
0010	3A	151+44.62 SB - 151+58.81 SB	LT	49	49	3	
		152+20.76 SB - 152+67.35 SB	LT	52	52	3	
		161+56.23 SB - 161+84.52 SB	LT	30	30	3	
		162+39.13 SB - 162+68.00 SB	LT	31	31	3	
		170+85.42 SB - 171+17.84 SB	LT	37	37	3	
		171+72.50 SB - 172+15.77 SB	LT	47	47	3	
		179+04.61 SB - 179+33.86 SB	LT	31	31	3	
		179+87.28 SB - 180+17.01 SB	LT	31	31	3	
		SUBTOTAL (STAGE 3)		308	308	24	
0010	3B	151+32.95 SB - 151+33.17	LT & RT	64	64		
		152+67.90 - 152+67.90 SB	LT & RT	105	105		
		161+36.82 SB - 161+51.83	LT & RT	85	85		
		162+70.18 - 162+72.13 SB	LT & RT	73	73		
		170+80.34 - 170+80.05 SB	LT & RT	82	82		
		172+14.63 - 172+15.42 SB	LT & RT	105	105		
		177+47.56 SB - 177+47.93	LT & RT	365	365		
		180+27.68 SB - 180+28.04	LT & RT	63	63		
		202+56.24 - 204+13.53 SB	LT & RT	215	215		
		205+34.54 - 205+35.65 SB	LT & RT	100	100		
		222+57.06 - 224+35.15 SB	LT & RT	190	190		
		225+34.91 SB - 225+35.63	LT & RT	100	100		
		238+57.46 - 235+51.94	LT	1,700	1,700		
		239+46.62 - 239+74.72	RT	34	34		
		240+10.52 - 240+39.02	RT	35	35		
		256+99.72 - 257+05.72	LT	6	6		
		260+02.81 - 260+08.81	LT	6	6		
		262+26.09 - 262+32.09	LT	6	6		
		241+04.00 SB - 255+52.01 SB	RT	1,450	1,450		
		SUBTOTAL (STAGE 3B)		4,784	4,784	0	
		TOTAL		5,092	5,092	24	

*ADDITIONAL QUANTITIES LISTED ELSEWHERE.

REMOVING GUARDRAIL

CATEGORY	STAGE	204.0165		*690.0165		*690.0250	
		STATION - STATION	LOCATION	LF	SAWING ASPHALT	SAWING CONCRETE	LF
0010		1676+11.51 - 135+52.03	RT	300			
		209+91.12 - 212+34.38	RT	245			
		134+90.25 SB - 137+93.30 SB	LT	305			
		TOTAL		850			

BASE AGGREGATE DENSE SUMMARY

CATEGORY	STAGE	STATION	LOCATION	305.0110		305.0120		WATER*
				TON	TON	TON	TON	
0010	4A	1674+91 - 1677+50	NB OUTSIDE SHOULDER	20	290			3.1
		133+86 - 169+38	SB OUTSIDE SHOULDER	400	560			9.6
		133+86 - 169+38	NB OUTSIDE SHOULDER	510	310			8.2
		169+38 - 184+83	SB OUTSIDE SHOULDER	140				
		169+38 - 184+83	NB OUTSIDE SHOULDER	200				
		184+83 - 241+04	NB OUTSIDE SHOULDER	680	460			10.0
		241+04 - 255+52	SB OUTSIDE SHOULDER	190				
		241+04 - 255+52	NB OUTSIDE SHOULDER	200				
		SUBTOTALS (STAGE 4A)		2,340	1,620			30.9
0010	4C	133+88 - 169+38	SB INSIDE SHOULDER	190				
		169+38 - 184+83	SB INSIDE SHOULDER	65				
		169+38 - 184+83	NB INSIDE SHOULDER	60				
		184+83 - 241+04	NB INSIDE SHOULDER	260				
		241+04 - 255+52	MEDIAN		330			3.3
		SUBTOTALS (STAGE 4C)		575	330			3.3
		TOTALS		2,915	1,950			34.2

*ADDITIONAL QUANTITIES LISTED ELSEWHERE

PREPARATION FOUNDATION FOR ASPHALTIC PAVING

CATEGORY	PROJECT	EACH
0010	1150-64-71	1
	211.0101	

PREPARATION FOUNDATION FOR ASPHALTIC SHOULDERS

CATEGORY	STATION	STATION	LOCATION	STA
0010	1674+91.11	136+85.35	RT	6
	133+88.67 SB	138+93.93 SB	LT	5
	209+11.65	213+68.73	RT	5
	TOTAL			16

REMOVING GUARDRAIL

CATEGORY	STATION	STATION	LOCATION	LF
0010	1676+11.51	135+52.03	RT	300
	209+91.12	212+34.38	RT	245
	134+90.25 SB	137+93.30 SB	LT	305
	TOTAL			850

Addendum No. 02
 ID 1150-64-71
 Revised Sheet 108
 December 5, 2023

Addendum No. 02
ID 1150-64-71
Revised Sheet 110
December 5, 2023

HMA PAVEMENT TEST STRIP ITEMS			
CATEGORY	STATION - STATION	STATION - STATION	REMARKS
0010	133+89 - 276+16	1	1

CATEGORY	LOCATION	TON	REMARKS
0010	UNDISTRIBUTED	100	MINOR REPAIRS

CATEGORY	STAGE	STATION - STATION	LOCATION	LF
0010	5A	1675+00 - 1677+50	LT	259
		1675+00 SB - 1677+50 SB	RT	259
SUBTOTAL (STAGE 5A)				518

CATEGORY	STAGE	STATION - STATION	LOCATION	LF
0010	5B	1675+00 - 1677+50	RT	259
		1675+00 SB - 1677+50 SB	LT	259
SUBTOTAL (STAGE 5B)				518
TOTAL				1,036

BASE PATCHING CONCRETE AND CONCRETE JOINT AND CRACK CLEANING AND REPAIR

CATEGORY	STAGE	STATION - STATION	LOCATION	CY	CONCRETE JOINT AND CRACK CLEANING AND REPAIR	CONCRETE JOINT AND CRACK CLEANING AND REPAIR	DRILLED TIE BARS	DRILLED DOWEL BARS
0010	2A	133+88 - 184+83	SB, NB OUTSIDE	20	390.0100	SPV.0090.01	416.0610	416.0620
		169+38 - 255+52	SB, NB OUTSIDE	15	390.0405	CONCRETE JOINT AND CRACK CLEANING AND REPAIR		
SUBTOTALS (STAGE 2A)				35	780		416.0610	416.0620
0010	2B	133+88 - 184+83	SB, NB INSIDE	2	35	---	15	15
		169+38 - 255+52	SB, NB INSIDE	9	75	10	25	25
SUBTOTALS (STAGE 2B)				11	110	10	40	40
UNDISTRIBUTED				23	685	15	75	75
TOTALS				69	2,055	45	225	225

*ADDITIONAL QUANTITIES LISTED ELSEWHERE.

SHAPING SHOULDERS			
CATEGORY	STAGE	STATION - STATION	LOCATION
0010	4A	136+85 - 161+32	NB RT
		162+89 - 169+38	NB RT
		255+52 - 257+54	NB RT
		259+50 - 274+04	NB RT
SUBTOTAL (STAGE 2B)			

Addendum No. 02
ID 1150-64-71
Revised Sheet 111
December 5, 2023

ASPHALTIC ITEMS									
0010	STAGE 1	STATION - STATION	LOCATION	TACK COAT GAL	HWA PAVEMENT 4 HT 58-28 S TON	HWA PAVEMENT 4 SMA 58-28 V TON	HMA PAVEMENT 4 SMA 58-28 V TON	*465.0105 ASPHALTIC SURFACE TON	
		1674+91 - 1677+50	RUMBLE STRIP - SB INSIDE	4	0	0	0	0	
		1674+91 - 1677+50	RUMBLE STRIP - NB OUTSIDE	4	0	0	0	0	
		SUBTOTALS (STAGE 1)							
		1674+91 - 1677+50	RUMBLE STRIP - SB OUTSIDE	4	0	0	0	0	10
		SUBTOTALS (STAGE 2A)							
		1674+91 - 1677+50	RUMBLE STRIP - NB INSIDE	4	0	0	0	0	10
		133+88 - 169+38	US 41 - NB INSIDE	331	630	0	0	0	0
		133+88 - 169+38	US 41 - SB INSIDE	296	440	0	0	0	0
		169+38 - 184+83	US 41 - NB INSIDE	129	200	0	0	0	0
		169+38 - 184+83	US 41 - SB INSIDE	129	190	0	0	0	0
		184+83 - 241+04	US 41 - NB INSIDE	468	680	0	0	0	0
		184+83 - 241+04	US 41 - SB INSIDE	656	970	0	0	0	0
		241+04 - 255+52	US 41 - NB INSIDE & MEDIAN	137	190	0	0	0	0
		241+04 - 255+52	US 41 - SB INSIDE	127	170	0	0	0	0
		255+52 - 264+44	US 41 - NB INSIDE	110	140	0	0	0	0
		255+52 - 264+44	US 41 - SB INSIDE	110	70	0	0	0	0
		264+44 - 274+00	US 41 - NB&SB LANE	178	180	0	0	0	0
		274+00 - 276+16	US 41 - NB&SB LANE	40	40	0	0	0	0
		1674+91 - 276+16	MEDIANS/CROSSOVERS	136	140	0	0	0	0
		SUBTOTALS (STAGE 3A)							
		1674+91 - 1677+50	US 41 - NB OUTSIDE	---	60	0	0	0	0
		133+88 - 169+38	US 41 - SB OUTSIDE	237	465	0	0	0	0
		133+88 - 169+38	US 41 - NB OUTSIDE	237	470	0	0	0	0
		169+38 - 184+83	US 41 - NB OUTSIDE	129	180	0	0	0	0
		169+38 - 184+83	US 41 - SB OUTSIDE	129	210	0	0	0	0
		184+83 - 241+04	US 41 - NB OUTSIDE	375	710	0	0	0	0
		184+83 - 241+04	US 41 - SB OUTSIDE	656	720	0	0	0	0
		241+04 - 255+52	US 41 - NB OUTSIDE	121	180	0	0	0	0
		241+04 - 255+52	US 41 - SB OUTSIDE	121	170	0	0	0	0
		255+52 - 264+44	US 41 - NB OUTSIDE	83	130	0	0	0	0
		255+52 - 264+44	US 41 - SB OUTSIDE	83	130	0	0	0	0
		264+44 - 274+00	US 41 - NB OUTSIDE	89	110	0	0	0	0
		274+00 - 276+16	US 41 - NB OUTSIDE	20	20	0	0	0	0
		1674+91 - 276+16	SIDERoadS	49	50	0	0	0	0
		SUBTOTALS (STAGE 3B)							
		264+44 - 274+00	US 41 - SB OUTSIDE	89	110	0	0	0	0
		274+00 - 276+16	US 41 - SB OUTSIDE	20	20	0	0	0	0
		SUBTOTALS (STAGE 3C)							
		1674+91 - 1677+50	US 41 - NB OUTSIDE	109	130	0	0	0	0
		133+88 - 169+38	US 41 - NB OUTSIDE	31	0	60	0	0	0
		133+88 - 169+38	US 41 - SB OUTSIDE	317	0	620	0	0	0
		169+38 - 184+83	US 41 - NB OUTSIDE	334	0	650	0	0	0
		169+38 - 184+83	US 41 - SB OUTSIDE	128	0	250	0	0	0
		184+83 - 241+04	US 41 - NB OUTSIDE	151	0	300	0	0	0
		184+83 - 241+04	US 41 - SB OUTSIDE	498	0	980	0	0	0
		241+04 - 255+52	US 41 - NB OUTSIDE	513	0	1,010	0	0	0
		241+04 - 255+52	US 41 - SB OUTSIDE	128	0	250	0	0	0
		255+52 - 264+44	US 41 - NB OUTSIDE	124	0	240	0	0	0
		255+52 - 264+44	US 41 - SB OUTSIDE	94	0	180	0	0	0
		264+44 - 274+00	US 41 - NB OUTSIDE	104	0	200	0	0	0
		264+44 - 274+00	US 41 - SB OUTSIDE	81	0	160	0	0	0
		274+00 - 276+16	US 41 - NB OUTSIDE	18	0	30	0	0	0
		274+00 - 276+16	SIDERoadS	35	0	70	0	0	0
		1674+91 - 276+16	SIDERoadS	35	0	70	0	0	0
		SUBTOTALS (STAGE 4A)							
		CON'T. ON NEXT PAGE							
		SUBTOTALS (STAGE 4A)							
		2,556 0 5,000 0							

ASPHALTIC ITEMS (CON'T.)

CATEGORY	STAGE	STATION - STATION	LOCATION	TACK COAT GAL	HMA PAVEMENT 4 HT 58-28 S	HMA PAVEMENT 4 SMA 58-28 V	ASPHALTIC SURFACE TON
0010	STAGE 4B	264+44 - 274+00 274+00 - 276+16	US 41 - NB OUTSIDE US 41 - NB OUTSIDE	82 14	0 0	160 30	0 0
SUBTOTALS (STAGE 4B)							
				96	0	190	0
	STAGE 4C	133+88 - 169+38 133+88 - 169+38 169+38 - 184+83 169+38 - 184+83 184+83 - 241+04 184+83 - 241+04 241+04 - 255+52 241+04 - 255+52 255+52 - 264+44 255+52 - 264+44 264+44 - 274+00 274+00 - 276+16 1674+91 - 276+16	US 41 - NB INSIDE US 41 - SB INSIDE US 41 - NB INSIDE US 41 - SB INSIDE US 41 - NB INSIDE US 41 - SB INSIDE US 41 - NB INSIDE & MEDIAN US 41 - SB INSIDE US 41 - NB INSIDE US 41 - SB INSIDE US 41 - SB INSIDE US 41 - NB&SB LANE US 41 - NB&SB LANE MEDIANS/CROSSOVERS	317 312 146 137 487 489 136 124 97 51 127 29 97	0 0 0 0 0 0 0 0 0 0 0 0 0 0	620 610 290 270 950 960 270 240 190 100 250 60 190	0 0 0 0 0 0 170 0 0 0 0 0 0 0
SUBTOTALS (STAGE 4C)							
				2,549	0	5,000	170
TOTALS							
				10,502	7,795	10,190	210

NOTES: HMA PAVEMENT (TYPE) WEIGHT CALCULATIONS ARE BASED ON 112 LB/(SY*IN)
TACK COAT WAS MEASURED AT A RATE OF 0.07 GAL/SY ON MILLED SURFACES AND 0.05 GAL/SY ON NEW SURFACES

*ADDITIONAL QUANTITIES LISTED ELSEWHERE.

Addendum No. 02
ID 1150-64-71
Revised Sheet 112
December 5, 2023

TEMPORARY MARKING LINE EPOXY 6-INCH

CATEGORY	STAGE	STATION	STATION	LOCATION	643.3170	
					(WHITE)	(YELLOW)
					LF	LF
0010	2A	152+90 - 270+83	159+50 - 273+28	RT LT	660 ---	245 ---
SUBTOTALS (STAGE 2A)					660	245
0010	2B	152+91 - 265+75	159+51 - 268+20	RT LT	660 ---	245 ---
SUBTOTALS (STAGE 2B)					0	905
TOTALS					1,810	

CONSTRUCTION STAKING ITEMS

CATEGORY	STATION - STATION	LOCATION	650.4500		650.5000		650.9920	
			CONSTRUCTION STAKING SUBGRADE	CONSTRUCTION STAKING BASE	CONSTRUCTION STAKING SLOPE	CONSTRUCTION STAKING STAKES		
			LF	LF	LF	LF	LF	
0010	1674+91 - 136+85	GUARDRAIL RT	555	555	555	555		
	169+38 - 255+52	SHOULDER LT	---	8,615	---	---		
	169+38 - 209+12	SHOULDER RT	---	3,975	---	---		
	209+12 - 213+69	GUARDRAIL RT	460	460	460	460		
	213+69 - 236+40	SHOULDER RT	---	2,270	---	---		
	241+13 - 255+52	SHOULDER RT	---	1,440	---	---		
	133+89 SB - 138+94 SB	GUARDRAIL LT	510	510	510	510		
	133+89 SB - 184+83 SB	SHOULDER RT	---	5,095	---	---		
	138+94 SB - 184+83 SB	SHOULDER LT	---	4,590	---	---		
	241+04 SB - 255+52 SB	SHOULDER LT	---	1,450	---	---		
	241+04 SB - 255+52 SB	SHOULDER RT	---	1,450	---	---		
TOTALS			1,525	30,410	1,525			

CONSTRUCTION STAKING RESURFACING REFERENCE

CATEGORY	STATION - STATION	LOCATION	650.8000	
			CONSTRUCTION STAKING SUPPLEMENTAL CONTROL	CONSTRUCTION STAKING SUPPLEMENTAL CONTROL
			LF	LF
0010	133+88.67 - 276+16.09	NB	14,230	650.9911.01
	133+88.67 SB - 262+28.80	SB	12,840	EACH
TOTAL			27,070	1

LOOP DETECTORS

CATEGORY	STATION	STATION	LOCATION	LOOP NO.	# OF TURNS	652.0800		655.0700		655.0800	
						CONDUIT	LOOP DETECTOR	CONDUIT	LOOP DETECTOR	CONDUIT	LOOP DETECTOR
						LF	LF	LF	LF	LF	LF
0010	USH 41 & CTH T (S38-0251)			12	5	92	328	468			
				21	5	---	433	---			
				22	5	77	318	393			
				52	3	92	113	284			
				61	5	---	738	---			
				62	5	77	558	393			
TOTALS						338	2,488	1,538			

Addendum No. 02
 ID 1150-64-71
 Revised Sheet 120
 December 5, 2023

PULL BOXES STEEL 12X24-INCH

CATEGORY	LOCATION	653.0105
		EACH
0010	USH 41 & CTH T (S38-0251)	2

SAWING ASPHALT

CATEGORY	STATION - STATION	LOCATION	*690.0150
			LF
0010	1674+91 - 136+85	RT	518
	209+42	RT	3
	213+69	RT	3
	1677+50 SB	LT	3
	138+94 SB	LT	3
	UNDISTRIBUTED		55
TOTALS			585

*ADDITIONAL QUANTITIES LISTED ELSEWHERE.



Proposal Schedule of Items

Proposal ID: 20231212020 Project(s): 1150-64-71

Federal ID(s): N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	390.0100 Removing Pavement for Base Patching	69.000 CY	_____.	_____.
0034	390.0405 Base Patching Concrete SHES	69.000 CY	_____.	_____.
0036	416.0610 Drilled Tie Bars	45.000 EACH	_____.	_____.
0038	416.0620 Drilled Dowel Bars	225.000 EACH	_____.	_____.
0040	455.0605 Tack Coat	10,502.000 GAL	_____.	_____.
0042	460.0115.S HMA Pavement Test Strip Volumetrics	1.000 EACH	_____.	_____.
0044	460.0120.S HMA Pavement Test Strip Density	1.000 EACH	_____.	_____.
0046	460.2000 Incentive Density HMA Pavement	11,510.000 DOL	1.00000	11,510.00
0048	460.7224 HMA Pavement 4 HT 58-28 S	7,795.000 TON	_____.	_____.
0050	460.8624 HMA Pavement 4 SMA 58-28 V	10,190.000 TON	_____.	_____.
0052	460.9000.S Material Transfer Vehicle	1.000 EACH	_____.	_____.
0054	465.0105 Asphaltic Surface	335.000 TON	_____.	_____.
0056	465.0110 Asphaltic Surface Patching	100.000 TON	_____.	_____.
0058	465.0315 Asphaltic Flumes	94.000 SY	_____.	_____.
0060	465.0520 Asphaltic Rumble Strips, Shoulder	1,036.000 LF	_____.	_____.
0062	520.1018 Apron Endwalls for Culvert Pipe 18-Inch	2.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20231212020 Project(s): 1150-64-71

Federal ID(s): N/A

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0244	655.0700 Loop Detector Lead In Cable	2,488.000 LF	_____.	_____.
0246	655.0800 Loop Detector Wire	1,538.000 LF	_____.	_____.
0248	690.0150 Sawing Asphalt	5,677.000 LF	_____.	_____.
0250	690.0250 Sawing Concrete	452.000 LF	_____.	_____.
0252	740.0440 Incentive IRI Ride	43,120.000 DOL	1.00000	43,120.00
0254	SPV.0090 Special 01. Concrete Joint and Crack Cleaning and Repair	2,055.000 LF	_____.	_____.
0256	SPV.0090 Special 02. Concrete Curb & Gutter 18-Inch Type J	3,168.000 LF	_____.	_____.
0258	204.0110 Removing Asphaltic Surface	1,135.000 SY	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.

