



Wisconsin Department of Transportation

April 29, 2024

**Division of Transportation Systems
Development**

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #16: 1146-75-81
STH 76 - New London
CTH JJ - CTH T/Givens Rd
STH 15
Outagamie County

Letting of May 14, 2024

This is Addendum No. 02, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
14	Engineered Soils, Item SPV.0035.01

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 02

1146-75-81

April 29, 2024

Special Provisions

14. Engineered Soils, Item SPV.0035.01.

*Replace subsection (2) under section titled **B Materials** with the following:*

- (2) Provide sand meeting the gradation requirements of USDA Coarse sand (0.02-0.04 inches) or ASTM C33 (fine aggregate concrete sand). The preferred sand component should come from a naturally occurring pit or borrow source and consist primarily of (>50%) SiO₂. Manufactured sand or stone dust will not be allowed. Wash the sand to remove clay and silt particles, and well drain prior to mixing.

END OF ADDENDUM