



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

January 29, 2025

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #37: 6777-00-70, WISC 2025331
CTH U – CTH F
Four Mile Creek Bridge P-49-0001
CTH WW
Portage County

Letting of February 11, 2025

This is Addendum No. 01, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
20	Asphaltic Surface

Schedule of Items:

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
465.0105	Asphaltic Surface	TON	0	214	214

Deleted Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
460.2000	Incentive Density HMA Pavement	DOL	140	-140	0
460.5223	HMA Pavement 3 LT 58-28 S	TON	101	-101	0
460.5224	HMA Pavement 4 LT 58-28 S	TON	113	-113	0

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
2	General Notes (change HMA pavement to asphaltic surface in general notes)
4	Typical Sections (change HMA pavement to asphaltic surface)
14	Miscellaneous Quantities (change HMA pavement to asphaltic surface)

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

6777-00-70

January 29, 2025

Special Provisions

20. Asphaltic Surface.

Replace standard spec 465.2 (1) with the following:

Under the Asphaltic Surface bid item submit a mix design. Furnish asphaltic mixture meeting the requirements specified for HMA Pavement Type 4 MT 58-28 S for the upper layer(s) and 3 MT 58-28 S for the lower layer(s) under standard spec 460.2; except the engineer will not require the contractor to conform to the quality management program specified under standard spec 460.2.8. Use tack coat as required under 450.3.2.7.

Schedule of Items

Attached, dated January 29, 2025, are the revised Schedule of Items Pages 1 – 5.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:
Revised: 2, 4, and 14.

END OF ADDENDUM

UTILITIES CONTACTS

ADAMS COLUMBIA ELECTRIC COOP (ACEC)
ELECTRIC
HESE KLEMETSON
401 E LAKE STREET
FRIDENSHIP, WI 53934
PHONE: (800) 832-8629
EMAIL: ACEC_WO@ACECWI.COM

WOOD COUNTY TELEPHONE (SOLARUS)
COMMUNICATIONS
DENNIS PIERCE
440 E GRAND AVE
WISCONSIN RAPIDS, WI 54494
PHONE: (715) 421-8172 (D) (715) 572-0152 (C)
EMAIL: PIERCE@SOLARUS.NET

WISCONSIN DNR LIAISON

JAY SCHIEFELBEIN
NORTHEAST REGION
625 E COUNTY RD Y STE 700
OSHKOSH, WI 54901-9731
PHONE: (920) 360-3784 (M)
EMAIL: JEREMIAH.SCHIEFELBEIN@WISCONSIN.GOV

PORTAGE COUNTY HIGHWAY DEPARTMENT

NATHAN CHECK
COUNTY HIGHWAY COMMISSIONER
800 PLOVER ROAD
HOBART, WI 54467
PHONE: (715) 345-5230 (O) (715) 630-2203
EMAIL: CHECKN@CO.PORTAGE.WI.US

DESIGN CONTACT

VINCENT DIERANGES
JT ENGINEERING, INC.
1077 CENTENNIAL CENTRE BLVD
HOBART, WI 54455
PHONE: (262) 236-9633
EMAIL: VINCE@JT-ENGINEERING.COM

ORDER OF SECTION 2 DETAIL SHEETS

GENERAL NOTES
TYPICAL SECTIONS
EROSION CONTROL
RIPRAP LAYOUT PLAN
PERMANENT SIGNING AND PAVEMENT MARKING
DETOUR PLAN

Addendum No. 01
ID 6777-00-70
Revised Sheet 2
January 29, 2025

RUNOFF COEFFICIENT TABLE

Table with columns for Land Use, Slope Range (Percent), and Hydrologic Soil Group (A, B, C, D). Rows include Land Use, Row Crops, Median Stripure, Side Slopeure, Pavement, Asphalt, Concrete, Brick, Drives, Walks, Roofs, and Gravel Roads, Shoulders.

TOTAL PROJECT AREA = 1.40 ACRES
TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES = 0.92 ACRES

PROJECT NO: 6777-00-70

HWY: CTH WW

COUNTY: PORTAGE

GENERAL NOTES

PLANT NAME:

1" = 1'

WIS007/CADD/S SHEET 42

GENERAL NOTES

THE LOCATIONS OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.

CONTRACTOR WILL BE RESPONSIBLE FOR RESHAPING, SEEDING, FERTILIZING, AND EROSION MATTING ANY PREVIOUSLY GRASSED AREAS WHICH ARE DISTURBED BY OPERATIONS, OUTSIDE OF THE NORMAL CONSTRUCTION LIMITS.

ASPHALTIC SURFACE WEIGHT CALCULATIONS ARE BASED ON 112 LBS/SY/IN.

THE CONTRACTORS TO WORK WITH UTILITY LANE AND PROTECT ALL SURVEY MARKERS. REMOVAL OF ANY SURVEY MARKER IS TO BE WITH THE APPROVAL OF THE ENGINEER.

WHEN THE QUANTITY OF THE ITEMS OF BASE AGGREGATE, SUBBASE OR ASPHALTIC SURFACE IS MEASURED FOR PAYMENT BY THE TON OR CUBIC YARD, THE DEPTH OR THICKNESS OF THE LAYERS SHOWN ON THE PLAN IS APPROXIMATE AND THE ACTUAL THICKNESS WILL DEPEND ON THE DISTRIBUTION OF THE MATERIAL AS DIRECTED BY THE ENGINEER.

EROSION CONTROL FEATURES AS SHOWN IN THE PLANS ARE AT APPROXIMATE LOCATIONS. EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S EROSION CONTROL IMPLEMENTATION PLAN (ECP) AND APPROVED BY THE ENGINEER. THE CONTRACTOR SHALL TAKE ALL NECESSARY PREVENTIVE MEASURES UNTIL SUCH A TIME AS THE ENGINEER DETERMINES THE MEASURE IS NO LONGER NECESSARY.

THE PROPOSED SHOULDER WIDTH SHOWN IN THE TYPICAL SECTIONS ARE MINIMUM WIDTHS. PERPETUATE EXISTING SHOULDER THAT ARE WIDER THAN WHAT IS SHOWN IN THE TYPICAL SECTIONS.

THE CONTRACTOR'S PAVING OPERATION SHALL BE CONSISTENT WITH THE TYPICAL SECTIONS AND CONSTRUCTED TO PREVENT LONGITUDINAL JOINTS FROM BEING LOCATED WITHIN A DRIVING, TURNING, PASSING, OR PARKING LANE.

SAWCUTS, AS SHOWN ON THE PLANS, ARE SUGGESTED LOCATIONS AND MAY BE ADJUSTED AT THE DISCRETION OF THE ENGINEER TO BETTER SUIT FIELD CONDITIONS.

PRIOR TO PLACEMENT OF BEAM GUARD THE SHOULDERS SHALL BE IN PLACE, SHAPED AND COMPACTED.

TRAFFIC CONTROL DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS DIRECTED BY THE ENGINEER.

DO NOT DRIVE OR STORE EQUIPMENT, OR STORE CONSTRUCTION MATERIALS IN ENVIRONMENTALLY SENSITIVE AREAS, WETLANDS OR WATERWAYS.

TACK COAT HAS BEEN ESTIMATED AT AN APPLICATION OF 0.05 GAL/SY/AND SHALL BE PLACED BETWEEN THE LAYERS OF ASPHALTIC SURFACE.

NO FERTILIZER WITHIN 20' OF A NAVIGABLE STREAM.

STANDARD ABBREVIATIONS

Table of standard abbreviations including ADT (Average Daily Traffic), AC (Asphalt Cement), AGG (Aggregate), ASPH (Asphalt), BM (Benchmark), etc.

PROJECT NO: 6777-00-70

HWY: CTH WW

COUNTY: PORTAGE

GENERAL NOTES

PLANT NAME:

1" = 1'

WIS007/CADD/S SHEET 42

- ① SEED, FERTILIZER TYPE B AND EROSION MAT URBAN CLASS I, TYPE B
- ② LANE WIDTH FOR EB LANE AT STA. 202+30 TO MATCH EXISTING LANE WIDTH PRIOR TO WIDENING TO TYPICAL 12-FOOT DIMENSION.



NOTE:


- * SLOPE RATIOS ARE TYPICAL WITHIN CLEAR ZONE LIMITS. FORESLOPES BEYOND CLEAR ZONE OUTSIDE OF GUARDRAIL LIMITS ARE 4:1 NORMAL WITH 2.5:1 MAX BACKSLOPE.
 - ** BEHIND GUARDRAIL, MAX FORESLOPE AND BACKSLOPE IS 2.5:1. SEE SDD "MIDWEST GUARDRAIL SYSTEM (MGS) GUARDRAIL" AND "MIDWEST GUARDRAIL SYSTEM (MGS) TERMINAL" FOR GRADING REFERENCE BEHIND GUARDRAIL SYSTEM.
- CONSTRUCT CONCRETE PAVEMENT APPROACH SLABS AND CONCRETE PAVEMENT 6-INCH FROM STATIONS 203+77.50 TO 204+07.95 AND STATIONS 204+82.26 TO 205+12.71 OVER 4" BASE AGGREGATE DENSE 1-1/4 INCH. SEE SDD 13802 FOR DETAILS.

Addendum No. 01
 ID 6777-00-70
 Revised Sheet 4
 January 29, 2025

STA 203+06.59 - STA 203+97.18
 STA 205+24.06 - STA 206+14.45

FINISHED TYPICAL SECTION
 STA 202+30 - STA 203+99.43
 STA 204+90.78 - STA 206+20

STA 202+75.56 - STA 203+66.15
 STA 204+93.03 - STA 205+83.82



HMA & CONCRETE PAVEMENT									
STA	TO	STA	SY	CONCRETE PAVEMENT APPROACH SLAB	CONCRETE PAVEMENT 6-INCH	TACK COAT	465.0105 ASPHALTIC SURFACE	455.0605 TACK COAT	TON
202+30	--	203+77	---	---	---	---	---	---	123
203+77	--	203+99	59	14	---	---	---	---	---
204+91	--	205+12	59	14	---	---	---	---	---
205+12	--	206+60	---	---	---	---	---	---	91
TOTAL			118	28	70	---	---	---	214

CULVERT PIPE									
STA	LOCATION	EACH	STEEL 18-INCH THICKNESS	INCHES	OFFSET	INV. ELEV.**	OFFSET	INV. ELEV.**	INV. ELEV.**
202+60	RT	---	---	0.064	---	---	---	---	---
202+37	RT	1	---	0.064	28.81	1049.33	---	---	---
202+83	RT	1	---	0.064	---	---	32.17	1049.13	---
TOTAL			2	46	---	---	---	---	---

*** INVERT ELEVATION IS AT THE END OF PIPE

PAVEMENT MARKING									
646.2020 MARKING LINE EPOXY 6-INCH									
STA	TO	STA	LF	REMARKS					
202+30	--	206+20	390	EDGE LINE, WHITE					
202+20	--	206+30	110	12.5' LINE, 37.5' GAP, YELLOW					
202+30	--	206+20	390	EDGE LINE, WHITE					
TOTAL			890	---					

MGS GUARDRAIL									
614.2500 MGS THRE BEAM MGS GUARDRAIL									
STA	TO	STA	LOCATION	LF	TERMINAL EAT				
202+76	---	203+68	LT	39.4	1				
203+07	---	203+99	RT	39.4	1				
204+92	---	205+84	LT	39.4	1				
205+23	---	206+14	RT	39.4	1				
TOTAL			---	157.6	4				

CONSTRUCTION STAKING									
650.5000 CONSTRUCTION STAKING PIPE CULVERTS LAYOUT B-49-198									
CAT	STA	TO	STA	LF	EACH	CONSTRUCTION STAKING SUPPLEMENTAL CONTROL 6777-00-70	CONSTRUCTION STAKING SUPPLEMENTAL CONTROL 6777-00-70	CONSTRUCTION STAKING SUPPLEMENTAL CONTROL 6777-00-70	CONSTRUCTION STAKING SUPPLEMENTAL CONTROL 6777-00-70
0010	201+35	---	203+99	264	---	---	---	---	264
0010	202+30	---	203+80	150	---	---	---	---	---
0010	202+37	---	202+83	---	1	---	---	---	---
0010	204+90	---	207+52	262	---	---	---	1	262
0010	204+90	---	206+20	130	---	---	---	---	---
0020	203+99	---	204+90	---	---	1	---	---	---
TOTAL			526	280	1	1	1	1	526

PERMANENT SIGNING									
634.0612 637.2230 638.2602 638.3000									
STA	LOCATION	EACH	4X6-INCH 12-FT REFLECTIVE SIGNS TYPE II	REFLECTIVE SIGNS TYPE II	REMOVING SMALL SIGN SUPPORTS				
203+16	LT	---	---	---	1				
203+71	RT	---	---	---	1				
205+36	LT	---	---	---	1				
205+64	RT	---	---	---	1				
203+66	LT	1	3	---	---				
203+97	RT	1	3	---	---				
204+93	LT	1	3	---	---				
204+24	RT	1	3	---	---				
TOTAL			4	12	4				

ALL ITEMS ARE CATEGORY 0010 UNLESS OTHERWISE NOTED.

Addendum No. 01
ID 6777-00-70
Revised Sheet 14
January 29, 2025



Proposal Schedule of Items

Proposal ID: 20250211037 Project(s): 6777-00-70

Federal ID(s): WISC 2025331

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	201.0205 Grubbing	3.000 STA	_____.	_____.
0004	203.0250 Removing Structure Over Waterway Remove Debris (structure) 01. P-49-001	1.000 EACH	_____.	_____.
0006	204.0165 Removing Guardrail	458.000 LF	_____.	_____.
0008	204.0180 Removing Delineators and Markers	4.000 EACH	_____.	_____.
0010	205.0100 Excavation Common	1,976.000 CY	_____.	_____.
0012	206.1001 Excavation for Structures Bridges (structure) 01. B-49-198	1.000 EACH	_____.	_____.
0014	210.1500 Backfill Structure Type A	220.000 TON	_____.	_____.
0016	213.0100 Finishing Roadway (project) 01. 6770-00-70	1.000 EACH	_____.	_____.
0018	305.0110 Base Aggregate Dense 3/4-Inch	120.000 TON	_____.	_____.
0020	305.0120 Base Aggregate Dense 1 1/4-Inch	1,100.000 TON	_____.	_____.
0022	415.0060 Concrete Pavement 6-Inch	28.000 SY	_____.	_____.
0024	415.0410 Concrete Pavement Approach Slab	118.000 SY	_____.	_____.
0026	455.0605 Tack Coat	70.000 GAL	_____.	_____.
0034	502.0100 Concrete Masonry Bridges	289.000 CY	_____.	_____.
0036	502.3200 Protective Surface Treatment	424.000 SY	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20250211037 Project(s): 6777-00-70

Federal ID(s): WISC 2025331

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0038	505.0400 Bar Steel Reinforcement HS Structures	9,080.000 LB	_____.	_____.
0040	505.0600 Bar Steel Reinforcement HS Coated Structures	52,780.000 LB	_____.	_____.
0042	513.4061 Railing Tubular Type M	260.000 LF	_____.	_____.
0044	516.0500 Rubberized Membrane Waterproofing	24.000 SY	_____.	_____.
0046	520.1018 Apron Endwalls for Culvert Pipe 18-Inch	2.000 EACH	_____.	_____.
0048	521.3118 Culvert Pipe Corrugated Steel 18-Inch	46.000 LF	_____.	_____.
0050	550.0500 Pile Points	22.000 EACH	_____.	_____.
0052	550.2128 Piling CIP Concrete 12 3/4 X 0.50-Inch	1,505.000 LF	_____.	_____.
0054	606.0050 Riprap Extra-Light	81.000 CY	_____.	_____.
0056	606.0300 Riprap Heavy	320.000 CY	_____.	_____.
0058	612.0406 Pipe Underdrain Wrapped 6-Inch	190.000 LF	_____.	_____.
0060	614.2500 MGS Thrie Beam Transition	157.600 LF	_____.	_____.
0062	614.2610 MGS Guardrail Terminal EAT	4.000 EACH	_____.	_____.
0064	619.1000 Mobilization	1.000 EACH	_____.	_____.
0066	624.0100 Water	25.000 MGAL	_____.	_____.
0068	625.0100 Topsoil	2,080.000 SY	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20250211037 Project(s): 6777-00-70

Federal ID(s): WISC 2025331

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0070	628.1504 Silt Fence	1,885.000 LF	_____.	_____.
0072	628.1520 Silt Fence Maintenance	1,885.000 LF	_____.	_____.
0074	628.1905 Mobilizations Erosion Control	5.000 EACH	_____.	_____.
0076	628.1910 Mobilizations Emergency Erosion Control	3.000 EACH	_____.	_____.
0078	628.2008 Erosion Mat Urban Class I Type B	2,425.000 SY	_____.	_____.
0080	628.6005 Turbidity Barriers	220.000 SY	_____.	_____.
0082	628.7504 Temporary Ditch Checks	80.000 LF	_____.	_____.
0084	628.7555 Culvert Pipe Checks	5.000 EACH	_____.	_____.
0086	629.0210 Fertilizer Type B	1.300 CWT	_____.	_____.
0088	630.0120 Seeding Mixture No. 20	80.000 LB	_____.	_____.
0090	630.0160 Seeding Mixture No. 60	6.000 LB	_____.	_____.
0092	630.0200 Seeding Temporary	57.000 LB	_____.	_____.
0094	630.0500 Seed Water	52.000 MGAL	_____.	_____.
0096	634.0612 Posts Wood 4x6-Inch X 12-FT	4.000 EACH	_____.	_____.
0098	637.2230 Signs Type II Reflective F	12.000 SF	_____.	_____.
0100	638.2602 Removing Signs Type II	4.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20250211037 Project(s): 6777-00-70

Federal ID(s): WISC 2025331

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0102	638.3000 Removing Small Sign Supports	4.000 EACH	_____.	_____.
0104	642.5001 Field Office Type B	1.000 EACH	_____.	_____.
0106	643.0420 Traffic Control Barricades Type III	1,692.000 DAY	_____.	_____.
0108	643.0705 Traffic Control Warning Lights Type A	2,632.000 DAY	_____.	_____.
0110	643.0900 Traffic Control Signs	7,520.000 DAY	_____.	_____.
0112	643.0920 Traffic Control Covering Signs Type II	2.000 EACH	_____.	_____.
0114	643.1050 Traffic Control Signs PCMS	14.000 DAY	_____.	_____.
0116	643.5000 Traffic Control	1.000 EACH	_____.	_____.
0118	645.0111 Geotextile Type DF Schedule A	110.000 SY	_____.	_____.
0120	645.0120 Geotextile Type HR	630.000 SY	_____.	_____.
0122	646.2020 Marking Line Epoxy 6-Inch	890.000 LF	_____.	_____.
0124	650.4500 Construction Staking Subgrade	526.000 LF	_____.	_____.
0126	650.5000 Construction Staking Base	280.000 LF	_____.	_____.
0128	650.6000 Construction Staking Pipe Culverts	1.000 EACH	_____.	_____.
0130	650.6501 Construction Staking Structure Layout (structure) 01. B-49-198	1.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20250211037 Project(s): 6777-00-70

Federal ID(s): WISC 2025331

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0132	650.9911 Construction Staking Supplemental Control (project) 01. 6777-00-70	1.000 EACH	_____.	_____.
0134	650.9920 Construction Staking Slope Stakes	526.000 LF	_____.	_____.
0136	690.0150 Sawing Asphalt	112.000 LF	_____.	_____.
0138	715.0502 Incentive Strength Concrete Structures	1,734.000 DOL	1.00000	1,734.00
0140	715.0720 Incentive Compressive Strength Concrete Pavement	500.000 DOL	1.00000	500.00
0142	ASP.1T0A On-the-Job Training Apprentice at \$5.00/HR	300.000 HRS	5.00000	1,500.00
0144	ASP.1T0G On-the-Job Training Graduate at \$5.00/HR	600.000 HRS	5.00000	3,000.00
0146	SPV.0060 Special 01. Temporary Stream Diversion	1.000 EACH	_____.	_____.
0148	SPV.0090 Special 01. Flashing Stainless Steel	183.000 LF	_____.	_____.
0150	465.0105 Asphaltic Surface	214.000 TON	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.

