



Wisconsin Department of Transportation

August 7, 2025

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #15: 1053-07-61
Wausau - Wittenberg
CTH Q to Bass Lake Road, WB
STH 29
Marathon County

Letting of August 12, 2025

This is Addendum No. 02, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
33	Concrete Joint and Crack Cleaning and Repair, Item SPV.0090.01

Deleted Special Provisions	
Article No.	Description
30	Concrete Joint and Crack Cleaning and Repair, Item SPV.0170.01

Schedule of Items:

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
SPV.0090.01	Concrete Joint and Crack Cleaning and Repair	LF	0	230	230

Deleted Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
SPV.0170.01	Concrete Joint and Crack Cleaning and Repair	STA	11	-11	0

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
16	Construction Details (revised detail sub-title)
68	Miscellaneous Quantities (switched bid item for Concrete Joint and Crack Cleaning and Repair)

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 02

1053-07-61

August 7, 2025

Special Provisions

30. DELETED

33. Concrete Joint and Crack Cleaning and Repair, Item SPV.0090.01.

A Description

This special provision describes removing loose or spalled concrete and asphalt patching, cleaning joints and cracks, and filling with asphaltic surface.

B Materials

Furnish asphaltic mixture as specified for asphaltic surface under standard spec 465.2.

Furnish tack coat as specified for tack coat under standard spec 455.2.5.

C Construction

Prepare the existing concrete per standard spec 211.3.5.4 and as indicated in the plans. Blow out repair areas with 80 psi minimum compressed air immediately prior to applying tack coat. Compact the asphalt mixture per standard spec 450.3.2.6.1 with a rubber-tired roller.

D Measurement

The department will measure Concrete Joint and Crack Cleaning and Repair by the linear foot, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090.01	Concrete Joint and Crack Cleaning and Repair	LF

Payment is full compensation for removing and disposing of all loose or spalled concrete and asphalt patching; for cleaning joints and cracks; for furnishing asphaltic materials for filling joints and cracks including asphaltic surface; and tack coat.

Schedule of Items

Attached, dated August 7, 2025, are the revised Schedule of Items Page 10.

Plan Sheets


The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 16, 69


END OF ADDENDUM

NOTES:

- ① REMOVE LOOSE OR SPALLED CONCRETE AND ASPHALT PATCHING
 - ② EXISTING CONCRETE SHOULDER 6-FOOT OR LESS INCLUDED IN REPAIR AREA OF ADJACENT LANE
- ASPHALTIC SURFACE
EXISTING CONCRETE PAVEMENT
EXISTING BASE COURSE



PLAN VIEW



SECTION A-A

SECTION B-B

CONCRETE JOINT AND CRACK CLEANING AND REPAIR
LOCATIONS AND LIMITS DETERMINED BY THE ENGINEER IN THE FIELD

Addendum No. 02
ID 1053-07-61
Revised Sheet 16
August 7, 2025

PROJECT NO: 1053-07-61

HWY: STH 29

COUNTY: MARATHON

CONSTRUCTION DETAILS

SHEET 16

E

FILE NAME: W:\10530731\SHEETS\02\001-CD.DWG
LAYOUT NAME: 021008-CD

PLOT DATE: 8/6/2025 9:43 AM

PLOT BY: KYLE MAROSZEK

PLOT SCALE: 1:30

WISDOT/CAD05 SHEET 42

Addendum No. 02
ID 1053-07-61
Revised Sheet 69
August 7, 2025

PROJECT NO: 1053-07-61															SHEET 69															E																																																																																																																																																																																																																																									
FILE NAME: W:\10530731\SHEETS\030201-MQ.DWG															PLOT NAME: KYLE MAROSZEK															PLOT SCALE: 1" = 1'																																																																																																																																																																																																																																									
LAYOUT NAME: -02															PLOT DATE: 8/6/2025 10:38 AM																																																																																																																																																																																																																																																								
COUNTY: MARATHON															HWY: STH 29																																																																																																																																																																																																																																																								
*ADDITIONAL QUANTITIES LISTED ELSEWHERE															*ADDITIONAL QUANTITIES LISTED ELSEWHERE																																																																																																																																																																																																																																																								
CATEGORY	STATION	TO	STATION	LOCATION	BASE AGGREGATE DENSE 1 1/4-INCH TON	ROUT AND SEAL LF	DRILLED TIE BARS EACH	DRILLED DOWEL BARS EACH	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE REPAIR SY	CONCRETE PAVEMENT CONCRETE RE



Proposal Schedule of Items

Page 10 of 10

Proposal ID: 20250812015 Project(s): 1053-07-61

Federal ID(s): N/A

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0274	650.5500 Construction Staking Curb Gutter and Curb & Gutter	900.000 LF	_____.	_____.
0276	650.8000 Construction Staking Resurfacing Reference	28,710.000 LF	_____.	_____.
0278	650.9000 Construction Staking Curb Ramps	5.000 EACH	_____.	_____.
0280	650.9911 Construction Staking Supplemental Control (project) 01. 1053-07-61	1.000 EACH	_____.	_____.
0282	690.0150 Sawing Asphalt	40.000 LF	_____.	_____.
0284	690.0250 Sawing Concrete	7,500.000 LF	_____.	_____.
0286	SPV.0060 Special 01. Connect to Existing	3.000 EACH	_____.	_____.
0288	SPV.0060 Special 02. Removing Raised Pavement Markers and Filling Voids	240.000 EACH	_____.	_____.
0292	SPV.0180 Special 01. Removing Distressed Asphaltic Surface Milling	1,400.000 SY	_____.	_____.
0294	SPV.0180 Special 02. Concrete Pavement Repair - Centerline	120.000 SY	_____.	_____.
0296	608.3618 Storm Sewer Pipe Class III-B 18-Inch	756.000 LF	_____.	_____.
0298	SPV.0090 Special 01. Concrete Joint and Crack Cleaning and Repair	230.000 LF	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.