

WIS
PROJECT ID:
WITH: N/A

1520-01-60

COUNTY:
PORTAGE & WOOD

JANUARY 2026

ORDER OF SHEETS

Section No.	1	Title
Section No.	2	Typical Sections and Details
Section No.	3	Estimate of Quantities
Section No.	3	Miscellaneous Quantities
Section No.	4	Right of Way Plat
Section No.	5	Plan and Profile
Section No.	6	Standard Detail Drawings
Section No.	7	Sign Plates
Section No.	8	Structure Plans
Section No.	9	Computer Earthwork Data
Section No.	9	Gross Sections

TOTAL SHEETS = 272



DESIGN DESIGNATION

A.A.D.T.	(2028)	=	10,710
A.A.D.T.	(2048)	=	10,710
D.H.V.		=	
D.D.		=	
T.		=	13.3%
DESIGN SPEED		=	70 MPH
ESALS		=	3,250,000 (PCC)

CONVENTIONAL SYMBOLS

PLAN	
CORPORATE LIMITS	
PROPERTY LINE	
LOT LINE	
LIMITED HIGHWAY EASEMENT	
EXISTING RIGHT OF WAY	
PROPOSED OR NEW R/W LINE	
SLOPE INTERCEPT	
REFERENCE LINE	
EXISTING CULVERT	
PROPOSED CULVERT (Box or Pipe)	
COMBUSTIBLE FLUIDS	
MARSH AREA	
WOODED OR SHRUB AREA	

PROFILE	
GRADE LINE	
ORIGINAL GROUND	
MARSH OR ROCK PROFILE (To be noted as such)	
SPECIAL DITCH	
GRADE ELEVATION	

GENERAL NOTES

THE LOCATIONS OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.

WHEN THE QUANTITY OF THE ITEM OF BASE AGGREGATE DENSE OR HMA PAVEMENT IS MEASURED FOR PAYMENT BY THE TON, THE THICKNESS SHOWN ON THE PLAN IS APPROXIMATE. THE ACTUAL THICKNESS WILL DEPEND ON THE DISTRIBUTION OF THE MATERIAL AS DIRECTED BY THE ENGINEER IN THE FIELD.

ALL CURB RADII ARE MEASURED TO FLANGELINE.

ORDER OF SECTION 2 SHEETS

GENERAL NOTES

PROJECT OVERVIEW

TYPICAL SECTIONS

CONSTRUCTION DETAILS

CURB RAMP DETAILS

PAVEMENT MARKING

TRAFFIC CONTROL

DESIGN CONTACTS

DEPARTMENT OF NATURAL RESOURCES
ATTN: JAY SCHIEFELBEIN
2984 SHAWANO AVE
GREEN BAY, WI 54313
OFFICE: 920.360.3784
EMAIL: jeremiah.schiefelbein@wisconsin.gov

UTILITIES

AT&T WISCONSIN - COMMUNICATION LINE
ATTN: CHUCK BARTELT
70 E DIVISION STREET
FOND DU LAC, WI 54935
PHONE: 920.410.5104
EMAIL: cb1461@att.com

ATC MANAGEMENT, INC. - ELECTRICITY-TRANSMISSION
ATTN: DOUG VOSBERG
2489 RINDEN ROAD
COTTAGE GROVE, WI 53527
PHONE: 608.877.7650
EMAIL: dvosberg@atcllc.com

BIRON MUN WATER UTILITY - SEWER/WATER
ATTN: KAYLA LUMAYE
451 KAHOUN RD
WISCONSIN RAPIDS, WI 54494
PHONE: 715.323.2001
EMAIL: publicworks@biron.wi.gov

CITY OF WISCONSIN RAPIDS - SEWER
ATTN: JOE EICHSTEADT
444 W GRAND AVE
WISCONSIN RAPIDS, WI 54495
PHONE: 715.421.8251
EMAIL: jeichsteadt@wirapids.org

CONSOLIDATED WATER POWER COMPANY - ELECTRICITY
ATTN: DAVID STRAKA
610 HIGH ST
WISCONSIN RAPIDS, WI 54495
PHONE: 715.459.2986
EMAIL: david.straka@billerud.com

FLINT HILLS RESOURCES, LLC - GAS/PETROLEUM
ATTN: STEVE DOUCETTE
2267 COUNTY ROAD HH
JUNCTION CITY, WI 54727
PHONE: 715.318.0654
EMAIL: steve.doucette@fhr.com

NET LEC LLC - COMMUNICATION LINE
ATTN: RICK VINCENT
470 SECURITY BLVD
GREEN BAY, WI 54313
PHONE: 920.617.7316
EMAIL: rick.vincent@nsight.com

SOLARUS - COMMUNICATION LINE
ATTN: DENNIS PIERCE
440 E GRAND AVE
WISCONSIN RAPIDS, WI 54494
PHONE: 715.421.8172
EMAIL: pierce@solarus.net

SPECTRUM - COMMUNICATION LINE
ATTN: PAUL GROVE
5024 HEFFRON STREET
STEVENS POINT, WI 54481
PHONE: 920.979.2660
EMAIL: paul.grove@charter.com

VILLAGE OF PLOVER - SEWER
ATTN: LYLE LUTZ
PO BOX 37
PLOVER, WI 54467
PHONE: 715.345.5259
EMAIL: LLutz@ploverwi.gov

VILLAGE OF PLOVER - WATER
ATTN: MATT SALOUN
PO BOX 37
PLOVER, WI 54467
PHONE: 715.345.5254
EMAIL: msaloun@ploverwi.gov

WISCONSIN RAPIDS WATER WORKS AND LIGHT COMMISSION - ELECTRICITY
ATTN: JACOB JOHNSON
221 16TH ST. SOUTH
WISCONSIN RAPIDS, WI 54495
PHONE: 715.423.6328
EMAIL: Jacob.johnson@wrwwlc.com

WISCONSIN RAPIDS WATER WORKS AND LIGHT COMMISSION - WATER
ATTN: ADAM BREUNIG
221 16TH ST. SOUTH
WISCONSIN RAPIDS, WI 54495
P.O. BOX 399
PHONE: 715.423.6330
EMAIL: adam.breunig@wrwwlc.com

WISCONSIN PUBLIC SERVICE CORPORATION - ELECTRICITY
ATTN: KOREY KONIETZKI
1700 SHERMAN ST
WAUSAU, WI 54401
PHONE: 715.848.7315
EMAIL: korey.konietzki@wisconsinpublicservice.com

WISCONSIN PUBLIC SERVICE CORPORATION - GAS/PETROLEUM
ATTN: SHANE SARKKINEN
1700 SHERMAN ST
WAUSAU, WI 54402
PHONE: 715.848.7387
EMAIL: shane.sarkkinen@wisconsinpublicservice.com

WE ENERGIES - GAS/PETROLEUM
ATTN: LARRY KOCH
1921 8TH STREET SOUTH
WISCONSIN RAPIDS, WI 54494
PHONE: 715.421.7249
EMAIL: Larry.Koch@we-energies.com


RUNOFF COEFFICIENT TABLE


	HYDROLOGIC SOIL GROUP											
	A			B			C			D		
	SLOPE RANGE (PERCENT)			SLOPE RANGE (PERCENT)			SLOPE RANGE (PERCENT)			SLOPE RANGE (PERCENT)		
LAND USE:	0-2	2-6	6 & OVER	0-2	2-6	6 & OVER	0-2	2-6	6 & OVER	0-2	2-6	6 & OVER
ROW CROPS	.08	.16	.22	.12	.20	.27	.15	.24	.33	.19	.28	.38
	.22	.30	.38	.26	.34	.44	.30	.37	.50	.34	.41	.56
MEDIAN STRIP-TURF	.19	.20	.24	.19	.22	.26	.20	.23	.30	.20	.25	.30
	.24	.26	.30	.25	.28	.33	.26	.30	.37	.27	.32	.40
SIDE SLOPE-TURF			.25			.27			.28			.30
			.32			.34			.36			.38
PAVEMENT:												
ASPHALT						.70 - .95						
CONCRETE						.80 - .95						
BRICK						.70 - .80						
DRIVES, WALKS						.75 - .85						
ROOFS						.75 - .95						
GRAVEL ROADS, SHOULDERS						.40 - .60						

TOTAL PROJECT AREA = 317.58 ACRES
TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES = 0.40 ACRES




Dial 811 or (800)242-8511
www.DiggersHotline.com






EXISTING TYPICAL SECTION
STA 208+47.50 - STA 289+00
STA 814+70 - STA 894+17.00




EXISTING TYPICAL SECTION
STA 289+00 - STA 322+81




EXISTING TYPICAL SECTION
WESTBOUND
STA 347+12 - STA 814+70


KEYNOTE:
◇ DEDICATED RIGHT/LEFT TURN LANES ARE
9" CONCRETE PAVEMENT, VARIES 10'-12'





EXISTING TYPICAL SECTION
STA 911+11.50 - STA 915+92.50



FINISHED TYPICAL SECTION
STA 208+47.50 - STA 289+00
STA 814+70 - STA 894+17.00




FINISHED TYPICAL SECTION
STA 289+00 - STA 322+81




KEYNOTE:

⬠ DEDICATED RIGHT/LEFT TURN LANES ARE 9" CONCRETE PAVEMENT, VARIES 10'-12'. REMOVING ASPHALTIC SURFACE MILLING NOT REQUIRED, SEE PLANS FOR MORE INFORMATION.





FINISHED TYPICAL SECTION
WESTBOUND
STA 347+12 - STA 814+70


KEYNOTE:
◇ DEDICATED RIGHT/LEFT TURN LANES ARE 9" CONCRETE PAVEMENT, VARIES 10'-12'. REMOVING ASPHALTIC SURFACE MILLING NOT REQUIRED, SEE PLANS FOR MORE INFORMATION.




FINISHED TYPICAL SECTION
STA 911+11.50 - STA 915+92.50




BUTT JOINT DETAIL FOR ASPHALTIC PAVEMENTS (NO PROFILE CHANGE)




EROSION MAT URBAN AT CURB RAMPS / CURB REPLACEMENT / SIDEWALK REPLACEMENT DETAIL




INLET ADJUSTMENT/RECONSTRUCTING DETAIL






CONCRETE CURB AND GUTTER REPLACEMENT DETAIL




ROUT AND SEAL DETAIL




NOTES:
REINSTALL SALVAGED EXISTING MANHOLE COVER
IN CENTER OF TRAVEL LANE AND CENTERED OVER
EXISTING SANITARY MANHOLE.

RECONSTRUCTING MANHOLE



RURAL SIDEWALK / SHARED-USE PATH CROSSING WITH DETECTABLE WARNING FIELD


GRANT AVE



NOTES:
* CONNECT DIAMOND GRINDING OPERATIONS AT LOCATIONS WHERE CONSECUTIVE JOINTS ARE BEING REPAIRED AND THE DISTANCE IS LESS THAN OR EQUAL TO 10 FEET.




CONCRETE PAVEMENT REPAIR OR REPLACEMENT AREA (SY)



CONTINUOUS DIAMOND GRINDING CONCRETE PAVEMENT (SY)

L = LENGTH OF REPAIR OR REPLACEMENT SHOWN ELSEWHERE IN PLANS

DIAMOND GRINDING LIMITS DETAIL



NOTES:

CONTRACTOR TO FIELD VERIFY ELEVATIONS, GRADES, SLOPES, LENGTHS, AND MATCH POINTS PRIOR TO CURB RAMP AND SIDEWALK CONSTRUCTION.

THE ENGINEER MAY ADJUST ELEVATIONS TO FIT FIELD CONSTRUCTION.

REFER TO STANDARD DETAIL DRAWINGS "CURB RAMPS" FOR JOINT LOCATIONS AND COMPLETE CURB RAMP REQUIREMENTS.


CURB RAMP TAPERS TO BE GRASS (UNPAVED NON-TRAVERSABLE).

ALL STATION AND OFFSET INFORMATION REFERENCE STH 54 R/L.

ALL CURB RADII MEASURED TO FLANGELINE.


- LEGEND**
- 1 CONCRETE CURB RAMP TYPE 1
 - 1A CONCRETE CURB RAMP TYPE 1A
 - 3 CONCRETE CURB RAMP TYPE 3
 - 4B1 CONCRETE CURB RAMP TYPE 4B1
 - 5 CONCRETE CURB RAMP TYPE 5
 - 6 CONCRETE CURB RAMP TYPE 6
 - 7B CONCRETE CURB RAMP TYPE 7B
 - TOP TOPSOIL
 - SW4 CONCRETE SIDEWALK 4-INCH
 - SW6 CONCRETE SIDEWALK 6-INCH
 - * LEVEL LANDING


CURB RAMP 01 DATA TABLE					
NUMBER	STATION	OFFSET	ELEVATION	NORTHING	EASTING
1.01	208+07.54	30.33	1034.88	159964.22	107924.22
1.02	208+10.10	32.15	1034.79	159964.31	107927.34
1.03	208+08.55	34.13	1034.74	159961.81	107927.32
1.04	208+02.49	34.13	1035.13	159958.16	107922.55
1.05	207+97.44	34.13	1035.23	159955.13	107918.58
1.06	207+92.39	34.11	1035.43	159952.09	107914.61
1.07	207+87.33	34.09	1035.63	159949.05	107910.64
1.08	207+82.28	34.03	1035.82	159946.05	107906.64
1.09	207+82.25	38.92	1035.93	159942.16	107909.62
1.10	207+87.31	39.09	1035.69	159945.08	107913.68
1.11	207+92.37	39.11	1035.47	159948.12	107917.65
1.12	207+97.43	39.13	1035.24	159951.16	107921.62
1.13	208+				




CURB RAMP 03 DATA TABLE					
NUMBER	STATION	OFFSET	ELEVATION	NORTHING	EASTING
3.01	209+16.26	-25.24	1036.05	160087.79	107961.00
3.02	209+19.24	-25.23	1036.04	160089.52	107963.45
3.03	209+19.25	-27.74	1035.99	160091.57	107962.00
3.04	209+19.26	-34.31	1036.45	160096.93	107958.19
3.05	209+14.31	-34.34	1036.58	160094.04	107954.11
3.06	209+09.36	-34.25	1036.70	160091.06	107950.09
3.07	209+09.40	-39.26	1036.85	160095.15	107947.20
3.08	209+14.34	-39.34	1036.68	160098.13	107951.23
3.09	209+19.28	-39.31	1036.50	160101.01	107955.31
3.10	209+24.22	-39.30	1036.47	160103.90	107959.39
3.11	209+29.16	-39.29	1036.60	160106.78	107963.47
3.12	209+34.11	-39.03	1036.74	160109.46	107967.70
3.13	209+34.11	-34.20	1036.59	160105.52	107970.49
3.14	209+29.16	-34.29	1036.52	160102.70	107966.36
3.15	209+24.21	-34.30	1036.45	160099.81	107962.28
3.16	209+24.21	-27.74	1035.99	160094.47	107966.07
3.17	209+24.20	-25.20	1036.04	160092.40	107967.54
3.18	209+27.16	-25.19	1036.03	160094.11	107969.97


CURB RAMP 61 DATA TABLE			
-------------------------	--	--	--








CURB RAMP 06 DATA TABLE					
NUMBER	STATION	OFFSET	ELEVATION	NORTHING	EASTING
6.01	231+96.17	-40.33	1038.25	161025.11	110040.23
6.02	231+92.73	-36.87	1037.84	161020.64	110038.28
6.03	231+91.06	-38.73	1037.79	161021.77	110036.05
6.04	231+87.35	-43.45	1038.21	161024.81	110030.87
6.05	231+92.37	-48.70	1038.36	161031.53	110033.65
6.06	231+97.46	-57.31	1038.49	161041.41	110035.26
6.07	231+93.16	-59.85	1038.62	161042.21	110030.32
6.08	231+88.07	-51.24	1038.36	161032.33	110028.71
6.09	231+84.25	-47.37	1038.25	161027.34	110026.56
6.10	231+80.33	-44.28	1038.27	161023.03	110024.03
6.11	231+75.71	-40.64	1038.33	161017.96	110021.05
6.12	231+69.63	-38.50	1038.27	161013.75	110016.17
6.13	231+59.99	-38.30	1038.74	161010.06	110007.27
6.14	231+60.10	-33.39	1038.67	161005.53	110009.16
6.15	231+69.68	-33.59	1038.21	161009.20	110018.01
6.16	231+78.80	-36.71	1038.31	161015.43	110025.36
6.17	231+83.42	-40.35	1038.25	161020.50	110028.34
6.18	231+87.13	-35.64	1037.83	161017.46	110033.52
6.19	231+88.56	-33.58			











LEGEND

- 1 CONCRETE CURB RAMP TYPE 1
- 1A CONCRETE CURB RAMP TYPE 1A
- 3 CONCRETE CURB RAMP TYPE 3
- 4B1 CONCRETE CURB RAMP TYPE 4B1
- 5 CONCRETE CURB RAMP TYPE 5
- 6 CONCRETE CURB RAMP TYPE 6
- 7B CONCRETE CURB RAMP TYPE 7B
- TOP TOPSOIL
- SW4 CONCRETE SIDEWALK 4-INCH
- SW6 CONCRETE SIDEWALK 6-INCH
- * LEVEL LANDING

NOTES:

CONTRACTOR TO FIELD VERIFY ELEVATIONS, GRADES, SLOPES, LENGTHS, AND MATCH POINTS PRIOR TO CURB RAMP AND SIDEWALK CONSTRUCTION.

THE ENGINEER MAY ADJUST ELEVATIONS TO FIT FIELD CONSTRUCTION.


REFER TO STANDARD DETAIL DRAWINGS "CURB RAMPS" FOR JOINT LOCATIONS AND COMPLETE CURB RAMP REQUIREMENTS.

CURB RAMP TAPERS TO BE GRASS (UNPAVED NON-TRAVERSABLE).


ALL STATION AND OFFSET INFORMATION REFERENCE STH 54 R/L.

ALL CURB RADII MEASURED TO FLANGELINE.

CURB RAMP 25 DATA TABLE					
NUMBER	STATION	OFFSET	ELEVATION	NORTHING	EASTING
25.01	831+63.27	-24.05	1070.14	177566.93	167207.37
25.02	831+66.27	-24.06	1070.15	177566.94	167210.37
25.03	831+66.27	-26.56	1070.10	177569.44	167210.36
25.04	831+66.26	-34.19	1070.63	177577.07	167210.34
25.05	831+58.76	-34.23	1070.72	177577.10	167202.84
25.06	831+58.76	-43.83	1071.01	177586.70	167202.82
25.07	831+66.26	-43.79	1070.75	177586.67	167210.32
25.08	831+71.26	-43.70	1070.78	177586.59	167215.32
25.09	831+78.76	-43.66	1070.89	177586.57	167222.82
25.10	831+78.76	-34.07	1070.73	177576.97	167222.84
25.11	831+71.26	-34.11	1070.64	177577.00	167215.34
25.12	831+71.27	-26.56	1070.11	177569.45	167215.36
25.13	831+71.27	-24.06	1070.16	177566.95	




LEGEND		LEGEND (CONT'D)	
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY		EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
EPOXY		GWRE	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE		GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
GWRE		EPOXY	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)
GWRE		EPOXY	



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.

PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.


LEGEND		LEGEND (CONT'D)	
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY		EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
EPOXY		GWRE	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE		GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
GWRE		EPOXY	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)
GWRE		EPOXY	



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.

PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.


LEGEND		LEGEND (CONT'D)	
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY		EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
EPOXY		GWRE	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE		GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
GWRE		EPOXY	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)
GWRE		EPOXY	



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.

PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.


LEGEND		LEGEND (CONT'D)	
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY		EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
EPOXY		GWRE	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE		GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
GWRE		EPOXY	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)
GWRE		EPOXY	



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.

PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.


LEGEND		LEGEND (CONT'D)	
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY		EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
EPOXY		GWRE	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE		GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
GWRE		EPOXY	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)
GWRE		EPOXY	



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.


PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.


LEGEND		LEGEND (CONT'D)	
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY		EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
EPOXY		GWRE	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE		GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
GWRE		EPOXY	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)
GWRE		EPOXY	



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.


PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.






NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR MORE INFORMATION.
PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW) REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.
MATCH ALL EXISTING RADII FOR CURVED PAVEMENT MARKINGS.

LEGEND		LEGEND (CONT'D)		*LEGEND (CONT'D)		
ARROW	MARKING ARROW EPOXY (WHITE)	STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)	MYC	MARKING CHEVRON EPOXY 12-INCH (YELLOW)	
EPOXY		EPOXY		EPOXY		
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)	WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)	WS3-9	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP) (3' SEG., 9' GAP)	
EPOXY		GWRE		GWRE		
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)	YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)	YIELD	MARKING YIELD LINE EPOXY 18-INCH (WHITE)	
GWRE		GWRE		EPOXY		
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)	NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)			
GWRE		EPOXY				
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)	CURB	MARKING CURB EPOXY (YELLOW)			
GWRE		EPOXY				



NOTES:
PAVEMENT MARKING IS SHOWN FOR INFORMATIONAL
PURPOSES ONLY. SEE STANDARD DETAIL DRAWINGS FOR
MORE INFORMATION.

PAVEMENT MARKING ISLAND NOSE EPOXY (YELLOW)
REQUIRED AT ALL SLOPED NOSE MEDIAN ISLANDS.
PAVEMENT MARKING CURB EPOXY (YELLOW) REQUIRED
AT ALL SLOPED AND BLUNT NOSE MEDIAN ISLANDS.



LEGEND	
ARROW	MARKING ARROW EPOXY (WHITE)
EPOXY	
CW6	MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH (WHITE)
EPOXY	
MW6	MARKING LINE GROOVED WET REF 6-INCH (WHITE)
GWRE	
MW10	MARKING LINE GROOVED WET REF 10-INCH (WHITE)
GWRE	
MY6	MARKING LINE GROOVED WET REF 6-INCH (YELLOW)
GWRE	

LEGEND (CONT'D)	
STOP	MARKING STOP LINE EPOXY 18-INCH (WHITE)
EPOXY	
WS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (WHITE SKIP W/ BLACK LAG SKIP) (25' SEG., 25' GAP)
GWRE	
YS6-12.5	MARKING LINE GROOVED WET REF 6-INCH (YELLOW SKIP) (12.5' SEG., 375.5' GAP)
GWRE	
NOSE	MARKING ISLAND NOSE EPOXY (YELLOW)
EPOXY	
CURB	MARKING CURB EPOXY (YELLOW)
EPOXY	

