

Table of Contents

PART 1 General Requirements and Covenants

Section 101 General Information, Definitions, and Terms	2
Section 102 Bidding Requirements and Conditions	10
Revise 102.5(1) to require prospective bidders to notify the department if discovering an error or omission.	
Section 103 Contract Award and Execution	15
Section 104 Scope of Work	17
Revise 104.6.1 to expand flagging, add drop-off protection, and add pedestrian facility requirements.	
Revise 104.10.2(2) to change the department's CRI review from 5 to 10 business days. This change was implemented in ASP 6 effective with the July 2019 letting.	
Section 105 Control of the Work	27
Revise 105.11.2.1.3(1) to relieve the contractor of maintenance responsibility at substantial completion.	
Revise 105.13.3(1) to require claim submittal within the time allowed for responding to the semi-final estimate.	
Section 106 Control of Materials	35
Revise 106.3.4.2.2.1 to specify source approval dates and, for aggregate used in concrete, lightweight pieces testing.	
Section 107 Legal Relations and Responsibility to the Public	41
Revise 107.14 to clarify contractor responsible for damage done by public traffic and to relieve the contractor of responsibility for damage from bridge hits. This change was implemented in ASP 6 effective with the June 2019 letting.	
Revise 107.17.1(7) to require electronic submittal of shop drawings as PDF files. This change was implemented in ASP 6 effective with the December 2018 letting.	
Section 108 Prosecution and Progress	50
Revise 108.11(3) to update liquidated damages based on analysis of fiscal 2018 data.	
Section 109 Measurement and Payment	62
Revise 109.1.1 to eliminate the department's use bid items designated as pay plan quantity. This change was implemented in ASP 6 effective with the January 2019 letting.	
Revise 109.1.4(1) to specify daily weigh tickets for each load as work is completed.	

PART 2 Earthwork

Section 201 Clearing and Grubbing	72
Section 202 Roadside Clearing	75
Section 203 Removing Old Culverts and Bridges	76
Section 204 Removing or Abandoning Miscellaneous Structures	79
Section 205 Roadway and Drainage Excavation	85
Revise 205.5.2 to clarify payment for excavation and add provisions for EBS overruns. This change was implemented in ASP 6 effective with the April 2019 letting.	
Section 206 Excavation for Structures	93
Section 207 Embankment	98
Section 208 Borrow	101
Section 209 Granular Backfill	104
Revise 209.4.1(3) to reference general aggregate ticket requirements in 109.1.4.2.	
Section 210 Structure Backfill	106
Revise 210.4(3) to reference general aggregate ticket requirements in 109.1.4.2.	
Section 211 Preparing the Foundation	108
Section 213 Finishing Roadway	112
Section 214 Obliterating Old Road	114

PART 3 Bases, Subbases, and Subgrade Aggregates

Section 301 Base, Subbase, and Subgrade Aggregate	117
Revise 301.2.4.5(1) to add a freeze-thaw testing requirement for recycled concrete from outside of project limits.	
Revise 301.4(1) to reference general aggregate ticket requirements in 109.1.4.2.	

Section 305 Dense-Graded Base	123
Revise 305.2.1(2) to allow virgin aggregate above reclaimed asphalt, reprocessed, or blended materials in shoulders adjacent to concrete pavement. This change was implemented in ASP 6 effective with the December 2018 letting.	
Section 310 Open-Graded Base	126
Section 311 Breaker Run	127
Section 312 Select Crushed Material	128
Section 313 Pit Run	129
Section 315 Asphaltic Base	130
Section 320 Concrete Base	131
Section 325 Pulverized and Re-laid Pavement	133
Revise 325.3(5) to require daily shoulder grading for drainage during pulverizing and relaying operations.	
Section 330 Milled and Re-laid Pavement	134
Section 335 Rubblized Pavement	135
Section 340 Cracked and Sealed Pavement	137
Section 350 Subbase	138
Section 390 Base Patching	140
Revise 390.4(1) to specify asphaltic base patching measurement by the ton as specified for asphaltic pavement.	

PART 4 Pavements

Section 405 Coloring and Stamping Concrete	143
Section 415 Concrete Pavement	146
Revise 415.3.16.3(1) to specify clearance from steel embedments when locating thickness test plates.	
Section 416 Concrete Pavement - Appurtenant Construction	157
Section 420 Diamond Grinding	162
Revise 420.3.2 to define effective wheelbase under the contract and allow shorter grinders for urban work. This change was implemented in ASP 6 effective with the December 2018 letting.	
Section 450 General Requirements for Asphaltic Pavements	164
Revise 450.3.1.1.4(2) to require daily submission of weigh tickets.	
Revise 450.3.1.4 to define paver requirements when paving shoulders integrally.	
Revise 450.3.2.8 define construction requirements of notched wedge joints.	
Revise 450.3.2.10 to include requirements for integrally-paved shoulders.	
Revise 450.4(1) to require load tickets as specified for recording truck loads in 450.3.1.1.4.	
Add 450.4(2) to specify measurement calculation for integrally-paved shoulders the plans do not specify.	
Revise 450.5.1 to specify payment for integrally-paved shoulders the plans do not specify.	
Section 455 Asphaltic Materials	172
Revise 455.2.4.3(2) to require the contractor to state the emulsion dilution percentage on the bill of lading. This change was implemented in ASP 6 effective with the December 2018 letting.	
Revise 455.3.2.1(3) to require paving within 72 hours after tacking for lanes closed to traffic.	
Revise 455.3.2.5 to define tack coat maintenance and corresponding corrective action.	
Add 455.3.2.6 to define nonconforming tack coat and corresponding corrective action.	
Section 460 Hot Mix Asphalt Pavement	176
Revise 460.2.1 to specify target air voids for SMA mix designs.	
Revise 460.2.2.1(2) to specify the test method for clay lumps and friable particles in aggregate.	
Add 460.2.2.1(3) to specify AASHTO material and testing requirements for mineral filler.	
Revise Table 460-1 to revise the SMA aggregate gradation ranges and VMA requirements.	
Revise 460.2.4.3 to require cellulose fibers in SMA mixes and define fiber quality and distribution system.	
Revise 460.2.5(2) to add footnote 2 specifying the maximum percent binder replacement for SMA mixes.	
Revise 460.2.7(1) to specify the design methods, test procedures, and mixture requirements for SMA mix designs.	
Revise table 460-2 to remove ESALs, include clay lumps & friable particles, include plasticity index of mineral filler, and specify SMA asphalt content for TSR testing.	
Revise 460.2.8.2.1.3.1(4) to define methods for determining blended aggregate gradations and asphalt content.	

Revise 460.2.8.2.1.3.1(5) to specify exact tonnage rather than minimum tonnage increments for mixture testing.
Revise 460.2.8.2.1.3.3 to base waiving QC testing on tons per bid item and delete connection to waiving density testing.
Revise 460.2.8.2.1.7(7) to specify additional corrective action criteria for SMA mixtures.
Revise 460.2.8.3.1.4(3) to require department verification testing of asphalt content.
Revise 460.2.8.3.1.6(1) to define air void verification criteria for SMA mixtures.
Revise 460.2.8.3.1.7(1) to specify that both backward and forward samples are required for dispute resolution testing. This change was implemented in ASP 6 effective with the December 2018 letting.
Add 460.2.8.3.1.8(3) to specify criteria for SMA corrective action and dispute resolution.
Revise 460.3.1(1) to include SMA bid item encoding and specify SMA aggregate size & binder designation levels.
Revise Table 460-3 to specify SMA upper layer density and to reference CMM for material acceptability investigations.
Delete 460.3.3.3(3) to remove the link between waiving density testing and mixture testing.
Revise 460.5.2.1 (5)&(6) to specify pay for nonconforming SMA material and acceptance limits for SMA air voids.
Revise 460.5.2.3(1) to specify lot individual air void requirements for density incentive pay adjustment eligibility.
Add 460.5.2.3(4) to specify SMA maximum density required for lot density incentive pay adjustment eligibility.
Add 460.5.2.3(5) to require mixture air void testing for lot density incentive pay adjustment eligibility.

Section 465 Asphaltic Surface 190

Section 475 Seal Coat 192

Revise 475.4(1) to require tickets as specified for aggregates for measurement of seal coat by the ton.

PART 5 Structures

Section 501 Concrete 195

Revise 501.3.8.2.1(2) to include hot weather placement provisions for permanent concrete barrier bid items. This change was implemented in ASP 6 effective with the April 2019 letting.

Section 502 Concrete Bridges 215

Revise 502.3.6.3.3 to require a field welding plan and daily submittal of form DT2320.
Revise 502.4.5 to renumber the Expansion Device bid item and measure by linear foot instead of as a lump sum.

Section 503 Prestressed Concrete Members 236

Section 504 Culverts, Retaining Walls, and Endwalls 242

Section 505 Steel Reinforcement 244

Delete 505.2.4.3 - 505.2.4.10 to remove WisDOT-specific requirements and instead follow ASTM A775.
--

Section 506 Steel Bridges 249

Revise 506.2.2.1(2) to add additional steel structural components that require Charpy testing.
Revise 506.3.1.1(1) to add/clarify members that require a fabricator from WisDOT's APL for primary members.
Revise 506.3.2(4) to require electronic submittal of shop drawings as a PDF file to the railroad company for railroad structures. This change was implemented in ASP 6 effective with the December 2018 letting.
Revise 506.3.19.1 to require field welding plans, AWS inspectors for primary members, & daily form DT2320 submittal.

Section 507 Timber Structures 268

Section 509 Concrete Overlay and Structure Repair 275

Section 511 Temporary Shoring 280

Section 512 Steel Sheet Piling 281

Section 513 Railing 283

Section 514 Floor Drains, Deck Drains, and Downspouts 286

Section 515 Steel Grid Floors 288

Section 516 Waterproofing 289

Section 517 Paint and Painting 291

Section 519 Brick Masonry and Concrete Brick or Block Masonry 300

Section 520 Pipe Culverts 302

Revise 520.2.5.1(2) to reference general aggregate ticket requirements in 109.1.4.2.
--

Section 521 Corrugated Steel Culverts 307

Section 522 Reinforced Concrete Culverts 308

Section 524 Salvaged Culverts 309

<u>Section 525 Corrugated Aluminum Culverts</u>	310
<u>Section 526 Temporary Structures</u>	311
Revise 526.3.2(2) to clarify what contractor plans need to show and what information the contract plans provide.	
<u>Section 527 Structural Plate Pipe and Pipe Arches</u>	312
<u>Section 530 Corrugated Plastic Pipe Culverts</u>	314
<u>Section 550 Driven Piles</u>	315
Revise 550.3.4.1.1 to require a field welding plan and daily submittal of form DT2320.	

PART 6 Incidental Construction

<u>Section 601 Concrete Curb and Gutter</u>	322
<u>Section 602 Concrete Sidewalks, Loading Zones, Safety Islands, and Steps</u>	325
<u>Section 603 Concrete Barrier</u>	329
Revise 603.2 to specify class I barrier concrete for cast-in-place concrete barrier allow ACI 355.4 adhesive.	
Revise 603.3.1.1(3) to include hot weather placement provisions for permanent concrete barrier bid items. This change was implemented in ASP 6 effective with the April 2019 letting.	
<u>Section 604 Slope Paving</u>	333
<u>Section 606 Riprap</u>	335
Revise 606.2.1(2) to define extra-light riprap for use in drainage and erosion control applications.	
Revise 606.3.1 to add construction requirements for extra-light riprap.	
Revise 606.5(1) to add the Riprap Extra-Light bid item.	
<u>Section 608 Storm Sewer</u>	337
Revise 608.2.2.1(5) to reference general aggregate ticket requirements in 109.1.4.2.	
Revise 608.2.2.2(2) to include a crushed gravel alternate for foundation backfill.	
<u>Section 611 Catch Basins, Manholes, and Inlets</u>	343
<u>Section 612 Underdrains</u>	346
<u>Section 614 Semi-rigid Barrier Systems and End Treatments</u>	349
<u>Section 615 Treated Rustic Timber Items and Historical Markers</u>	356
<u>Section 616 Property and Right-of-Way Fence</u>	359
Delete section 617; the department no longer pays separately for hauling materials.	
<u>Section 618 Maintenance and Repair of Haul Roads</u>	365
<u>Section 619 Mobilization</u>	366
<u>Section 620 Concrete Corrugated Median and Concrete Median Nose</u>	367
<u>Section 621 Landmark Reference Monuments</u>	368
<u>Section 623 Dust Control Surface Treatment</u>	370
<u>Section 624 Water</u>	371
<u>Section 625 Topsoil and Salvaged Topsoil</u>	372
<u>Section 626 Peat Humus</u>	374
<u>Section 627 Mulching</u>	375
<u>Section 628 Erosion Control</u>	377
Revise 628.2.12 to incorporate sewn sample requirement and move the woven polypropylene requirement to the PAL.	
Revise 628.5.1(2) to include Seed Water in the list of bid items for borrow sites and material disposal sites.	
Revise 628.5.11(2) to increase the deduct & refer to the Failing to Mobilize for Erosion Control admin item.	
Revise 628.5.12(2) to increase the deduct & refer to the Failing to Mobilize for Emergency Erosion Control admin item.	
<u>Section 629 Fertilizer and Agricultural Limestone</u>	387
<u>Section 630 Seeding</u>	389
Add 630.2.1.2(2) to define PLS and reference the CMM for sowing rate and measurement calculations.	
Revise table 630-1 to require more red fescue and less perennial ryegrass to promote germination.	
Delete 630.2.1.5.1.4 because all disturbed areas now use the same seed. Add 630.2.2 to specify water for seeding.	
Add 630.3.6 to specify water for seeding.	
Revise 630.3.7 to add teasel and phragmites to the list of species requiring eradication.	
Revise 630.5 to add the Seed Water bid item and specify separate payment for seed covering.	

<u>Section 631 Sodding</u>	396
<u>Section 632 Furnishing and Planting Plant Materials</u>	398
<u>Section 633 Delineators and Markers</u>	407
Revise 633.5 to rename the Delineators Barrier Wall bid item formerly known as the Delineator Brackets bid item.	
<u>Section 634 Wood and Tubular Steel Sign Posts</u>	410
<u>Section 635 Structural Steel Sign Supports</u>	412
<u>Section 636 Concrete Sign Supports</u>	413
Revise 636.3.3(6) to clarify engineer involvement when casing is required.	
<u>Section 637 Signing</u>	415
<u>Section 638 State Owned Signs and Supports</u>	422
<u>Section 639 Drilling Wells</u>	424
<u>Section 641 Sign Bridges and Overhead Sign Supports</u>	429
<u>Section 642 Field Facilities</u>	433
<u>Section 643 Traffic Control</u>	436
<u>Section 644 Temporary Pedestrian Facilities</u>	441
Add Section 644 to specify temporary pedestrian facilities by incorporating STSP 644-010, 644-020, and 644-030.	
<u>Section 645 Geosynthetics</u>	443
<u>Section 646 Pavement Marking</u>	450
Add 646.3.1.2(5) to require scarifying stone matrix asphalt before marking.	
Revise 646.3.1.2(6) to specify glass bead application rates for wet reflective epoxy from the department's APL. This change was implemented in ASP 6 effective with the June 2019 letting.	
Add 646.3.1.5 to specify initial acceptance criteria based on retroreflectivity readings for all marking types.	
Revise 646.3.1.6 to limit 180-day proving periods to grooved-in marking.	
Revise 646.3.2.3.2(1) to reference the APL for reflective/recoverable elements and glass bead application rates. This change was implemented in ASP 6 effective with the June 2019 letting.	
<u>Section 648 Locating No-passing Zones</u>	455
<u>Section 649 Temporary Pavement Marking</u>	457
<u>Section 650 Construction Staking</u>	458
Revise 650 to implement AMG alternates for all or part of work done under the contractor staking bid items. This change was implemented in ASP 6 effective with the December 2018 letting.	
<u>Section 651 General Requirements for Electrical Work</u>	463
<u>Section 652 Electrical Conduit</u>	465
<u>Section 653 Pull Boxes and Junction Boxes</u>	468
<u>Section 654 Bases</u>	469
<u>Section 655 Electrical Wiring</u>	470
<u>Section 656 Electrical Service</u>	476
<u>Section 657 Poles, Arms, Standards, and Bases</u>	479
Revise 657.3.3.2.3(4) to require full tensioning with 48 hours after installing arms.	
<u>Section 658 Traffic Signals</u>	484
<u>Section 659 Lighting</u>	486
<u>Section 660 High Mast Lighting</u>	488
<u>Section 661 Temporary Traffic Signals and Temporary Ramp Meters</u>	493
<u>Section 670 General Requirements for Intelligent Transportation Systems</u>	499
<u>Section 671 Intelligent Transportation Systems - Conduit</u>	501
<u>Section 673 Communication Vaults</u>	503
<u>Section 674 Intelligent Transportation Systems - Cable</u>	504
<u>Section 675 Controllers and Detectors</u>	507
<u>Section 677 Cameras</u>	509
<u>Section 678 Communication Systems</u>	511
<u>Section 690 Sawing</u>	514

PART 7 Quality Management Program

Section 701 General QMP Requirements	516
Section 710 General Concrete QMP	520
Section 715 QMP Concrete Pavement and Structures	522
Revise 715.1.1.2(1) to define small quantities of barrier concrete per contract instead of per bid item.	
Add 715.2.1(5) to extend SAM testing to all new lab-qualified class 1 concrete mixes including those for structures and concrete barrier.	
Revise 715.2.3.1(1) to base barrier concrete on pavement mixes with strength based on structures concrete.	
Revise 715.3.1.1(2) to extend field SAM testing for all class I concrete including structures and concrete barrier.	
Revise 715.3.1.2.3(1) to specify subplot and lot sizes for cast-in-place concrete barrier.	
Revise 715.5.1 to add an incentive bid item and a disincentive administrative item for concrete barrier strength.	
Section 716 QMP Ancillary Concrete	528
Section 730 QMP Base Aggregate	529
Revise 730.3.1(2) to define corrective action policy for non-conforming stockpile tests before placing material.	
Revise 730.3.2(2) to change contractor-required aggregate sample retention from 7 placement to 10 calendar days.	
Section 740 QMP Ride	533

Bid Items

Part 1 Bid Items	538
Part 2 Bid Items	538
Part 3 Bid Items	539
Part 4 Bid Items	540
Part 5 Bid Items	543
Replace the lump sum Expansion Device bid items with a new item paid by the linear foot.	
Part 6 Bid Items	554
Add new Riprap Extra-Light bid item for use in drainage and erosion control applications.	
Retire the Storm Sewer Pipe Composite 6-Inch bid item.	
Revise the Wisconsin Historical Marker bid item to change it from lump sum to each.	
Retire the obsolete Hauling (material) bid item.	
Add new Seed Water bid item to replace region special provisions.	
Rename the Delineators Barrier Wall bid item formerly known as Delineator Brackets.	
Add new bid items for temporary pedestrian facilities.	
Part 7 Bid Items	573
Add a new incentive bid item for concrete barrier strength.	

Index

A	574
B	574
C	575
D	576
E	577
F	577
G	578
H	578
I	578
J	579
L	579
M	579
N	579
O	579
P	579
Q	580

<u>R</u>	581
<u>S</u>	581
<u>T</u>	582
<u>U</u>	583
<u>V</u>	583
<u>W</u>	583
<u>Z</u>	583

Appendix

<u>Conversion Table U.S. Standard Measure to SI Metric</u>	584
<u>Standard Sieve Sizes</u>	585
<u>Bid Item Unit Abbreviations</u>	585