



ASTM C309 CURING COMPOUNDS WisDOT Tested and Approved Batches

Page 1 - Wax-based white-pigmented
Page 2 - Poly-alpha-methylstyrene (PAMS)-based

Concrete Curing Compound acceptance is based on actual test results in MTS (140- Concrete Curing Compound). The following lists are generated from MTS for viewing purposes only.

Winter carry over - all curing materials carried over the winter must be re-tested before use. Testing samples must be collected directly from the contractor's carryover supply prior to use. Approved carryover batches will be listed as contractor specific with the contractor name included in the material description in MTS and on this list. Batches listed with a contractor are only valid for product carried over by that contractor.

Linseed oil-based curing compounds are not allowed.

Contact:

DOTProductSubmittal@dot.wi.gov



Curing Compound Sampling

Provide one-quart sample in a clean, sealed, leak-proof container (see example below). Follow ASTM 009 section 12.1 for packaging instructions. Also, submit the following information with the curing compound sample:

1. Certified Test Report from the manufacturer that includes the following:
 - Name of Manufacturer
 - Type/Class of compound (PAMS or WAX)
 - Batch #
 - VOC (Volatile Organic Compound) amount
 - Total Solids Percentage (Non-volatiles)
 - Drying Time
2. Date sampled
3. Sampled by
4. Safety data sheets

Ship Sample To:

Wisconsin Department of Transportation
Attn: Josh Hammer
3502 Kinsman Blvd
Madison, WI
53704



WAX-BASED WHITE-PIGMENTED (C309 Type 2 Class A)

These curing compounds are approved for 2024 calendar year
Last updated: 5/2/2024

FOR USE UNDER WISDOT STANDARD SPECIFICATION SECTIONS 320 AND 390

<u>Manufacturer</u>	<u>Batch Number</u>	<u>Approval Date</u>	<u>WisDOT Test Number</u>
CRAFCO			
Crafco Carryover	D3288	4/4/2024	0-104-0018-2024
Crafco Carryover	D3564	4/4/2024	0-104-0019-2024
WR Meadows, Inc.	W14HA066	3/21/24	0-140-0007-2024
TCC Materials			
ChemMasters	B452855	4/4/2024	0-140-0021-2024

PAMS-BASED (C309 Type 2 Class B)

These curing compounds are approved for 2024 calendar year
 Last updated: 5/2/2024

Manufacturer	Batch Number	Approval Date	WisDOT Test Number	Manufacturer	Batch Number	Approval Date	WisDOT Test Number
SPEC CHEM							
CRAFCO				CHEM MASTERS			
White Cap Carryover 2023 results and Certs	D3389	3/6/24	0-140-0053-2023	Vinton Carryover 2023 results and certs	B349829	3/4/24	0-140-0008-2023
	D3386	3/14/24	0-140-0001-2024	Vinton Carryover 2023 results and certs	C3449975	3/4/24	0-140-0023-2023
	D3677	3/14/2024	0-140-0002-2024		B452775	4/4/2024	0-140-0020-2024
	D3793	3/14/2024	0-140-0003-2024		B452727	4/4/2024	0-140-0022-2024
	D3521	3/14/2024	0-140-0004-2024	Chippewa Concrete Carryover	C349975	4/11/24	0-140-0024-2024
	D3748	3/14/24	0-140-0005-2024		Chippewa Concrete Carryover	C350088	4/11/24
AW Oaks Carryover	D3205	3/21/24	0-140-0006-2024		D453161	4/18/24	0-140-0034-2024
	D3704	3/28/24	0-140-0011-2024		D453162	5/2/24	0-140-0035-2024
	D3534	3/28/24	0-140-0012-2024				
	D3712	3/28/24	0-140-0013-2024				
	D3584	3/28/24	0-140-0014-2024				
	D4197	3/28/24	0-140-0015-2024				
	D3474	3/28/24	0-140-0016-2024				
	D4249	4/18/24	0-140-0030-2024				
	D4253	4/18/24	0-140-0032-2024				
	D4334	5/2/2024	0-140-0037-2024				
	TK PRODUCTS				WR MEADOWS		
	M1D07803	4/18/2024	0-140-0029-2024	White Cap Carryover 2023 Results and Certs	W13HD115	3/6/24	0-140-0046-2023
	M1D08201	4/18/2024	0-140-0031-2024	Trierweiler Carryover 2023 Results and Certs	W13HD115	3/7/24	0-140-0046-2023
	M1D07806	5/2/2024	0-140-0036-2024	Trierweiler Carryover 2023 Results and Certs	W13HC103	3/7/24	0-140-0026-2023
				Arrow-Crete Carryover 2023 Results and Certs	W13HF044	3/11/24	0-140-0071-2023
				AW Oaks & Sons Carryover 2023 Results and Certs	W13HD115	3/14/24	0-140-0046-2023
					W14HA001	3/21/24	0-140-0008-2024
				Parisi Carryover	W13HD115	3/24/24	0-140-0009-2024
				Michels Carryover	W3HD115	4/4/24	0-140-0017-2024
				Trierweiler Carryover	W12HC138	4/11/24	0-140-0026-2024
				AW Oaks Carryover	W13HC103	4/11/24	0-140-0028-2024
					W14HD191	5/2/24	0-140-0038-2024