

The Affected Environment section provides background information on regional and local planning, the human environment, and the natural environment in the WIS 23 corridor study area. Information is also provided for cultural resources, economic resources, agricultural resources, and the public use of lands. The Affected Environment is described within the broader Indirect and Cumulative Effects boundaries and incorporates the area evaluated for direct impacts. This review of the affected environment establishes the background in which the WIS 23 alternatives are evaluated. This section is the same as presented in the 2014 LS SFEIS except that:

- The demographic and income data have been updated from more recent data sources.
- The threatened and endangered species data has been updated with 1 species removed, 2 species statuses changed, and 1 species added.
- Section 6(f) conversion requests and property transfers associated with the Northern Unit of the Kettle Moraine State Forest (KMSF-NU) have occurred and this is reflected in the document.

3.1 GEOGRAPHICAL SETTING

The WIS 23 corridor is located in Fond du Lac and Sheboygan Counties in east central Wisconsin. The west end of the corridor begins in the city of Fond du Lac and follows through the towns of Empire, Forest, Greenbush, and Plymouth. The east terminus of the corridor is just west of the city of Plymouth. The topography along this section of WIS 23 runs through rolling glacial moraines and drumlins. WIS 23 also crosses two unique glacial features, the Niagara Escarpment on the far west section of WIS 23, rising 300 feet above the lowlands adjacent to Lake Winnebago, and the uplands of the KMSF-NU in the town of Greenbush, which is an interlobate moraine. Elevations range from 800 feet (USGS Datum) near County K in the city of Fond du Lac to 1,170 feet in the KMSF-NU.

3.2 SOCIOECONOMIC CHARACTERISTICS

A. Population Levels and Trends

Table 3.2-1 lists the population levels and trends for municipalities in the study area. Three of the four communities are projected to see population growth between 2010 and 2040, with the city of Fond du Lac accounting for the majority of the area's 2010 to 2040 population growth and the town of Empire having the highest anticipated growth rate of 10.6 percent during this period.

Table 3.2-1 Population Trends and Projections

Municipality		Cen	sus			Projectio	ons	Population Change 2010-2040	Percent Change 2010-2040
	1980	1990	2000	2010	2020	2030	2040		
T. Greenbush	1,665	1,849	2,773	2,565	2,620	2,705	2,630	65	2.5%
T. Empire	2,359	2,485	2,620	2,797	2,935	3,105	3,130	333	10.6%
T. Forest	1,098	1,094	1,108	1,080	1,045	1,020	950	-130	-12.0%
C. Fond du Lac	35,863	37,755	42,203	43,021	44,510	46,300	45,920	2,899	6.7%

Sources: Wisconsin Department of Administration, Population Estimates—Time Series (1970-2016), Minor Civil Divisions within Counties. Population Projections for Wisconsin Municipalities: 2010-2040, Wisconsin Department of Administration (produced in 2013, based from 2010 census).

B. <u>Demographic Characteristics</u>

Table 3.2-2 lists the 2010 demographic statistics for age, race, and ethnicity in the study area as well as

.

¹ Interlobate moraines form where two or more ice sheets make direct edge-to-edge contact. At this contact between ice lobes, or at the "interlobate" area, large amounts of glacial debris are deposited, leading to high, hilly landscapes. An escarpment is a steep slope or long cliff that occurs from erosion or faulting and separates two relatively level areas of differing elevations.

Fond du Lac and Sheboygan counties. As indicated below, the median age in the study area ranges from 36 to 47. As indicated below, the town of Greenbush has the most diverse population in terms of race and ethnicity.

Table 3.2-2 Demographic Characteristics

Municipality	Median Age	% Pop. Under Age 18	% Pop. Over Age 65	% Minority	% Hispanic/Latino
T. Greenbush	37.1	13.3%	7.5%	26.9%	5.4%
T. Empire	46.7	22.2%	13.6%	3.6%	1.5%
T. Forest	43.4	22.8%	13.5%	2.0%	0.9%
C. Fond du Lac	36.9	22.6%	14.7%	12.6%	6.4%
Fond du Lac County	40.2	22.7%	15.0%	8.1%	4.3%
Sheboygan County	40.3	23.9%	14.6%	13.0%	5.5%

Source: 2010 United States Census Data, Table P-5, Hispanic or Latino Origin by Race: 2010, Summary File 1 (County Subdivision, Place within State, and County) and 2012-2016 American Community Survey 5-Year Estimates, Table B03002, ACS Demographic and Housing Estimates (County Subdivision)—Used for Town of Greenbush because of error in 2010 census.

C. Housing

Table 3.2-3 lists the number of specified owner-occupied housing units for municipalities in the study area. The town of Empire has the highest median home value at \$238,500 while the city of Fond du Lac has the lowest median home value at \$121,700.

Table 3.2-3 Owner-Occupied Housing Units Year 2015

	Total Specified									
	Owner-	Less	\$50,000	\$100,000	\$150,000	\$200,000	\$300,000	\$500,000		
	Occupied	Than	То	То	То	То	То	То	\$1,000,000	Median
Municipality	Housing Units	\$50,000	\$99,999	\$149,999	\$199,999	\$299,999	\$499,999	\$999,999	Or More	Value
T. Greenbush	456	9	14	77	85	184	66	19	2	\$225,900
T. Empire	950	48	27	85	175	325	211	79	0	\$238,500
T. Forest	401	12	32	69	101	109	52	6	20	\$191,300
C. Fond du Lac	10,611	518	2,970	3,773	1,808	1,173	310	32	27	\$121,700

Source: 2011-2015 American Community Survey United States Census Data, Table DP-04, Selected Housing Characteristics (County Subdivision and Place within State).

D. Incomes

FHWA defines a low-income person as a person whose median household income is at or below the United States Department of Health and Human Services (HHS) poverty guideline. This is different, and more simplified, than US Census Bureau poverty thresholds. Table 3.2-4a illustrates the difference between the poverty guidelines issued by HHS and the poverty thresholds issued by the US Census Bureau.

Table 3.2-4a Difference Between Poverty Thresholds and Guidelines

	HHS Poverty Guidelines	US Census Poverty Thresholds
Issuing Agency	Department of Health and Human Services	Census Bureau
Purpose/Use	Administrative—Determining financial eligibility for certain programs	Statistical–calculating the number of people in poverty
Characteristics by Which They Vary	Guidelines vary by family size. In addition, there is one set of figures for the 48 contiguous states and D.C.; one set for Alaska; and one set for Hawaii.	Detailed (48-cell) matrix of thresholds varies by family size, number of children, and, for 1- and 2-person units, whether or not elderly. Weighted average thresholds vary by family size and, for 1- and 2-person units whether or not elderly. There is no geographic variation; the same figures are used for all 50 states and D.C.
Timing of Annual Update	HHS issues poverty guidelines in late January of each year. Some programs make them effective on date of publication, others at a later date.	The Census Bureau issues preliminary poverty thresholds in January, and final poverty thresholds in September of the year after the year for which poverty is measured. The poverty thresholds are adjusted to the price level of the year for which poverty is measured.
How Updated or Calculated	The 48 contiguous state guidelines are updated from the latest published (final) weighted average poverty thresholds using the CPI-U. (Figures are rounded, and differences between adjacent family-size figures are equalized.)	The individual 48-cell matrix is updated each year from the 1978 threshold matrix using the CPI-U. The preliminary weighted average thresholds are updated from the previous year's final weighted average thresholds using the CPI-U. The final weighted average thresholds are calculated from the current year's 48-cell matrix using family weighting figures from the Current Population Survey's Annual Social and Economic Supplement.
Rounding	Rounded to various multiples of \$10– May only end in zero	Rounded to the nearest dollar

Source: https://aspe.hhs.gov/frequently-asked-questions-related-poverty-guidelines-and-poverty#differences

Table 3.2-4b compares the HHS poverty <u>guidelines</u> for 2016 and the Census poverty <u>thresholds</u> for 2015, the most-recent year available.

Table 3.2-4b Comparison of HHS Poverty Guidelines with Census Poverty Thresholds

Persons in		Census 2015 Weighted Ave Poverty
family/household	HHS 2016 Poverty guideline	Threshold*
1	\$11,880	\$12,082
2	\$16,020	\$15,391
3	\$20,160	\$19,078
4	\$24,300	\$24,036
5	\$28,440	\$28,286
6	\$32,580	\$31,670
7	\$36,730	\$35,473
8	\$40,890	\$38,999

^{*} Householder under 65 years of age, assumes household members 3 to 8 are under 18 years old.

Source: US Health and Human Services https://aspe.hhs.gov/poverty-guidelines

US Census http://www.census.gov/data/tables/time-series/demo/income-poverty/historical-poverty-thresholds.html

While FHWA defines low income using the HHS poverty guidelines, there is limited HHS poverty guideline data on a census tract or block level. The US Census Bureau provides poverty threshold data at the census block level. Therefore, this EJ and Title VI Program Plan uses census poverty threshold data as an alternate for HHS poverty guidelines data to identify the presence of low-income populations within the project corridor.

In 2015, the city of Fond du Lac had the lowest median household income at \$43,457 while the town of Empire had the highest median household income at \$85,647. The city of Fond du Lac had the highest poverty rate in the study area, with 10.0 percent of families and 13.1 percent of individuals living below the poverty level. Table 3.2-5 shows the percentages of those living below the poverty level for the towns and cities within the study area.


Table 3.2-5 Income and Poverty Statistics for Wisconsin Counties And Municipalities

Municipality Per Capita		Median Income		Percentage of Families and People whose Income in the Past 12 Months was Below the Poverty Level				
Wullicipality	Income	Households	Families	Percent of Persons Below Poverty	Percent of Families Below Poverty			
T. Greenbush	\$18,518	\$69,063	\$80,000	6.0%	5.3%			
T. Empire	\$36,513	\$85,647	\$91,382	4.1%	1.8%			
T. Forest	\$27,944	\$65,139	\$70,089	3.1%	0.9%			
C. Fond du Lac	\$23,709	\$43,457	\$57,487	13.1%	10.0%			

Source: 2011-2015 American Community Survey United States Census Data, Table DP-03, Selected Economic Characteristics (County Subdivision and Place within State).

Figure 3.2-2 shows the location of low-income populations, by census tract, within the study area.

Project ID 1440-13/15-00



E. Tax Base

Combined, Sheboygan and Fond du Lac counties employ more than 25,000 workers in the manufacturing industry. The largest employers in each county are manufacturers (see Tables 3.2-6 and 3.2-7). The manufacturing industry in both counties also produces the highest sales in the respective counties (see Tables 3.2-8 and 3.2-9). In 2012, the manufacturing industry in Fond du Lac County produced \$4 billion in sales, receipts, or shipments while Sheboygan County produced \$7.3 billion in sales, receipts, or shipments. Figure 3.2-3 shows the percentage of Wisconsin workers employed in manufacturing by county. Both Fond du Lac and Sheboygan counties have a high number of workers in the manufacturing industry.




Figure 3.2-3 Percentage of County Employed in Manufacturing

Source: 2011-2015 American Community Survey United States Census Data, Table DP-03, Selected Economic Characteristics (All Counties within Wisconsin). Thematic Map of Percent; INDUSTRY--Civilian employed population 16 years and over–Manufacturing Geography: by County.

Table 3.2-6 Wisconsin Labor Market Information-Sheboygan County

	Sheboygan County-Top 5 Employers							
Rank	Employer Legal Name	Product or Service	Employment Size Range					
1	Kohler Co	Enameled iron and metal sanitary ware	5,000+					
2	Bemis Manufacturing Co	Plastic products	1,000+					
3	Nemak	Aluminum die-casting foundries	1,000+					
4	Aurora Medical Group, Inc	Physician Offices	1,000+					
5	Sargento Foods	Cheese Manufacturing	1,000+					

Source: Sheboygan County Economic Development Corporation, Top employers, accessed July 26, 2017, http://www.sheboygancountyedc.com/market-info/top-employers/.

Table 3.2-7 Wisconsin Labor Market Information-Fond du Lac County

	Fond du Lac County– Top 5 Employers							
Rank	Employer Legal Name	Product or Service	Employment Size Range					
1	Michels Corporation	Construction, engineering, and procurement services	3,000					
2	Mercury Marine	Produces marine motors	2,700					
3	Alliance Laundry Systems	Commercial laundry equipment and service	1,838					
4	Quad Graphics, Inc	Printing	1,400					
5	CN Wisconsin Central Ltd	Transportation	750					

Source: Fond du Lac Area Association of Commerce, Largest Industries 2015, accessed July 26, 2017, https://www.fdlac.com/demographics.html.

Table 3.2-8 2012 Economic Census: Summary Statistics for Fond du Lac County, WI

Description	Establishments	Sales, Receipts or Shipments (\$1,000)	Annual Payroll (\$1,000)	Paid Employees
Mining (npfc)	NA	NA	NA	NA
Utilities (npfc)	2	NA	NA	100-249
Construction (npfc)	NA	NA	NA	NA
Manufacturing	144	3,989,865	407,579	9,140
Wholesale Trade	111	1,372,036	74,354	1,541
Retail Trade	354	1,402,363	130,049	5,462
Transportation and Warehousing	122	238,446	57,549	1,569
Information (npfc)	35	NA	21,976	532
Finance and Insurance (npfc)	155	NA	74,590	1,605
Real Estate and Rental and Leasing	64	37,709	5,950	235
Professional, Scientific, and Technical Services	154	154,371	76,345	1,337
Management of Companies and Enterprises (npfc)	NA	NA	NA	NA
Administrative and Support and Waste Management and Remediation Services	98	70,034	33,212	1,706
Educational Services	8	NA	NA	20 - 99
Health Care and Social Assistance	281	758,837	248,771	5,764
Arts, Entertainment and Recreation	44	31,495	6,647	492
Accommodation and Food Services	240	140,834	39,759	3,872
Other Services (except public admin.)	191	114,368	31,323	1,245

npfc = Not available for counties; NA = Not available

Source: 2012 Economic Census of the United States, U.S. Census Bureau, EC120A1, All sectors: Geographic Area Series: Economy-Wide Key Statistics: 2012.

Table 3.2-9 2012 Economic Census: Summary Statistics for Sheboygan County, WI

Description	Establishments	Sales, Receipts or Shipments (\$1,000)	Annual Payroll (\$1,000)	Paid Employees
Mining (npfc)	NA	NA	NA	NA
Utilities (npfc)	5	NA	13,727	160
Construction (npfc)	NA	NA	NA	NA
Manufacturing	230	7,346,168	825,110	16,716
Wholesale Trade	86	593,874	47,853	1,002
Retail Trade	395	1,400,026	133,522	6,124
Transportation and Warehousing	112	NA	69,733	1,784
Information (npfc)	3	NA	10,764	347
Finance and Insurance (npfc)	183	NA	116,416	1,955
Real Estate and Rental and Leasing	73	58,171	10,428	298

Table of a love and the control of t	Table 3.2-9 2012 Econom	nic Census:	Summary	Statistics fo	r Sheboygan	County, WI
--	-------------------------	-------------	---------	---------------	-------------	------------

Description	Establishments	Sales, Receipts or Shipments (\$1,000)	Annual Payroll (\$1,000)	Paid Employees
Professional, Scientific, and Technical Services	179	207,937	65,750	1,240
Management of Companies and Enterprises (npfc)	NA	NA	NA	NA
Administrative and Support and Waste Management and Remediation Services	103	95,875	53,167	2,654
Educational Services	13	NA	NA	0 - 19
Health Care and Social Assistance	299	597,170	247,807	6,483
Arts, Entertainment and Recreation	56	76,233	20,763	1,360
Accommodation and Food Services	269	188,755	53,443	4,151
Other Services (except public admin.)	202	67,360	19,451	992

npfc = Not available for counties; NA = Not Available

Source: 2012 Economic Census of the United States, U.S. Census Bureau, EC120A1, All sectors: Geographic Area Series: Economy-Wide Key Statistics: 2012.

F. Workforces and Occupations

The manufacturing sector and education, health, and social services sectors employ the majority of residents in the study area. Table 3.2-10 presents the number employed in these fields for municipalities within the WIS 23 study area.

Table 3.2-10 Percent of Residents Employed by Industry Year 2011

Municipality	Manufacturing	Education, Health, Soc. Serv.	
Town of Forest	26.0%	14.8%	
Town of Empire	23.8%	25.3%	
Town of Greenbush	30.4%	15.9%	
City of Fond du Lac	24.1%	21.6%	

Source: 2011-2015 American Community Survey United States Census Data, Table DP-03, Selected Economic Characteristics (County Subdivision and Place within State).

3.3 PROTECTED CLASSES

Executive Order 12898 (EO 12898), commonly called the Executive Order on Environmental Justice, focuses on low income and minority populations. EO 12898 states that "each federal agency shall make achieving environmental justice (EJ) part of its mission by identifying and addressing, as appropriate, disproportionately high and adverse human health or environmental effects of its programs, policies, and activities on minority populations and low-income populations." EO 12898 emphasizes that Federal agencies should use existing laws and programs to achieve EJ, including Title VI of the Civil Rights Act of 1964 (Title VI).


The Executive Order on Environmental Justice addresses disproportionately high and adverse effects on minority and low-income populations.

- A minority population is defined as any readily identifiable group of minority persons who live in geographic proximity to the project area. It is FHWA's policy to also consider the elderly and disabled, a minority population.
- Low-income population means any readily identifiable group of low income persons (having a
 household income at or below the United States Department of Health and Human Services
 poverty guidelines) who live in geographic proximity to the project area.

A disproportionately high and adverse effect means:

- An adverse effect that is largely borne by a minority population and/or low-income population.
- An adverse effect that will be suffered appreciably more severely or in greater magnitude by a minority and/or low-income population than by a nonminority and/or non-low-income populations.

Note that US census data does not classify Hispanic or Latino as a race, but as a culture or origin. Therefore, when using US Census data there is an overlap between Hispanic or Latino and the racial minorities of Black or African American, American Indian, Asian, and Pacific Islander. An individual can be African American and have a Hispanic origin. Also, an individual can be white and have a Hispanic or Latino origin. Figure 3.3-1 illustrates FHWA definition of minority for the purposes of EJ with respect to race and Hispanic or Latino origin.



The concept of EJ is tied to Title VI of the Civil Rights Act that prohibits discrimination on the basis of race, color, or national origin. Title VI of the 1964 Civil Rights Act requires each federal agency to ensure that no person is excluded from participation in, denied the benefit of, or subjected to discrimination under any programs or activities receiving federal financial assistance on the basis of race, color, national origin, age, sex, or disability. It is different from EJ because it does not include low income populations but does include race, national origin, and color. It is the policy of the FHWA to ensure compliance with Title VI of the Civil Rights Act of 1964; 49 CFR part 21; and related statutes and regulations. In addition to discrimination, a feature of Title VI is the prohibition of disparate impacts.

The FHWA Title VI Program includes other nondiscrimination statutes and authorities under its umbrella, including Executive Order 12898 (EJ). FHWA's Office of Civil Rights oversees the Title VI Program, which ensures that FHWA policies, programs, and activities do not discriminate based on race, color, national origin, income, sex, age, disability, or limited English proficiency.

In addition to minority and low-income populations associated with EJ, the program covers:

- Race, color, or National Origin (Civil Rights Act)
- Limited English Proficiency (EO 13166)
- Disabilities (American Disabilities Act)
- Age (Age Discrimination Act)
- Sex (Civil Rights Act)

It is FHWA's continuing policy to "identify and prevent discriminatory effects by actively administering its programs, policies, and activities to ensure that social impacts to communities and people are recognized


early and continually throughout the transportation decision making process from early planning throughout implementation."

The demographics of the study area and the affected municipalities are described in detail in Section 3.2 and Section 4.7 A-2 and 4.7 B-1 and Environmental Justice is specifically addressed in Section 4.7 B-4.


The EJ populations within the study area are depicted on Figure 3.3-2. This figure displays census block groups where the percentage of minorities is greater than the percent in the county and census block groups where the percentage of individuals living below the poverty level is greater than the percent in the county. Note that locations of low-income populations are shown in Figure 3.2-2.

Figures 3.3-3 and -4 show the locations of minority and Hispanic populations respectively within the study corridor.





Project ID 1440-13/15-00



Project ID 1440-13/15-00




Figure 3.3-4 Hispanic Population by Census Block

3.4 LAND USE AND RELATED CHARACTERISTICS

A. Residential

Residential development is sparsely scattered throughout the study area, with slightly greater numbers located close to the existing WIS 23 corridor. Residential development is also concentrated in the community of Greenbush and the western portion of the study area near the city of Fond du Lac. Individual residences are intermixed with farm residences throughout the study area.

B. Commercial/Industrial

Only minor industrial development exists adjacent to the corridor area. Commercial development is sparsely scattered along WIS 23.

C. Area Communities

The unincorporated community of Greenbush and a portion of the city of Fond du Lac are located in the project study area. The corridor travels through the towns of Empire, Forest, Greenbush, and Plymouth, and ends just west of the city of Plymouth. See Figure 3.4-1 for the location of these communities.




Figure 3.4-1 Area Communities

D. Public Lands

Public lands are located throughout the project area. The KMSF-NU is located at the east end of the project area. It is a 30,000-acre forest stretching across Sheboygan, Fond du Lac, and Washington counties. The Ice Age Trail (IAT) and the State Equestrian Trail are located within the KSMF-NU. These trails cross existing WIS 23 at Julie Court and are Section 4(f) resources. See Section 5 for more information regarding the IAT, the State Equestrian Trail, and the KMSF-NU.

The Wade House Historic Site is located in the east portion of the corridor near Plymouth and just west of the KMSF-NU. Located on the south side of WIS 23, the site is run by the State Historical Society and is an educational, living history portrayal of a restored stagecoach inn built around 1850. The Wade House Historic Site contains three structures listed on the National Register of Historic Places (NRHP) (See Section 5). It is a Section 4(f) resource and a potential Section 6(f) resource, which is being investigated further.

More distant to the corridor, the Sheboygan Marsh County Park and the Sheboygan Marsh State Wildlife Area are located 2 miles north of WIS 23 on the east end of the corridor near County T. The wildlife area contains the largest restored wetland in the Wisconsin watersheds of Lakes Michigan and Superior. It encompasses over half of the towns of Russell and Greenbush and includes about 14,000 acres of land

² Section 4(f) refers to the original section within the U.S. Department of Transportation Act of 1966 which established the requirement for consideration of park and recreational lands, wildlife and waterfowl refuges, and historic sites in transportation project development. The law, now codified in 49 U.S.C. §303 and 23 U.S.C. §138, is implemented by the Federal Highway Administration (FHWA) through the regulation 23 CFR 774.

and surface water; 8,166 acres are publicly owned, of which 7,414 acres are owned by Sheboygan County (including the county's Broughton Park) and 752 acres are owned by the state.

The Mullet Marsh and Mullet River State Wildlife Area are 1 mile south of the corridor near Hillview Road. It is a 2,217-acre property. Mullet Creek flows through the entire property eventually joining the Sheboygan River. Figure 3.4-2 illustrates the public lands near the corridor.



Figure 3.4-2 Public Use Lands

E. Other Trails and Resources

The 115-mile Kettle Moraine Scenic Drive travels across six Wisconsin counties. The northern end begins near Elkhart Lake in northern Sheboygan County and the southern end begins at Whitewater Lake in southeastern Walworth County. Traveling mostly on rustic roads, there are side road features such as picnic locations, natural areas, and historical sites. The Kettle Moraine Scenic Drive crosses the WIS 23 corridor at Scenic Drive on the east end of the corridor. Figure 3.4-3 illustrates a portion of the Kettle Moraine Scenic Drive.



Figure 3.4-3 Kettle Moraine Scenic Drive

There are several snowmobile trails along the WIS 23 project corridor with two mapped trail crossings in Fond du Lac County and two mapped crossings in Sheboygan County (see Figure 3.4-4). Snowmobilers use both county and state trails and private snowmobile club trails on private land. Snowmobiling is allowed on the existing Old Plank Road Trail.



Figure 3.4-4 Snowmobile Trails in the Project Corridor

F. Agriculture

The majority of land in the project study area is nonirrigated cropland. Fond du Lac County has a slightly larger agricultural base, while Sheboygan County has less because of the publicly owned lands and urban areas. According to the 2012 Agricultural Census, Fond du Lac County has 262,142 acres of cropland and Sheboygan County has 155,878 acres of cropland. Corn for grain is the primary crop for Fond du Lac County (9.2 million bushels) with soybeans for beans following (1.9 million bushels). Corn for grain is also the primary crop for Sheboygan county (5.0 million bushels) followed by soybeans (1.4 million bushels). Figures from the University of Wisconsin (UW) Extension indicate that in 2012, Fond du Lac County's top commodities by sales were milk (\$255 million), grain (\$91.7 million), and cattle and calves (\$43.5 million). Sheboygan County's top commodities include milk (\$108.9 million), grains (\$55.2 million), and other animals and products (\$36.3 million). Both counties rely on agriculture jobs, providing 7,790 jobs in Fond du Lac County and 8,662 jobs in Sheboygan County. Farmers manage approximately 69 percent of the land in Fond du Lac County and 58 percent of the land in Sheboygan County.

Farm operations are scattered throughout the corridor. More details on agricultural land impacts can be found in Section 4.4 and Section 4.7 A-3 of this LS SEIS and the Executive Summary of the Agricultural Impact Statement (AIS) provided as Appendix K of the 2010 FEIS.

G. Institutions

The Fond du Lac School District, the Campbellsport School District, the Elkhart Lake-Glenbeulah School District, and the Plymouth District serve the project study area. All school districts use school buses. St. Mary's Springs High School (private) is located at the intersection of County K and WIS 23, and St. Paul's Church and School (private) are located at County W and WIS 23.

The project area is served by the Moraine Park Technical College, the UW Extension-Fond du Lac County, and the UW-Fond du Lac campuses on the northeast side of the city of Fond du Lac, approximately 1 mile west of the project limits. Marian College is also located within 2 miles of the project limits in the city of Fond du Lac.

St. Agnes Hospital in the city of Fond du Lac and the Valley View Medical Center in the city of Plymouth serve the project study area.

Kettle Moraine Correctional Institution for adult males is located adjacent to KMSF-NU in Sheboygan County approximately 10 miles west of the city of Plymouth and 17 miles southeast of Fond du Lac. The Taycheedah Correctional Institution in the city of Fond du Lac is located on County K and is about 2 miles north of WIS 23. The presence of this institution skews some demographic data for the town of Taycheedah in both income levels and ethnic populations.

H. Cemeteries

Forest Home Cemetery, Forest Cemetery, and Greenbush Cemetery are near existing WIS 23, located about 1,000, 1,500, and 2,000 feet from the highway, respectively. Forest Home Cemetery is north of WIS 23 on Hillview Road in Fond du Lac County. Forest Cemetery is located south of WIS 23 just north of Poplar Road, west of County W. Greenbush Cemetery is south of WIS 23 between Plank Road and Cemetery Lane in Sheboygan County.

Planning and Zoning

Municipalities in the project study area share a common goal of agricultural preservation. The towns of Forest, Empire, and Greenbush adopted comprehensive plans that list agricultural preservation as a goal.

Farmland preservation is also a common goal for Sheboygan and Fond du Lac counties. Each county has a farmland preservation plan as well as a recreation plan.

The following municipalities adopted comprehensive plans:

- Town of Forest
- Town of Empire
- City of Fond du Lac
- City of Plymouth
- Town of Greenbush
- Village of Glenbeulah
- Village of Mount Calvary
- Village of St. Cloud
- Town of Taycheedah
- Town of Plymouth
- Town of Fond du Lac
- Town of Marshfield
- Sheboygan County

Because of its proximity to the city of Fond du Lac urbanized area, the town of Empire faces more development pressure than the other towns in the project study area. A cooperative boundary agreement exists between the town of Empire and city of Fond du Lac. The city's growth area boundary extends just east of County UU. Residential subdivisions will likely occur in this growth area north and south of WIS 23. The rolling terrain also makes this area attractive for residential development.

The following bullets list the municipal and county land use-related and zoning ordinances within the project study area.

- Town of Forest–Zoning ordinance.
- Town of Empire-Subdivision ordinance and zoning ordinance.
- Village of Mount Calvary–Subdivision ordinance and zoning ordinance.
- Village of St. Cloud–Subdivision ordinance and zoning ordinance.
- Village of Glenbeulah–Zoning ordinance and shore land zoning ordinance.
- Town of Marshfield–Zoning ordinance.
- Town of Fond du Lac-Subdivision ordinance and zoning ordinance.
- City of Fond du Lac-Subdivision ordinance, zoning ordinance, and shore land/wetland zoning ordinance.
- City of Plymouth–Subdivision ordinance, zoning ordinance, and shore land/wetland zoning ordinance.
- Town of Taycheedah—Subdivision ordinance, zoning ordinance, and erosion control and

stormwater management zoning ordinance.

- Town of Plymouth–Subdivision ordinance and zoning ordinance.
- Fond du Lac County–Subdivision ordinance, sanitary ordinance, shore land and floodplain ordinances, nonmetallic mining ordinance, traffic ordinance, and waterways ordinance.
- Town of Greenbush–Zoning ordinance.
- Sheboygan County–Subdivision ordinance, sanitary ordinance, shore land ordinance, floodplain ordinance, erosion control and stormwater ordinance, and nonmetallic mining ordinance.

More information on land use, land use plans, and zoning is included in Appendix E of this LS SEIS.

J. Land Use Patterns

Existing land use in the study area is shown in Figures 3.4-5 and 3.4-6. Most of the land in the study area is nonirrigated cropland. Large portions in Sheboygan County include forested land that is part of the KMSF-NU.



Figure 3.4-5 WIS 23 Existing Land Use-Fond du Lac County




Figure 3.4-6 WIS 23 Existing Land Use-Sheboygan County

K. Emergency Service

The county sheriffs in Fond du Lac and Sheboygan counties provide police protection in most of the project area. Mt. Calvary provides fire protection from County UU to Hillview Road and ambulance service from County UU to the county line with County W as a main route. St. Cloud provides fire service from Hillview Road to the county line with County G as a main route. The city of Fond du Lac ambulance services portions of WIS 23 between County K and County UU. Some portions are covered by the town of Eden fire department. The Sheboygan County portion is covered by the Greenbush fire department and Plymouth ambulance service. The Greenbush fire department has a station on the corner of WIS 23 and Sugarbush Road.

L. Utilities

Underground and overhead utilities are located throughout the project corridor. The following paragraphs summarize which utilities are located in different portions of the corridor. All of the utilities within Sheboygan County have been relocated to accommodate the 2014 LS SFEIS Preferred Alternative (4-lane On-alignment Alternative). See Section 6 for a listing of utility relocations.

US 151 to Taft Road

Alliant/Wisconsin Power & Light (WPL) has 78 poles along this segment of WIS 23 and 8,730 linear feet (LF) of gas pipeline. American Transmission Company (ATC) has 17 poles, some of which are transmission towers. AT&T has 12,970 LF of underground lines and 14,280 LF of fiber-optic line, Charter has 250 LF of underground lines and 6,360 LF of overhead lines, and the Mary Hill Park Sanitary District has one well and 750 LF of underground lines.

The city of Fond du Lac has sewer lines parallel to WIS 23, eastward toward County UU. The city plans to provide both sewer and water to County UU on both sides of WIS 23.

Taft Road to Division Road

Alliant/WPL has 213 poles along this segment of WIS 23 and 400 LF of gas pipeline. AT&T has 6,050 LF of overhead lines, 40,915 LF of underground lines, and 10,280 LF of fiber-optic line.

Division Road to Pioneer Road

WE Energies has 116 poles along this segment of WIS 23 and 995 LF of underground line.

ANR Pipeline has 310 LF of underground pipeline, and Kettle Moraine has 400 LF of underground line. Plymouth Utilities has 13 poles and 150 LF of underground line while Time Warner Cable has five poles and 475 LF of underground line. West Shore and WPS have 125 LF and 1,100 LF of underground line, respectively. Verizon has 17,645 LF of underground line and 18,375 LF of underground fiber-optic line.

Additionally, Verizon Communications lines cross WIS 23 and run parallel to the highway within the Sheboygan county portion of the corridor. Time Warner has lines that cross WIS 23 in several places, but do not run parallel to the highway.

M. Transportation

WIS 23 is the only major highway serving the corridor study area. The western terminus of this project is bounded by the US 151 Fond du Lac Bypass. Several other US and state highways intersect WIS 23 within 5 miles of either end of the project area. These include I-41, US 45, and WIS 175 in Fond du Lac and WIS 57 and WIS 67 in Plymouth. In addition, access to I-43 is about 10 miles east of Plymouth.

County highways in the corridor are important to the local transportation network. County K, County UU, County W, and County G in Fond du Lac County and County U, County T, County A, County S, and County P in Sheboygan County all intersect WIS 23 and serve mostly north and south traffic movements.

There is no rail service in the area of WIS 23. Fond du Lac County Airport is approximately 5 miles west of the project, and the Sheboygan country Memorial Airport is approximately 9 miles east of the project. There are no regularly scheduled bus routes on WIS 23 between the city of Fond du Lac and the city of Sheboygan.

3.5 NATURAL ENVIRONMENT AND RELATED RESOURCES

A. Natural and Conservancy Areas

Designated Natural Areas, as defined by the Wisconsin Natural Areas Preservation Council, are tracts of land or water so little modified by human activity or sufficiently recovered from the effects of such activity that they contain intact native plant and animal communities believed to be representative of the pre-settlement landscape. Designated Natural Areas are those officially listed by the Wisconsin Department of Natural Resources (WDNR) and the Preservation Council (available on line at: http://dnr.wi.gov/). There are no Designated Natural Areas adjacent to WIS 23.

B. Surface Water and Fishery

There are four watershed areas that are found within the study area: the eastern Lake Winnebago Watershed, the Onion River Watershed, the Sheboygan River Watershed, and the Mullet River Watershed. Taycheedah Creek flows into Lake Winnebago. The Mullet River and Onion River watersheds flow into the Sheboygan River. The Sheboygan River flows into Lake Michigan. There are three stream/river crossings along the corridor, the Sheboygan River, a tributary to the Sheboygan River, and the Mullet River. Taycheedah Creek also crosses US 151 near its junction with WIS 23. The following paragraphs describe the watersheds feeding these waterways.

1. Eastern Lake Winnebago Watershed

Taycheedah Creek drains a small area of the eastern Lake Winnebago Watershed, within the northwest quarter of the town of Empire (see Figure 3.5-1). There are no crossings of Taycheedah Creek in the WIS 23 corridor study area.

Onion River Watershed

The Onion River drains 99 square miles of the southernmost portion of the Sheboygan River Basin tributary to the Sheboygan River (see Figure 3.5-2). The junction of Ben Nutt Creek and Mill Creek in the Kettle Moraine region, west and southwest of the city of Plymouth, join to form the Onion River. The Onion River flows southerly for more than half of its length and then turns northward and flows into the Sheboygan River in the city of Sheboygan Falls. The northernmost region of this watershed crosses WIS 23.






Figure 3.5-1 Eastern Lake Winnebago Watershed

Figure 3.5-2 Onion River Watershed

Source: WDNR Watershed maps

3. Sheboygan River Watershed

There is one major crossing of the Sheboygan River Watershed within the corridor study area. This reach of the Sheboygan River Segment 5 originates at the headwaters and terminates 12.7 miles downstream at County W. The waterway supports warm water sport fish such as northern pike, sunfish, yellow perch, and bullheads and tolerant forage fish species such as shiners, white suckers, and creek chubs. Water quality is somewhat degraded by sedimentation, excess nutrients, and loss of habitat. A portion of the Sheboygan River is on the 303(d) List of Impaired Waters because of contaminated sediments. River mile 0 to 13.58 is on the 303(d) list because of polychlorinated Biphenyls (PCB)-contaminated sediments. This segment is not in the corridor study area.

The segment near WIS 23 is classified as supporting a warm water sport fish community. Habitat and water quality currently support an assemblage of tolerant forage and warm water game fish. Representative sport fish primarily include northern pike, sunfish, yellow perch, and bullheads. Common forage species include shiners, white suckers, and creek chub. A tributary to the Sheboygan River, Feldner's Creek, begins about 2 miles north of WIS 23 and flows north. The creek is a spring-fed Class II trout stream. Water quality in the upper reach of Feldner's Creek is very good, with gravel spawning areas for brook trout, intolerant forage fish, and warm water sport fish. See Figure 3.5-3 for a diagram of the Sheboygan River Watershed.




Figure 3.5-3 Sheboygan River Watershed

Source: WDNR Watershed maps

4. Mullet River Watershed

The Mullet River originates from the outflow of Mullet Lake and the Mullet River State Wildlife Area in Fond du Lac County and flows in an easterly direction for approximately 40 miles to its confluence with the Sheboygan River in the town of Sheboygan Falls, 17 miles upstream of Lake Michigan. See Figure 3.5-4 for a diagram of the Mullet River Watershed. The water quality of the Mullet River is considered good from its headwaters to the city of Plymouth. The middle of the river, from the city of Plymouth to the village of Glenbeulah, has an increase in spring flow that lowers stream water temperatures and is classified as a Cold Water Community stream (trout). Upstream of Glenbeulah and downstream of WIS 67 near the city of Plymouth, the Mullet River is classified as a Warm Water Sport Fish Community stream. The Mullet River is unique in that it flows from the warm water headwaters into a cold water segment. All the other major tributaries in the Sheboygan Basin, including the Sheboygan and Onion Rivers, originate as cold water streams and change over to warm water farther downstream. The river segment that flows through the KMSF-NU, the Mullet Creek State Wildlife Area, and the Wade House Historic Site is located within the warm water sport fish community segment. WIS 23 crosses the Mullet River once within the study area near the town of Greenbush.




Figure 3.5-4 Mullet River Watershed

Source: WDNR Watershed maps

C. Floodplains

River crossings along WIS 23 with designated 100-year floodplains that provide several ecosystem functions include the Sheboygan and Mullet Rivers.

D. Groundwater and Water Supply

Groundwater comes from natural underground reservoirs, or aquifers. There are three main aquifer types: sand and gravel glacial drift aquifer (shallow system), the dolomite aquifer (shallow system), and the sandstone aquifer (deep artesian system). The depths of the aquifers vary throughout the study area. Groundwater used domestically within the project corridor is supplied from the sand and gravel aquifer consisting of permeable sediments of unconsolidated glacial deposits. Depth to groundwater varies with land surface characteristics. Drinking water in the study area is supplied by private wells.

E. Wetlands

In Sheboygan County, high quality wetlands occur in the following areas:

- South of WIS 23 in the vicinity of the KMSF-NU-Riparian forested, riparian emergent, wooded swamp, and wet kettles
- Wade House Historic Site—Riparian forested and riparian emergent
- Along the Mullet River–Riparian forested and wooded swamp

In Fond du Lac County, high quality wetlands occur in the following areas:

- North of WIS 23 between Pit Road and Triple T Road –Mixed hardwood and cedar swamp
- At the Sheboygan River area crossing WIS 23—Riparian emergent wet meadow

- South of WIS 23 near Division Road–Shrub swamp
- South of WIS 23 adjacent to Hillview Road–Mullet Creek Wildlife Area, mixed hardwoods and emergent wet meadow

The Pit Road Wetland Mitigation Site north of WIS 23 at Pit Road was created to offset wetland losses from previous WIS 23 highway projects. WisDOT constructed this 3.6-acre site to mitigate 2.48 acres of wetland losses for WIS 23 between Fond du Lac and Sheboygan around 1990. The site is located in the northwest quadrant of WIS 23 and Pit Road. There are no known protective "covenants" or conservation easements on the lands. During preliminary design, agencies and WisDOT agreed to avoid wetland losses to the site. Figure 3.5-5 shows an aerial photograph of the site.



Figure 3.5-5 Pit Road Wetland Mitigation Site

The Wade House Wetland Enhancement and Mitigation Site was created during the Robinson Herrling Sawmill and Dam restoration project. The U.S. Army Corps of Engineers (USACE) issued a permit allowing for wetland mitigation and enhancement south of WIS 23 as a result of the wetland impacts of that project. To date, coordination with state (Wisconsin Historical Society/WDNR) and federal agencies (USACE) has not identified "covenants" or permit conditions placed on existing mitigation lands. Figure 3.5-6 shows an aerial photograph of the site with the enhancement and mitigation site boundaries.



Figure 3.5-6 Wade House Enhancement and Wetland Mitigation Site

F. Uplands

Upland areas in the corridor are predominantly found in the Kettle Moraine region in Sheboygan County and the Niagara Escarpment in Fond du Lac County. Between these two features is an undulating region made up of outwash plains, moraines, and drumlins. A large ridge rises up in the central area of the project corridor that provides a good habitat for a variety of plants and wildlife. The vegetated uplands along the corridor include the dominant tree species of sugar maple, basswood elm, red oak, white oak, and black oak. Common ground plants are sweet cicely, mayapple, wild leek, wild geranium, and false Solomon's seal. Other less common plants found are black spruce, tamarack, white cedar, and hemlock. Native vegetation of these areas supports a variety of deciduous forest, forest-edge, and riparian species.

G. Wildlife

The mix of wetlands, upland woods, and nontilled farmland provides habitat for a variety of wildlife species. White-tailed deer, raccoon, striped skunk, turkey, squirrel, and grouse are common in forest and forest-edge habitats. Open areas support populations of rabbit, coyote, and a variety of small rodents, as well as songbirds and raptors. Aquatic mammals, turtles, freshwater mussels, migratory waterfowl, and a variety of fish are present in the river and wetland settings in the region.

H. Endangered or Threatened Species

The rare species data provided by state (WDNR) and federal (United States Fish and Wildlife Service (USFWS)) agencies do not provide direct location of the rare species to protect them from disturbance or collection. Publicly available WDNR rare species data (Natural Heritage Inventory Data—NHI) is provided at the township level for occurrences (i.e., if a species is located in one or multiple sections in a 36-square-mile township, it is reported only according to the township). USFWS endangered species data is provided at the county level.

WIS 23 crosses through Empire, Forest, Greenbush, and Plymouth townships in Fond du Lac and Sheboygan counties. Table 3.5-1 shows the number of rare species (threatened or endangered) occurrences by township. More rare species occur in Greenbush and Plymouth because of the KMSF-NU.

Table 3.5-1 Rare Species Occurrences

Municipality	Town	Range	Plants	Terrestrial Animals	Aquatic Animals	Total Rare Species per Town	
Empire	15N	18E	1			1	
Forest	15N	19E		1	1	2	
Greenbush	15N	20E		5	3	8	
Plymouth	15N	21E	3	3	2	8	
Data obtained from WDNR on-line Natural Heritage Inventory (NHI 10/31/17)							

Various project-specific surveys and investigations have occurred to identify specific rare species that could be impacted by the project. At the Mullet River crossing, WDNR performed a wading survey that identified the two listed freshwater mussels (slipper shell and ellipse). WDNR also performed a wading survey in the Sheboygan River that also identified ellipse mussels. Based on the habitat, WDNR has identified three species (slipper shell, ellipse, and rainbow shell) as being potentially affected by WIS 23 improvements. A WisDOT consultant conducted a survey for Butler's garter snake (Thamnophis butleri) in November 2005. Seven sampling areas were investigated, and no Butler's garter snakes were observed. WisDOT also conducted a survey for snow trillium and no snow trillium was found. In general, the habitat near the Sheboygan River in Section 7 of Forest Township (T15N, R19E) and the Mullet River near the Wade House Historic Site in Section 10/11 of Greenbush Township (T15N, R20E) provide the most reptilian or riparian habitat.

The occurrences of state and federal limited rare species within the towns of Empire, Forest, Greenbush, and Plymouth were updated with the WDNR in October 2017. Information obtained included the presence or absence of species, a determination of affected species, and potential mitigative measures to eliminate incidental takes for various species (see section 6). The results of the October 2017 WDNR interaction are summarized in Table 3.5-2.

Table 3.5-2 Rare Species within WIS 23 Townships

Table 3.5-2 Rare Species within WIS 23 Townships						
	Species	Species				Potentially
Group	Common	Scientific	Federal	State		Affected by
Name	Name	Name	Status	Status	Habitat Preferences	Project
END = Ei		HR = Threatened	l, SC= Spe	cial Conce		l
Plant	Forked	Aster furcatus	-	THR	Dry-mesic to mesic hardwoods, often	N
	Aster				adjacent to lakes or streams, or on slopes	
					with dolomite near the surface. Moist or calcareous soils.	
Plant	Snow	Trillium nivale	_	THR	Hardwood forests, sometimes	N
Flalit	Trillium	Tilliam mivale	-	THIN	second-growth, often adjacent to rivers or	IN
	Tilliani				streams. Rich, moist soils.	
Plant	Marsh	Valeriana	-	THR	Calcareous, coniferous swamps. Wet to	N
	Valerian	sitchensis ssp.			mesic, peaty, calcareous soils.	
		ulginosa				
Plant	Many	Carex	-	SC	Muddy, sandy, marly, and peaty	N
	Headed	sychnocephala			shorelines of lakes and ponds. Wet,	
	Sedge	0			sandy, peaty, calcareous soils.	
Plant	Yellow	Calylophus serrulatus	-	SC	Found mostly on steep bluff prairies along	N
	Evening	Serrulatus			the Mississippi and lower St. Croix Rivers; cedar glades and, occasionally, in moist	
	Primrose				prairies.	
Plant	Pitcher's	Cirsium pitcher	THR	ND	Found in open sand dunes and low open	N
1 Idill	Thistle	on ordin phonor	1111	110	beach ridges of the Great Lakes' shores.	
Plant	Eastern	Platanthera	THR	ND	Found in a wide variety of habitats, from	N
	Prairie	leucophaea			mesic prairie to wetlands such as sedge	
	Fringed				medows, marsh edges, even bogs.	
	Orchid					
Mammal	Northern	Myotis	THR	ND	Found in caves and mines-swarming in	May Affect,
	Long-eared	septentrionalis			surrounding wooded areas in autumn.	but will not
	Bat				During late spring and summer, the	result in a
					Northern Long-eared Bat roosts and	prohibited
N /	Oliman and ball	A la a va : ala va ta		TUD	forages in upland forests.	take
Mussel	Slippershell Mussel	Alasmidonta viridis	-	THR	Found in small to medium-sized streams with flowing hard water, sand or gravel	Υ
	Mussei	VIIIUIS			bottoms. Mainly in east and south parts of	
					Wisconsin. Known hosts are	
					banded/mottled sculpins and johnny	
					darter. Usually found and confirmed in	
					sand or fine gravel in shallow water or	
					small streams. Reported as occurring in	
					the Sheboygan and Mullet Rivers on the	
Mussal	Filippo	Vanuata sanah -		TUD	WIS 23 corridor.	Υ
Mussel	Ellipse Mussel	Venustaconcha ellipsiformis	-	THR	Prefers shallow, flowing, clean small streams with sand or gravel bottoms and	Y
	IVIUSSEI	GIIIDƏIIOITIIIƏ			stable substrate in the east and south part	
					of Wisconsin. Host fish are mostly small	
					stream species including rainbow darter,	
					johnny darter and mottled sculpin.	
					Surveyed and reported in the Sheboygan	
					and Mullet Rivers on the WIS 23 corridor.	
Mussel	Rainbow	Villosa iris	-	END	Found in shallow, flowing, clean small	Υ
	Shell				streams with stable gravel substrate in the	
	Mussel			1	eastern part of Wisconsin (very restricted	
					range). Lives within and below riffles on a sand, gravel or mud bottom in water less	
					than 3 feet deep. Host fish include	
					smallmouth/largemouth bass and	
					rockbass. Not found in surveys to date,	
					but reported as occurring in the	
					Sheboygan River on the WIS 23 corridor.	

Table 3.5-2 Rare Species within WIS 23 Townships

Table 3.		pecies within V	VIS 23 10	wnsnips		Detentially
Group	Species Common	Species Scientific	Federal	State		Potentially Affected by
Group Name	Name	Name	Status	Status	Habitat Profesonose	
					Habitat Preferences	Project
		HR = Threatened Buteo lineatus	, SC= Spe			
Bird	Red- Shouldered	Buteo iirieatus	-	THR	Strongest history of suitable habitat includes unfragmented, mature floodplain	N
	Hawk				forests along major rivers, including the	
	Hawk				Mississippi, St. Croix River north to St.	
					Croix Falls, the Chippewa River to	
					Chippewa Falls, the Wisconsin River to	
					Wausau, and the Wolf River. Nests	
					reported near WIS 23.	
Bird	Cerulean	Dendroica	-	THR	Mature mesic deciduous woodlands,	N
	Warbler	cerulea			including maple, basswood, and oak in	
					uplands and lowland forests. Often found	
					near small canopy openings in large	
					continuous forest tracts; prefer medium	
					and large tracts over small tracts (less	
					than 40 acres). WDNR suspects presence near Mullet River floodplain.	
Bird	Acadian	Empidomax		THR	Requires large tracts of mature mesic	N
Dilu	Flycatcher	virescens	_	TTIIX	forest, with semiopen understory, and	14
	Tybatorici	***************************************			prefer forested streamsides and ravines.	
					Breed in mesic, dry-mesic, and wet-mesic	
					forests, as well as in hemlock, yellow	
					birch, and white pine relics. In KMSF-NU	
					in southeast Wisconsin, they have	
					nesting history in overmature conifer	
					plantations. Also nests in pines/spruce,	
					pioneer species and red oak. Prefers	
					lowland deciduous forests, heavily	
					wooded hillsides in large blocks of forests. WDNR suspects presence near	
					Mullet River floodplain.	
Bird	Hooded	Wilsonia citrina	_	THR	Found in large upland forest tracts in	N
Bira	Warbler	TT HOOTHIG OHITHIG		11111	south Wisconsin. Occurs in mature silver	14
					maple-elm forest and southern sugar	
					maple-basswood forest, and in pine	
					plantations in southeast Wisconsin.	
					Occupy pockets of dense understory near	
					small or partial canopy openings. WDNR	
					suspects presence near Mullet River	
Dind	Mhooning	Grue amariaana	NED	NA	floodplain. Species depends on large, open wetland	N
Bird	Whooping Crane	Grus americana	NEP (experimental	INA	ecosystems to eat, roost, and make their	IN
	Cialle		population,		nests. No nesting or migrational sites	
			non-essential)		known for corridor. Migratory nonessential	
					experimental population (NEP) as listed	
					by USFWS but not extensively tracked by	
					WDNR within natural heritage inventory.	
Bird	American	Botaurus	-	SC/M	Uses shallow marshes,	N
	Bittern	lentiginosus			meadows/wetlands of many sizes; prefers	
					large open marshes and meadows.	
					Occupies thick, emergent vegetation like	
					cattails, sedges, reed, and bulrushes	
L	<u> </u>				during breeding season.	

Table 3.5-2 Rare Species within WIS 23 Townships

Table 3.	Table 3.5-2 Rare Species within WIS 23 Townships					
_	Species	Species				Potentially
Group	Common	Scientific	Federal	State		Affected by
Name	Name	Name	Status	Status	Habitat Preferences	Project
		HR = Threatened	l, SC= Spe			
Snail	Midwest	Vertigo	-	END	Inhabitants of cold, undisturbed, and well-	N
	Pleistocene	hubrichti**			forested algific sites occurring	
	Vertigo				characteristically in small patches of	
	Snail				decaying deciduous tree leaves (most	
					often paper birch or mountain maple) on or in front of open vents in areas	
					otherwise dominated by mosses and	
					lichens. Primary habitat is the soil and	
					fern covered ledges of limestone cliffs.	
					Not identified on NHI on project. Added to	
					species review list based on project	
					proximity to Niagara escarpment.	
Snake	Butler's	Thamnophis	-	SC/H	Prefers almost any open-canopy wetland	N
	garter	butleri			type (not open water) and adjacent open	
	snake				to semi open canopy upland, including	
					prairies, old fields and weedy vacant lots.	
					Also prefers low-canopy vegetation (less	
					than 24 inches), although will occupy	
					habitats with taller vegetation such as	
					reed canary grass. Investigated and not	
					identified as concern on WIS 23 corridor.	
Turtle	Blanding's	Emydoidea	-	SC	Uses wide variety of aquatic habitats	N
	Turtle	blandingii			including deep/shallow marshes, shallow	
					bays of lakes/impoundments with dense	
					emergent and submergent vegetation,	
					sluggish streams, oxbows and other	
					backwaters of rivers, drainage ditches, and sedge meadows/wet meadows	
					adjacent to these habitats.	
					Semiterrestrial; moves between a variety	
					of wetland types between March-October.	
					Overwinters in standing water > 3 feet	
					with a deep organic substrate of warm	
					and cold-water streams and rivers. Nests	
					mid-May to July. Nest preference is sandy	
					soils, may travel up to 900 feet from a	
					wetland or waterbody to find suitable	
					soils. Displays nest site fidelity, returning	
					to sites and nesting in a similar location	
0 :	F	Thomas		END	annually.	h 1
Snake	Eastern	Thamnophis sauritus	-	END	Semiaquatic snake primarily found in bog	N
	Ribbon	Saunus			relics and associated vegetation near or south of the Tension Zone.	
Eigh	Snake	Luxilus		END		N
Fish	Striped Shiner	chrysocephalus	-	LIND	Prefers clear to slightly turbid waters of runs and shallow pools of the lower	IN
	Sililei	crifysocephalas			Milwaukee River, with dense aquatic	
					vegetation over substrates of cobble,	
					boulders, silt, sand, mud or bedrock.	
					Spawning occurs from late May through	
					June.	
Butterfly	Swamp	Calephelis	-	END	Alkaline wetlands (fens) and wet	N
	Metalmark	muticum			meadows, marshes or tamarack bogs	
					surrounding fen areas. Swamp thistle,	
					Cirsium muticum is host plant. Has a	
					single two-week flight period between	
	1.00				mid-July and mid-August.	
**WDNR	**WDNR addition though initially distant T16N, R18E					

The federally listed whooping crane is reported for Fond du Lac County but no breeding (resident or nonmigratory) crane population is known for the project area. According to the WDNR, there are no known migrational stopover areas along the project corridor. The federally listed Northern Long-eared Bat, Eastern Prairie Fringed Orchid and Pitcher's Thistle are reported for Fond du Lac and Sheboygan counties and are all listed as threatened. According to WDNR, there are no known Northern Long-eared Bat maternity roosting sites or hibernacula within a two-mile buffer of the proposed project area. According to the WDNR, suitable habitat is not anticipated within the project area for either the Eastern Prairie Fringed Orchid or the Pitcher's Thistle.

As presented in Table 3.5-2, 23 plant and animal species are listed as either threatened, endangered, or special concern in the project area within Fond du Lac and Sheboygan counties. Habitat loss, habitat disruption or degradation, loss of travel corridors, fragmentation, and mortality from development (whether agricultural or municipal expansion) are some of the primary reasons why these species are state threatened or endangered species.

The endangered rainbow shell freshwater mussel and the endangered upland Midwest Pleistocene ertigo snail are the only WDNR S1 ranked species reported in the study area environs. S1 species are critically imperiled in Wisconsin because of extreme rarity (five or fewer occurrences or very few remaining individuals or limited acreage) or because of some factor(s) making it especially vulnerable to local extinction from the state. The concern of most note for the snail on this project would be avoidance of impacts to the Niagara Escarpment that might contain the snail species' habitat preference of moist agilic habitat. Similarly, the continued minimization of siltation and aquatic habitat degradation for the rainbow shell mussel would be a benefit to this species.

Of the species that could likely be impacted by the project through waterway alterations, the threatened slippershell freshwater mussel is the only WDNR S2 ranked species. S2 ranked species are imperiled in Wisconsin because of rarity (6 to 20 occurrences or few remaining individuals or acres) or because of some factor(s) making it very vulnerable to extirpation from the state. Surveys in two project waterways have identified potential habitat but no specific occurrences for this species.

Five of the remaining threatened species in the project area ranked as S3 by the WDNR. This includes plants (snow trillium), mussels (ellipse), and potential breeding populations of birds (Cerulean and hooded warblers, Acadian flycatcher). These species' S3 rankings indicate they are rare or uncommon in Wisconsin (21 to 100 occurrences).

The red shouldered hawk is ranked as S4 by WDNR. An S4 ranking means the species is apparently secure in Wisconsin, with many occurrences. However, it is noted that the red-shouldered hawk occurrence in the project corridor in Sheboygan County is atypical of its normal large river habitat preference.

On January 1, 2014, the WDNR revised Wisconsin's Threatened and Endangered Species list by adding eight species and removing fifteen species. There are two reptile and one plant species the WDNR has removed from the threatened species list that are listed as occurring in the townships near, or on, WIS 23. These are the state-threatened Blanding's turtle (Emydoidea blandingii) and Butler's garter snake (Thamnophis butleri) (both made species of special concern), and the state-threatened yellow gentian (Gentiana alba).

See Section 4.7 C-7 for more information regarding threatened and endangered species

Air Quality

Air pollution is the contamination of the atmosphere with gases or particulate matter that is harmful to the human environment. The United States Environmental Protection Agency (USEPA), through the 1970 Clean Air Act, has established National Ambient Air Quality Standards (NAAQS) for six Criteria Air Pollutants. These Criteria Air Pollutants are regulated by USEPA on the basis of information on health and

environmental effects. The six pollutants are ozone (O₃), nitrogen oxides (NO), carbon monoxide (CO), sulfur dioxide (SO₂), particulate matter (PM), and airborne lead (Pb). The 1977 and 1990 Clean Air Act Amendments reinforced attainment and maintenance of these standards.

These standards have been adopted by the State of Wisconsin through Wisconsin Administrative Code Chapter NR 404. Air quality standards are definitions of the characteristics of ambient air quality that, in terms of present day knowledge, need to be maintained to protect the public health and welfare and our environment from adverse effects of air pollution. The goal of the air quality regulations is to ensure that various levels of pollutants do not exceed set standards and, where pollution levels are presently less than standards, to prevent the significant deterioration of the ambient air quality.

The WIS 23 corridor is located in the Lake Michigan Intrastate Air Quality Control Region. Fond du Lac County is presently in attainment of all NAAQS.

The project was included in the Metropolitan Planning Organization (MPO) assessment of conformity of the *Year 2045 Sheboygan Area Transportation Plan*, and although the project is located outside of the Sheboygan MPO's boundaries, through interagency consultation, it was agreed that this project (4-lane On-alignment Alternative) would be included in the Assessment of Conformity of the *Year 2045 Sheboygan Area Transportation Plan*, as it has been customary of the MPO to conduct conformity analyses for all of Sheboygan County and include modeling of capacity modifying projects in portions of the county outside the Sheboygan Metropolitan Planning Area in the analysis. WIS 23 is open to traffic by 2025 in the conformity analysis.

Per the Clean Air Act, states recommend designations to the USEPA following promulgation of a new NAAQS. In September 2016, Governor Walker recommended that the entire state of Wisconsin be designated as attainment of the 2015 ozone standard. On November 6, 2017 USEPA finalized "round 1" of its initial area designations for the 2015 standard. In April 2017, Wisconsin's Department of Natural Resources provided supplemental information to USEPA in support of the governor's recommendation. In February 2018, DNR submitted additional comments to USEPA in response to USEPA's intended nonattainment area designations.

On May 1, 2018 USEPA notified the state of its final designations for nonattainment of the 2015 ozone NAAQS. For Sheboygan County, the final moderate nonattainment area, (effective 60 days after rule publication in the Federal Register) is:

Inclusive and east of the following roadways going from the northern county boundary to the southern county boundary: Highway 43, Wilson Lima Road, Minderhaud Road, County Road KK/Town Line Road, N 10th Street, County Road A S/Center Avenue, Gibbons Road, Hoftiezer Road, Highway 32, Palmer Road/Smies Road/Palmer Road, Amsterdam Road/County Road RR, Termaat Road.

The portion of proposed WIS 23 in Sheboygan county is not located in the 2015 Ozone NAAQS nonattainment area.

According to the October 18, 2016, Updated FHWA Guidance regarding Interim Guidance on Air Toxic Analysis in NEPA Documents, this project is considered to have low potential Mobile Source Air Toxics (MSAT) effects. The types of projects that fall into this category are those that serve to improve operations of highway, transit or freight without adding substantial new capacity or without creating a facility that is likely to meaningfully increase MSAT emissions. Examples of these types of projects include projects where design year traffic is projected to be less than 140,000 to 150,000 AADT. The projected 2040 WIS 23 traffic volumes of between 6,800 and 21,100 AADT fall substantially short of this threshold. Therefore, this project falls into the "low potential for MSAT" category.

J. Noise

Sound levels are measured in units called decibels. Because the human ear does not respond equally to all frequencies (or pitches), measured sound levels are often adjusted or weighted to correspond to the

frequency response of human hearing and the human perception of loudness. The weighted sound level is expressed in units called A-weighted decibels (dBA) and is measured with a calibrated sound level meter. Table 3.5-3 provides an illustration of typical sound levels in dBA.

Table 3.5-3 Typical A-Weighted Sound Levels

Sound Source	Sound Level (dBA)	Subjective Response
	140	Threshold of Pain
Military jet takeoff with afterburner at 50 feet	130	
Rock and roll band	120	Uncomfortably loud
Jet fly-over at 1,000 feet	110	
Power lawn mower at operator	100	Very loud
Diesel truck (55 mph) at 50 feet	90	
High urban ambient sound automobile (55 mph) at	80	Moderately loud
50 feet		
TV audio, vacuum cleaner	70	
Normal conversation	60	
	50	Quiet
Lower limit urban ambient sound	40	
	30	Very Quiet
Unoccupied broadcast studio	20	
	10	
	0	Threshold of Hearing

Sources:

Noise Assessment Guidelines Technical Background, HUD Report No. TE/N/A 172

Handbook of Noise Control, C.M. Harris, 1979

FHWA Highway Traffic Noise Prediction Model, FHWA-RD-77-108, 1978

http://wisconsindot.gov/Documents/doing-bus/eng-consultants/cnslt-rsrces/environment/typical-a-weighted-sound-lvl.pdf

Noise is defined as unwanted sound. The sounds generated by vehicular traffic and residential and commercial development in the study area constitute noise to people and can interrupt normal activities when they reach certain levels. Areas that would likely be sensitive to noise include residential developments, recreational areas, schools, churches, and cemeteries. Commercial and industrial land uses would generally be less sensitive to noise.

Noise sensitive sites along WIS 23 have been identified and readings have been taken at representative locations using a Larsen Davis 312 Noise Meter to determine existing noise levels. See Section 4.7 D-3 for sound level reading locations and a more detailed discussion of the existing and future sound levels, possible noise impacts, and possible mitigation measures. A discussion of construction-related noise impacts and possible mitigation measures can be found in Section 4.7 D-2.

K. Contaminated Materials

A Phase 1 Hazardous Material Assessment inventory was done within the corridor study area along WIS 23. The review identified apparent sources of hazardous materials and assessed the potential for affecting sites that may contain environmental contaminants. The results are discussed in Section 4.7 D-4.

L. Soils and Mineral Resources

Glacial landforms dominate the WIS 23 corridor and most soils were derived from till and outwash deposits. Bedrock along WIS 23 consists of dolomite limestone with varying thickness of up to 200 feet. Marsh deposits of varying depth can be found near any of the four watershed areas along the project (Sheboygan, Mullet, and Onion Rivers and Eastern Lake Winnebago Watersheds).

Moderate to rapid permeability soils dominate the project area. Soils along WIS 23 in Fond du Lac County can be identified within four soil classification groups:

 Theresa-Pella-Lamartine association: Well-drained to poorly drained, silty, moderately permeable soils underlain by calcareous loam and sandy loam till. Kewaunee-Manawa-Polgan association: Well-drained to poorly drained, silty, and clayey, moderately slowly to slowly permeable soils underlain by calcareous till or lacustrine sediments.

- Fox-Casco association: Well-drained loamy, moderately permeable soils underlain by calcareous sand and gravel.
- Houghton-Palms association: Organic soils over calcareous outwash, till, or lacustrine deposits.

Soils along WIS 23 in Sheboygan County can be identified within two soil classification groups:

- Hochheim-Theresa association: Well-drained soils that have a subsoil of mainly clay loam or silty clay loam and are underlain by gravelly sandy loam glacial till.
- Casco-Fox-Rodman association: Well-drained to excessively drained soils that have a subsoil of mainly silty clay loam to sandy clay loam or gravelly sandy loam and are underlain by stratified gravel and sand outwash.

There are active sand/gravel pits within the study area. Under WisDOT construction contracts, the contractor may select its own source of materials as long as they meet contract specifications.

M. Aesthetics

The visual character and aesthetic quality of an area is created by its composition of landscape features including landforms, streams and other water bodies, wetlands, woodlands, open space such as cropland, historic structures, commercial and residential development, parkland, and other recreational facilities.

The natural scenery along this section of WIS 23 runs through rolling glacial moraines and drumlins and crosses two unique geologic features. The first is the Niagara Escarpment, located on the far west section of WIS 23. The Escarpment rises 300 feet above Lake Winnebago. Second is the KMSF-NU to the east near the town of Greenbush, a forested glacial moraine area. Both features provide exceptional and unique views of this area of Wisconsin. Other unique views are found along WIS 23. Visible at the Sheboygan River crossing is a wetland basin adjacent to WIS 23. Also, several drumlins, hills, and outwash plains that consist of several wetlands and woodlands are visible between the two major geologic features.

This region has been settled mostly as a farming area, thus providing a scenic rural setting and scenic panoramas of the countryside on these hills. Visible landscape features include pasturelands, farm operations, and residential homesteads. The existing highway consists of concrete and bituminous pavements with gravel shoulders. The existing roadway is exhibiting some signs of distress (cracks and ruts). A bridge spans the Sheboygan River. Aesthetic quality of the majority of this corridor is considered moderate to high.

3.6 CULTURAL RESOURCES

A. <u>Archaeological/Historical Resources</u>

This region has been the scene of human occupation for at least 10,000 years, spanning the Paleoindian Period to modern times. The Lake Winnebago and Fox River drainage areas have been the primary focus of historical and archaeological study since the late 1800s.

An archaeological literature and records search was undertaken to identify previously reported resources and burial sites near the corridor study area. Archaeological and burial sites have been reported within approximately 1 mile of the study area and Native American components have been identified at several of these previously recorded sites. Between 2002 and 2006, a records search and a Phase 1 Survey were completed to identify other sites along the corridor, verify sites identified in the literature review, and determine the need for Phase II archaeological investigations. In all, 54 archaeological sites and ten isolated finds were identified. Two historic cemeteries and four previously recorded sites were also investigated.

3 Affected Environment 3.6 Cultural Resources

Five sites were located within the area of potential effect (APE) and recommended for Phase II evaluation. WisDOT refined the corridor alignment to avoid one of the five sites, and in 2005 and 2006, Phase II evaluations were completed at the remaining four sites along WIS 23. The sites are known as Sippel, Limberg, Mullet River North, and Mullet River South. Only the Sippel site was determined to be eligible for listing on the NRHP. The other three sites are not eligible for listing and no additional archaeological investigation is recommended. Additional information is provided in Section 4.7 B-6 of this document.

The project historian completed an identification survey, including a windshield survey of historic properties located within the APE. The APE is the viewshed of the 19.1-mile long WIS 23 project corridor from County K to County P, extending approximately 1 mile on either side of WIS 23. Background research identified 3 structures at the Wade House Historic Site as listed on the NRHP. Within the APE, ten properties were found to be included in the Wisconsin Architecture and History Inventory. The survey identified 12 additional properties within the APE with potential for being listed on the NRHP. Of the properties identified, the Wisconsin Historical Society recommended completion of a Determination of Eligibility (DOE) for one property, the St. Mary's Springs Academy complex, which was found to be eligible for the NRHP. It is eligible for the NRHP under Criterion A (religious property with architectural importance) and Criterion C (a birthplace or grave of a historical figure is eligible if the person is of outstanding importance). Contributing resources to this designation include Boyle Hall Main Building, the First Powerhouse Building, and Second Powerhouse Building.

In 2005, St Mary's Springs demolished two of the resources in the complex that led to the site being eligible for the NRHP. Upon re-examination of the surviving resources in 2012, the project historian concluded that the demolition of Boyle Hall removed the historic resource which gave other items/resources on the property their historic significance. Documentation that reduces the size of the historic boundary for St. Mary's Springs Academy was provided to the State Historic Preservation Officer (SHPO). A revised Memorandum of Agreement (MOA) was signed by SHPO and included in Appendix D of the 2014 LS SFEIS. A new MOA is being drafted to address schedule changes. A more detailed discussion of the reduction of the historic boundary is provided in Section 5 in this LS SEIS.

In 2017, an architectural review was performed to determine if there have been structures within the corridor that are now 50 years old or more, that did not fit into this category during the original architectural survey. The survey determined that no additional structures are eligible for the NRHP. Other properties in or adjacent to the project area have either been determined to be not eligible for the NRHP or will not be impacted by the alternatives under consideration in this document. A copy of the Architecture/History Survey Form and the 2017 updates are available from WisDOT upon request.

In fall of 2017 WisDOT performed a review of the Phase 1 archeological surveys for the corridor and compiled the results of previous efforts. Of the 23 archaeological and cemetery/burial sites identified within the final project alignment by previous studies, 20 are not eligible, two are unevaluated, and one is eligible for the NRHP. Archaeological mitigation and data recovery at the NRHP eligible site 47SB0394 has been completed and the results are currently under review by the State Historic Preservation Office. Archaeological monitoring would be recommended if a build alternative is selected near two burial sites (47FD0245/BFD0197, 47FD0017/BFD0150). One archaeological site (47SB0440) was identified in 2015 near the study corridor. Further evaluations in the fall of 2017 determined that site 47SB0440 does not extend into the currently defined APE.

Additional information related to historic structures can be found in Section 4.7 B-5 of this document.