



Traffic Signal Design Manual

ORIGINATOR Director, Bureau of Highway Operations	
CHAPTER -	Index
SECTION -	
SUBJECT -	

A

Accidents. See Crashes

Actuated controller

- General 7-1-1
- Functions
 - Minimum green interval 8-1-6
 - Passage time (allowable gap)..... 8-1-6
 - Phase recall 8-1-1

Advance detection 8-1-6

Approval Process

- Investigation study 2-1-1, 2-4-1
- PS&E 5-4-1
- Permit project..... 5-4-2
- State Forces Non-improvement funding 5-4-3

B

Backplates 6-1-2

Base, signal 6-1-3

C

Cable

- Conduit 6-1-4
- Detector lead-in 9-1-1
- Pullboxes 6-1-6
- Routing plan..... 5-1-4
- Splices 9-1-1
- Signal service 6-1-5

Cable routing schedule 5-1-4

Cabling. See Cable

Capacity analysis 3-2-1

Collision Diagram 2-2-2

Concrete bases, signal 6-1-3

Condition Diagram 2-2-3

Conduit 6-1-4, 6-1-6

Conflict chart 7-1-5

Construction considerations (detectors) 8-1-4

Controller

- Actuated 7-1-1
- Cabinet 6-1-5
- Interconnection of 6-1-5 7-1-5
- Layout 6-1-5
- Logic chart 8-2-1
- NEMA standard 7-1-2
- Operations 8-1-1
- Pretimed 7-1-1
- Timing considerations 8-1-1
- Type 7-1-1

Crashes

- Data collection of 2-2-2
- Period of study 2-2-2, 5-1-1
- Warrant 6 2-3-3

Crosswalk 8-1-8

D

Delayed call 8-1-1

Detectors

- Construction considerations 8-1-4
- Overview 8-1-3
- Delayed cal 8-1-1
- Detection layout
 - Advanced (far) detection 8-1-5
 - Dilemma zone detection 8-1-6
 - Extended call detection 8-1-6
 - Green extension system 8-1-6
 - Left-turn detection 8-1-7
 - Near detection 8-1-6

Single point detection 8-1-6	
General 8-1-3	Initial interval (variable initial)..... 8-1-6
Installation of..... 8-1-4	Interconnect
Lead-in cable 9-1-1	Table..... 7-1-6
Left turn lane detection 8-1-7	Intersection lighting..... 6-1-8
Locking and non-locking operation..... 8-1-1	
Logic chart 8-2-1	J
Operations 8-1-1	Junction box
Types of	Location 6-1-6
Inductive loop 8-1-2	Size..... 6-1-6
Microloop 8-1-2	
Microwave/radar 8-1-2	L
Sonic..... 8-1-2	Lag-left turn phase 6-1-2, 7-1-2
Video 8-1-2	Lead-in cable 9-1-1
Inductance calculations 8-1-8	Left-turn conflict analysis 2-3-4
Detector Logic Chart..... 8-2-1	Lighting
Dilemma zone	Intersection 6-1-8
Detection..... 8-1-6	Table..... 7-1-6
Determination of 8-1-6	
Dual entry..... 7-1-4	M
E	Mast arm mounted signals..... 6-1-2
Electric cable	Metric standards 1-1-1
Cable type/information..... 9-1-1	Metric units..... 1-1-1
Cable connections (splices)..... 9-1-1	Minimum green interval..... 8-1-1
Cable routing plan..... 5-1-4	Miscellaneous quantities
Electrical service..... 6-1-5	Format 5-1-6
Existing Signals	PS&E 5-1-6
Signal plan revisions..... 5-3-1	Quantity take-off procedure 5-1-6
Extension stretch 8-1-1	Sample..... 5-5-1
F	MAX recall..... 8-1-1
FDM (<i>Facilities Development Manual</i>) 1-1-1, 5-1-2	MIN recall..... 8-1-1
5-1-6, 5-4-1, 5-4-2,	Mounting, signal. See Signal mounting
5-4-3, 5-5-1, 6-1-3,	MUTCD (WisMUTCD) 1-1-1
8-1-2, 8-1-4	N
Field Investigation	Near detection..... 8-1-7
Utility conflicts 4-2-2	NEMA 1-1-1, 5-1-3
Service location 4-2-3, 6-1-5	6-1-2, 7-1-2, 7-1-5
Checklist 4-2-4	
Forms	
DT-1199..... 2-1-2	
Foundations, signal..... 6-1-3	
G	
Gap	
Analysis of 2-3-1	
I	
Induction 8-1-8	

O

Offsets. See Setback

Overlaps.....5-1-3, 6-1-2, 7-1-3

P

Passage time 8-1-6

Pavement marking 6-1-7

Peak-hour delay
Investigation of..... 2-3-1
Warrant 10..... 2-3-3

PED recall 8-1-1

Pedestrian
Phasing..... 3-4-3, 6-1-2
Recall..... 8-1-1
Signals 3-4-3, 6-1-2
Volumes..... 2-2-1

Phasing

Alternatives 7-1-2
Criteria 7-1-2
Definition, NEMA..... 7-1-2
Designation..... 7-1-2
Diagrams 7-1-2
Dual entry 7-1-4
Overlaps 7-1-2
Pedestrian..... 7-1-2
Sequence of operations..... 7-1-2, 7-1-4, 7-1-5
Single entry..... 7-1-4

Photograph log..... 2-1-2, 2-4-3

Pink sheet. See Forms, DT-1199

Plan approval
General 5-4-1, 5-4-2, 5-4-3
PS&E 5-4-1
Abbreviated PS&E 5-4-2
State forces non-improvement funding..... 5-4-3

Pole mounted signals..... 6-1-2

Power source 6-1-5

Pre-empt
Table..... 7-1-6
General note 7-1-6

Presence detection 8-1-1

Pretimed controller..... 7-1-1

PS&E 5-4-2

Pullbox

Location 6-1-6
Size..... 6-1-6
Spacing..... 6-1-6

Pulse detection 8-1-1

Q

Quantities, miscellaneous
Format 5-1-6
Quantity take-off 5-1-6

Quadrupole 8-1-7

R

References..... 1-1-1

Request for signalization..... 2-1-2

Revisions to plans..... 5-3-1

Right turn
Bypass signal layout..... 6-1-2
Inclusions..... 2-3-2

Roadway lighting..... 6-1-8

S

Sample
Investigation study 2-4-1
Signal plan sheet 5-5-1
Sequence of operation sheet..... 5-5-1
Cable routing sheet..... 5-5-1
Miscellaneous quantities sheet..... 5-5-1

Sequence chart
Layout 7-1-5
Conflict chart..... 7-1-5
Sample..... 5-5-1, 7-1-5

Sequence of operation
Chart, layout 7-1-5
Detector logic chart..... 8-2-1
Dual/single entry 7-1-4
General 7-1-1
NEMA phase diagram..... 7-1-2
Ring barrier diagram 7-1-2
Sample of..... 5-5-1
Sheet 5-1-3, 5-5-1

Service location..... 4-2-3, 6-1-5

Setbacks 6-1-3

Signals
Alternatives to 2-1-1
Cable 9-1-1
Electrical service to..... 6-1-5
Foundations for..... 6-1-3
Head layout..... 6-1-2
Investigation study for..... 2-1-2

Layout of 6-1-2
 Left-turn signals 6-1-2
 Location of 6-1-2
 Mounting of 6-1-2
 Near right 6-1-2
 Number of faces 6-1-2
 Pedestrian signals 6-1-2
 Placement of 6-1-2
 Plan development 5-1-1
 Cable routing sheet 5-1-4
 Plan sheet 5-1-2
 Sequence of operations sheet 5-1-3
 Title sheet 5-5-1
 Sample plans 5-5-1
 Size 6-1-2
 Typical displays 6-1-2
 Typical intersections 6-1-2

Signal investigation study
 Alternative to 2-1-1
 Approval process 2-4-2
 Crash records 2-2-2
 Capacity analysis 2-4-1
 Format 2-1-2
 Intersection characteristics 2-2-3
 Left-turn conflict analysis 2-3-4
 Photograph log 2-1-2, 2-4-3, 4-2-4
 Right turn inclusions 2-3-2
 Sample study 2-4-4
 Standard investigation practices 2-3-1
 Submittal cover letter 2-1-2
 WisMUTCD Warrants 2-3-3
 Vehicular/pedestrian volumes 2-2-1
 Volume projections 2-2-1

Signal mounting
 Backplates 6-1-2
 Mast arm signals 6-1-2
 Pole mounted signals 6-1-2

Signal timing 8-1-1

Signing and pavement marking 6-1-7

Single entry 7-1-4

Splice, cable 9-1-1

Standard, signal 6-1-3

Standard signal legend 5-1-2

Standard Specifications 1-1-1

Stop sign 6-1-7

Symbols (Standard Legend) 5-1-2

T

“T” Intersection
 layout 6-1-2

TEOpS 1-1-1, 6-1-7, 7-1-6

Timing
 Considerations 8-1-1, 8-1-6
 Minimum green interval 8-1-6
 Passage time 8-1-6
 Initial interval 8-1-6

Title sheet 5-5-1

U

U-turn sign 6-1-7

Utility conflicts 4-2-2

Utility coordination 4-2-2, 6-1-5

V

Variable Initial 8-1-6

Vehicular Volumes 2-2-1

Video detection 8-1-2

Volume projections 2-2-1