



Wisconsin Department of Transportation

February 27, 2015

Division of Transportation Systems Development

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #13: 6648-00-72
Town of Lemonweir, 19th Avenue
SouthLemonweir River Bridge B-29-0144
Town Road
Juneau County

6648-00-73, WISC 2015 123
Town of Lemonweir, 19th Avenue South
CTH N to STH 82
Town Road
Juneau County

Letting of March 10, 2015

This is Addendum No. 1, which provides for the following:

Special Provisions

Added Special Provisions	
Article No.	Description
25	Pier Construction, Special.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 1

6648-00-72/73

February 27, 2015

Special Provisions

25. Pier Construction, Special.

Determine the method of construction and observe the following conditions:

1. Build the cofferdam of non-erodable material. If bedrock is encountered, seal the interface between the cofferdam and rock in a manner that will provide water draw-down as directed below.
2. Concrete poured under water will be allowed to a maximum water height, in the form, of 5 feet; pour the concrete according to standard spec 502.3.5.3. Ensure that the forms are tight to prevent leakage of concrete into the stream. Treat all displaced water by filtration, settling basin, or other means sufficient to reduce the cement content before discharging the water into the stream.
3. Excavated material from the stream may be utilized in the fill slopes so long as it is covered with other suitable material to prevent it from eroding back into the stream.

END OF ADDENDUM