

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, May 12, 2015, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in Room 601.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, Room 601, 4802 Sheboygan Avenue, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development in Room 601 of the Hill Farms State Transportation Building, 4802 Sheboygan Avenue, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page: <http://roadwaystandards/hcci/bid-letting/index.shtm>.

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

For Proposal Numbers 3 and 11 ONLY, bidder prequalification is not required; however, prior to issuing a bidding proposal or awarding a contract, the Department may require the bidder to produce evidence that they have performed work of a similar character in a satisfactory manner. Bidders **MUST** obtain a bidding proposal as hereinbefore-discussed under PLAN HOLDERS and ELIGIBLE BIDDERS.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Department hereby notifies all bidders that for all proposals hereinafter described in this advertisement, the Department will affirmatively insure that disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation, and they will not be discriminated against on the grounds of race, color, sex, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 4, 6, 7, 12, 13, 14, 15, 16, 19, 20, 23, 24, 25, 26, 28, 30, 32, 33, 35, 36, 37, 38, 42, 43, 45, 46, 47, 48, 49, 51, 52, 53

GRADING

4, 15, 33, 53

CONCRETE PAVEMENT

7, 25

ASPHALTIC PAVEMENT

4, 6, 7, 9, 12, 24, 26, 43, 48, 49, 52

STRUCTURES

2, 5, 8, 19, 34, 36, 37, 40, 46, 47, 50

BRIDGE PAINTING

34

STREET OR AIRPORT LIGHTING

17

BUILDING CONSTRUCTION

3, 11

INCIDENTAL CONSTRUCTION

1, 6, 16, 18, 20, 21, 22, 23, 27, 28, 30, 31, 32, 34, 39, 41, 42, 44, 51

1. **Statewide Type I Sign Replacement, Various Highways;** Statewide; 1000-20-73; Non-Hwy.; 0.000 Miles; Signing.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Signs, 14,173 SF.

DBE Goal: NA

Contract Completion Date: November 17, 2015

Contact Information: Jay Hille, (608) 243-5981 / jay.hille@dot.wi.gov

2. **Sun Prairie - Beaver Dam, Maple Avenue Bridge, B-11-0083;** Columbia County; 1111-05-62, WISC 2015 279; USH 151; 0.310 Miles; Mill, Base, Concrete Pavement, Asphalt Pavement, Guardrail, Pavement Marking, and Structure B-11-83.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Borrow, 6 CY; Backfill Structure, 123 CY; Base Aggregate Dense, 532 Ton; Concrete Pavement, 1,071 SY; Concrete Masonry Bridges, 255 CY; Bar Steel Reinforcement Coated, 65,464 Lbs; Pavement Marking Epoxy, 3,205 LF; Incentive Strength Concrete Pavement, 900 Dol; Incentive Strength Concrete Structure, 2,550 Dol; Steel Plate Beam Guard, 1,119 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 6 Each; HMA Pavement Type E-0.3, 320 Ton; Removing Asphaltic Surface Milling, 1,660 SY; Tack Coat, 2 Gals; Asphaltic Material, 20 Ton; Slope Paving Concrete, 572 SY.

DBE Goal: 5 %

Contract Completion Date: October 30, 2015

Contact Information: Robert Lex, (608) 246-5622 / robert.lex@dot.wi.gov

3. **Dubuque - Platteville, Grant County Salt Storage Facility;** Grant County; 1202-00-73; USH 151; 0.000 Miles; Salt Storage Building **WARRANTED**.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Construction Staking, 1 LS; Salt Storage Building, 1 LS.

DBE Goal: NA

Contract Completion Date: September 30, 2015

Contact Information: Tim Maedke, (608) 789-6317 / timothy.maedke@dot.wi.gov

4. Baraboo - Sauk City, STH 60 Intersection; Sauk County; 1670-01-75, WISC 2015 280; USH 12; 0.963 Miles; Grade, Base, Asphalt Pavement, Culvert Pipes, Curb and Gutter, Sidewalk, Storm Sewer, Signs, Pavement Marking, and Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 13,013 CY; Selected Borrow, 14,563 CY; Backfill Granular, 733 CY; Base Aggregate Dense, 23,125 Ton; Pavement Marking Epoxy, 21,782 LF; Construction Staking, 22,755 LF; Construction Staking, 53 Each; Construction Staking, 2 LS; Incentive IRI Ride, 5,122 Dol; Culvert Pipe, 136 LF 24", 72 LF 30"; Culvert Pipe Corrugated Steel, 106 LF 12", 58 LF 36", 76 LF 18", 68 LF 24"; Culvert Pipe Reinforced Concrete, 138 LF 30", 358 LF 48", 122 LF 36", 190 LF 42"; Storm Sewer Pipe Reinforced Concrete, 406 LF 12", 418 LF 18"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 162 LF 38" X 60"; Concrete Curb and Gutter, 3,766 LF; Concrete Sidewalk, 9,037 SF; Asphaltic Surface, 885 Ton; HMA Pavement Type E-0.3, 965 Ton, Type E-3, 6,346 Ton; Removing Asphaltic Surface Milling, 7,524 SY; Tack Coat, 3,534 Gals; Asphaltic Material, 402 Ton; Concrete Median Nose, 231 SF; Signs, 527 SF; Conduit, 1,786 LF; Electrical Wire, 9,102 LF; Poles, 9 Each.

DBE Goal: 10 %

Contract Completion Date: October 31, 2015

Contact Information: Anthony VanderWielen, (608) 789-7878 /
anthony.vanderwielen@dot.wi.gov

5. West River Road Bridge and Approaches, Town of Concord; Jefferson County; 3632-00-71; Town Road; 0.038 Miles; Grade, Base, Asphaltic Surface, and Structure B-28-123.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 98 CY; Borrow, 126 CY; Backfill Structure, 250 CY; Base Aggregate Dense, 215 Ton; Concrete Masonry Bridges, 167 CY; Bar Steel Reinforcement, 5,200 Lbs; Bar Steel Reinforcement Coated, 21,330 Lbs; Piling CIP Concrete, 590 LF 10 3/4-Inch; Construction Staking, 402 LF; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 1,002 Dol; Asphaltic Surface, 65 Ton; Tack Coat, 23 Gals; Signs, 24 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

6. Southwest Region Const / Crack Sealing; SW Region-Wide; 5105-00-61; Various Highways; 0.000 Miles; Sealing Asphaltic Pavement Cracks and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 1,915,188 LF; Pavement Marking Paint, 10,750 LF; Sealing Asphaltic Pavement Cracks, 117.72 Miles.

DBE Goal: NA

Contract Completion Date: October 1, 2015

Contact Information: Vicki Romenesko, (608) 246-5333 /
vicki.romenesko@dot.wi.gov

7. Genoa - LaCrosse, LaCrosse County Line to Garner Place; LaCrosse County; 5163-07-60; STH 35; 2.830 Miles; Concrete Joint Repair, Concrete Slab Replacement, Mill, Asphalt Pavement, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 30 Ton; Pavement Marking Epoxy, 67,025 LF; Incentive Density HMA Pavement, 2,120 Dol; Concrete Curb, 282 LF; Concrete Curb and Gutter, 210 LF; Asphaltic Surface, 20 Ton; HMA Pavement Type E-3, 3,284 Ton; Removing Asphaltic Surface Milling, 29,347 SY; Tack Coat, 2,054 Gals; Asphaltic Material, 182 Ton; Concrete Pavement Replacement SHES, 1,500 SY; Signs, 90 SF.

DBE Goal: NA

Contract Completion Date: August 28, 2015

Contact Information: Tim Maedke, (608) 789-6317 / timothy.maedke@dot.wi.gov

8. Town of Hamburg, Peterson Lane, Coon Creek Bridge, B-62-0244; Vernon County; 5388-00-70; Town Road; 0.057 Miles; Grade, Base, and Structure B-62-244.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 281 CY; Backfill Structure, 150 CY; Base Aggregate Dense, 420 Ton; Breaker Run, 150 Ton; Concrete Masonry Bridges, 170 CY; Bar Steel Reinforcement, 3,100 Lbs; Bar Steel Reinforcement Coated, 22,220 Lbs; Piling Steel, 480 LF 10-Inch; Construction Staking, 1,395 LF; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 1,020 Dol.

DBE Goal: NA

Contract Completion Time: 45 Working Days

Contact Information: Mike Novey, (608) 566-1370 / mike.novey@daarcop.com

9. Madison - Deforest, Broadway Street to Milwaukee Street, Northbound; Dane County; 5410-01-72, WISC 2015 281; USH 51; 2.481 Miles; Mill, Base, Asphalt Pavement, Guardrail, Signs, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Borrow, 484 CY; Base Aggregate Dense, 5,221 Ton; Pavement Marking Wet Reflective Tape, 2,120 LF; Pavement Marking Epoxy, 34,630 LF; Construction Staking, 31,024 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 8,820 Dol; Incentive IRI Ride, 9,924 Dol; Culvert Pipe Reinforced Concrete, 7 LF 24"; Steel Plate Beam Guard, 954 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 400 Ton; HMA Pavement Type E-10, 13,770 Ton; Removing Asphaltic Surface Milling, 59,140 SY; Tack Coat, 4,443 Gals; Asphaltic Material, 757 Ton; Signs, 277 SF.

DBE Goal: 14 %

Contract Completion Time: 35 Working Days

Contact Information: David Pilon, (608) 245-2622 / david.pilon@dot.wi.gov

10. DEFERRED

11. Lodi - Merrimac, South Ferry Landing Wayside; Columbia County; 5640-02-81; STH 113; 0.000 Miles; Restroom Facility with Septic System, Well, Grade, Base, Asphaltic Surface, and Sidewalk.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 305 CY; Base Aggregate Dense, 352 Ton; Construction Staking, 800 LF; Construction Staking, 1 LS; Concrete Sidewalk, 1,790 SF; Asphaltic Surface, 88 Ton; Well Casing Pipe, 175 LF; Conduit, 180 LF; Electrical Wire, 720 LF; Restroom Facility Building, 1 Lump Sum; Restroom Facility Plumbing, 1 Lump Sum; Restroom Facility (HVAC) Ventilation, 1 Lump Sum; Restroom Facility Electrical, 1 Lump Sum; Septic System, 1 Lump Sum.

DBE Goal: NA

Contract Completion Date: November 13, 2015

Contact Information: Robert Lex, (608) 246-5622 / robert.lex@dot.wi.gov

12. Stoughton - Madison, Silverado Drive to Roby Road; Dane County; 5845-01-61; USH 51; 0.691 Miles; Base Patching, Base, Asphalt Pavement, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 1,670 Ton; Pavement Marking Epoxy, 20,975 LF; Construction Staking, 3,788 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 2,940 Dol; Concrete Curb and Gutter, 460 LF; Asphaltic Surface, 97 Ton; HMA Pavement Type E-3, 4,580 Ton; Tack Coat, 4,550 Gals; Asphaltic Material, 250 Ton; Base Patching Asphaltic, 365 SY; Base Patching Concrete, 1,830 SY; Signs, 657 SF; Concrete Joint and Crack Cleaning, 10,500 LF.

DBE Goal: NA

Contract Completion Date: October 15, 2015

Contact Information: Chris Hodges, (608) 246-7911 / chris.hodges@dot.wi.gov

13. City of Madison, Mineral Point Road, Midvale Boulevard Intersection; City of Madison, Mineral Point Road, Midvale Boulevard Intersection; Dane County; 5992-06-64, WISC 2015 283; 5992-06-74; Local Streets; 0.180 Miles; Grade, Base, Asphalt Pavement, Sidewalk, Curb and Gutter, Signs, Pavement Marking, Storm Sewer, Lighting, Traffic Signals, Water Main, and Sanitary Sewer.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 7,005 CY; Base Aggregate Dense, 8,261 Ton; Pavement Marking Epoxy, 3,497 LF; Construction Staking, 11,085 LF; Construction Staking, 23 Each; Construction Staking, 4 LS; Incentive Density HMA Pavement, 1,740 Dol; Storm Sewer Pipe Reinforced Concrete, 228 LF 12", 16 LF 30", 115 LF 15", 125 LF 21"; Concrete Curb and Gutter, 3,000 LF; Concrete Sidewalk, 7,030 SF; Asphaltic Surface, 129 Ton; HMA Pavement Type E-3, 2,715 Ton; Tack Coat, 374 Gals; Asphaltic Material, 170 Ton; Concrete Driveway, 164 SY; Concrete Median Nose, 295 SF; Signs, 130 SF; Conduit, 4,487 LF; Traffic Signal Cable, 2,420 LF; Electrical Wire, 6,229 LF; Sanitary Sewer Pipe PVC 6-Inch, 7 LF; Sanitary Sewer Lateral, 24 LF.

DBE Goal: 15 %

Contract Completion Date: October 9, 2015

Contact Information: Scott LaCoursiere, (608) 243-6471 / slacoursiere@otie.com

14. Milwaukee Street, City of Madison, Fair Oaks Avenue Intersection; Milwaukee Street, City of Madison, East Branch Starkweather Creek Bridge, B-13-0677; Dane County; 5992-09-69; 5992-09-71; Local Streets; 0.155 Miles; Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Sanitary Sewer, Water Main, Signals, Pavement Marking, and Structure B-13-677.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 5,212 CY; Backfill Structure, 510 CY; Base Aggregate Dense, 5,635 Ton; Breaker Run, 1,595 Ton; Concrete Masonry Bridges, 471 CY; Bar Steel Reinforcement, 16,420 Lbs; Bar Steel Reinforcement Coated, 56,040 Lbs; Piling CIP Concrete, 2,580 LF 10 3/4-Inch; Pavement Marking Epoxy, 5,440 LF; Construction Staking, 4,960 LF; Construction Staking, 16 Each; Construction Staking, 7 LS; Incentive Density HMA Pavement, 1,310 Dol; Incentive Strength Concrete Structure, 2,826 Dol; Storm Sewer Pipe Reinforced Concrete, 343 LF 12", 218 LF 15", 408 LF 18"; Concrete Curb, 72 LF; Concrete Curb and Gutter, 1,660 LF; Concrete Sidewalk, 8,125 SF; HMA Pavement Type E-3, 2,035 Ton; Tack Coat, 272 Gals; Asphaltic Material, 112 Ton; Concrete Pavement Approach Slab, 210 SY; Conduit, 4,475 LF; Sanitary Sewer Pipe PVC 8-Inch, 408 LF; Sanitary Sewer Lateral, 405 LF; Select Fill for Sanitary Sewer, 813 LF; Horizontal Directional Drill Water 12-Inch Pipe, 81 LF; Select Fill for Water Main, 1,186 LF; Cut-Stone Boulders, 540 SF; Sediment Excavation, 350 Ton.

DBE Goal: NA

Contract Completion Date: October 30, 2015

Contact Information: Scott LaCoursiere, (608) 243-6471 / slacoursiere@otie.com

15. Dodge County Safety Improvements 3, County Collector Routes; Dodge County Safety Improvements 3, County Collector Routes; Dodge County; 6207-03-73, WISC 2015 284; 6207-03-74; Various Highways; CTH A; 0.000 Miles; Grade, Base, Concrete Pavement, Asphaltic Surface, Culvert Pipes, Curb and Gutter, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 2,303 CY; Borrow, 399 CY; Base Aggregate Dense, 1,085 Ton; Breaker Run, 730 Ton; Concrete Pavement, 365 SY; Pavement Marking Epoxy, 611 LF; Incentive Strength Concrete Pavement, 500 Dol; Culvert Pipe, 24 LF 15", 8 LF 30", 2 LF 48", 592 LF 18", 36 LF 36", 236 LF 24", 8 LF 42"; Corrugated Steel Pipe Arch, 23 LF 28" X 20"; Culvert Pipe Reinforced Concrete, 38 LF 84"; Concrete Curb and Gutter, 14 LF; Asphaltic Surface, 35 Ton; Tack Coat, 8 Gals; Field Verify Extensions, 64 Each; Sloped Endwalls, 187 Each.

DBE Goal: 5 %

Contract Completion Time: 40 Working Days

Contact Information: Scott LaCoursiere, (608) 243-6471 / slacoursiere@otie.com

16. Sign Bridge Repair and Replacement 2015; Southeast Region-Wide; 1000-20-67; Various Highways; 0.000 Miles; Beam Guard, Signing, Sign Bridge S-67-312, Overhead Sign Supports S-67-966 and 967, and Sign Bridge Repairs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Construction Staking, 2 LS; Concrete Curb and Gutter, 250 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Signs, 62 SF; Sign Bridge, 1 LS; Overhead Sign Support, 2 LS.

DBE Goal: NA

Contract Completion Date: November 3, 2015

Contact Information: Tom Heydel, (262) 548-6763 / tom.heydel@dot.wi.gov

17. Highway Lighting Maintenance 2015; Southeast Region-Wide; 1000-68-90; Various Highways; 0.000 Miles; Lighting.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Concrete Bases, 11 Each; Group Luminaire Maintenance, 1,192 Each; Tunnel Luminaire Maintenance, 682 Each.

DBE Goal: NA

Contract Completion Time: 60 Working Days

Contact Information: Eric Perea, (262) 574-5422 / eric.perea@dot.wi.gov

18. Special Pavement Marking 2015, Locations on STN Per Annual Plan; Southeast Region-Wide; 1000-77-14, WISC 2015 285; Various Highways; 0.000 Miles; Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Paint, 23,204 LF.

DBE Goal: DISC

Contract Completion Time: 40 Calendar Days

Contact Information: Donald Steel, (262) 548-6765 / donald.steel@dot.wi.gov

19. Zoo Interchange, Bridge Over USH 45 at Wauwatosa West HS; Milwaukee County; 1060-33-83; USH 45; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Sidewalk, Wall Concrete Panel MSE R-40-624 - 626, FTMS, Lighting, Signing, Pavement Marking, and Structure B-40-881.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 39,561 CY; Base Aggregate Dense, 2,046 Ton; Select Crushed Material, 60 Ton; Concrete Pavement, 3,034 SY; Concrete Masonry Bridges, 723 CY; Concrete Masonry Retaining Walls, 143 CY; Prestressed Girders, 922 LF 36W-Inch; Bar Steel Reinforcement, 7,355 Lbs; Bar Steel Reinforcement Coated, 141,195 Lbs; Structural Steel HS, 600 Lbs; Piling Steel, 3,840 LF 10-Inch; Pavement Marking Epoxy, 50,376 LF; Incentive Density HMA Pavement, 3,890 Dol; Incentive Strength Concrete Structure, 5,196 Dol; Storm Sewer Pipe Reinforced Concrete, 37 LF 15", 394 LF 24", 45 LF 36", 528 LF 42", 78 LF 54"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 160 LF 48" X 76"; Concrete Sidewalk, 2,305 SF; Asphaltic Surface, 267 Ton; HMA Pavement Type E-1, 569 Ton, Type E-10, 5,495 Ton; Removing Asphaltic Surface Milling, 45,788 SY; Tack Coat, 1,201 Gals; Asphaltic Material, 333 Ton; Backfill Controlled Low Strength, 10 CY; Steel Diaphragms, 10 Each; Riprap, 3 CY; Sign Supports Steel Reinforcement, 68 Lbs; Signs, 50 SF; Pull Boxes, 3 Each; Concrete Bases, 19 Each; Poles, 2 Each; Wall Concrete Panel Mechanically Stabilized Earth, 4,956 SF.

DBE Goal: NA

Contract Completion Date: December 6, 2015

Contact Information: Chris Zacharias, (262) 548-6716 /
christopher.zacharias@dot.wi.gov

20. Zoo Interchange, 2015 TMP Projects; Milwaukee and Waukesha Counties; 1060-35-93; Various Highways; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Concrete Barrier, Sidewalk, Beam Guard, Lighting, Signals, FTMS, Signing, Overhead Sign Support, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 886 CY; Base Aggregate Dense, 1,123 Ton; Concrete Pavement, 1,475 SY; Pavement Marking Wet Reflective Tape, 791 LF; Pavement Marking Epoxy, 7,441 LF; Pavement Thermoplastic Paint, 441 LF; Storm Sewer Pipe Reinforced Concrete, 19 LF 12"; Concrete Curb, 8 LF; Concrete Curb and Gutter, 1,865 LF; Concrete Sidewalk, 9,699 SF; Steel Plate Beam Guard, 571 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; HMA Pavement Type E-10, 261 Ton; Tack Coat, 32 Gals; Asphaltic Material, 16 Ton; Concrete Barrier, 320 LF; Signs, 1,577 SF; Overhead Sign Support, 1 LS; Pull Boxes, 55 Each; Concrete Bases, 50 Each; Poles, 23 Each.

DBE Goal: NA

Contract Completion Date: October 2, 2015

Contact Information: Christopher Hager, (262) 521-4433 /
christopher.hager@dot.wi.gov

21. IH 43, Roundabouts and App at CTH Y; Waukesha County; 1090-34-70, WISC 2015 286; IH 43; 0.000 Miles; Pavement Marking and Resin Binder High Friction Surface Treatment.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Wet Reflective Tape, 2,075 LF; Pavement Marking Epoxy, 3,975 LF; Pavement Marking Thermoplastic, 440 LF; Resin Binder High Friction Surface Treatment, 6,495 SY.

DBE Goal: DISC

Contract Completion Time: 8 Working Days

Contact Information: John Kanzenbach, (262) 548-6467 /
john.kanzenbach@dot.wi.gov

22. West Capitol Drive (STH 190), 12 Connecting Highway Intersections; Milwaukee County; 2025-01-72; Various Highways; 0.000 Miles; Sidewalk, Signals, and Overhead Sign Supports.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Construction Staking, 2 LS; Concrete Sidewalk, 1,530 SF; Overhead Sign Support, 3 LS; Concrete Bases, 45 Each; Poles, 44 Each; Rectangular Polymer Concrete Vault, 34 Each.

DBE Goal: NA

Contract Completion Date: September 16, 2015

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

23. CTH Y, Intersection with 60th Street; Milwaukee County; 2070-09-70, WISC 2015 287; Local Street; 0.140 Miles; Grading, Base, Concrete Pavement, Curb and Gutter, Sidewalk, Concrete Median, Storm Sewer, Traffic Signals, Street Lighting, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 150 CY; Base Aggregate Dense, 250 Ton; Concrete Pavement, 270 SY; Pavement Marking Epoxy, 2,700 LF; Storm Sewer Pipe Reinforced Concrete, 16 LF 24", 16 LF 12"; Concrete Curb and Gutter, 900 LF; Concrete Sidewalk, 2,410 SF; Concrete Median Nose, 350 SF; Traffic Signal Standards, 7 Each; Light Poles, 4 Each; Vehicle Detection System, 1 LS; Signs, 246 SF.

DBE Goal: DISC

Contract Completion Date: August 26, 2015

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcop.com

24. East Layton Avenue, South Howell Avenue to STH 794; Milwaukee County; 2070-10-70, WISC 2015 288; CTH Y; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Beam Guard, Landscaping, Signing, Signals, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 870 CY; Base Aggregate Dense, 2,160 Ton; Concrete Pavement, 3,541 SY; Pavement Marking Epoxy, 19,535 LF; Construction Staking, 19,810 LF; Construction Staking, 74 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 8,770 Dol; Incentive IRI Ride, 10,000 Dol; Storm Sewer Pipe Reinforced Concrete, 14 LF 18"; Concrete Curb, 330 LF; Concrete Curb and Gutter, 3,080 LF; Concrete Sidewalk, 53,630 SF; Steel Plate Beam Guard, 1,114 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 71 Ton; HMA Pavement Type E-10, 13,700 Ton; Removing Asphaltic Surface Milling, 3,880 SY; Tack Coat, 3,100 Gals; Asphaltic Material, 700 Ton; Shrubs, 83 Each; Vines, 626 Each; Signs, 527 SF; Pull Boxes, 25 Each; Concrete Bases, 23 Each; Poles, 21 Each; Cobblestones, 6 Ton.

DBE Goal: 20 %

Contract Completion Date: October 30, 2015

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcop.com

25. North Teutonia Avenue, West Capitol Drive to West Ruby Avenue; Milwaukee County; 2080-00-71, WISC 2015 289; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscaping, Signals, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 19,352 CY; Backfill Granular, 30 CY; Base Aggregate Dense, 12,120 Ton; Concrete Pavement, 30,722 SY; Pavement Marking Epoxy, 14,315 LF; Construction Staking, 20,060 LF; Construction Staking, 207 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 8,867 Dol; Incentive IRI Ride, 5,600 Dol; Storm Sewer Pipe Reinforced Concrete, 1,420 LF 12"; Concrete Curb and Gutter, 9,080 LF; Concrete Sidewalk, 44,550 SF; Asphaltic Surface, 140 Ton; Tack Coat, 10 Gals; Trees, 39 Each; Rectangular Polymer Concrete Vault, 86 Each.

DBE Goal: 20 %

Contract Completion Time: 95 Working Days

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcop.com

26. Sumner Street, City of Hartford, Main Street (STH 83) to Kettle Moraine Road; Washington County; 2310-19-70, WISC 2015 290; STH 60; 0.000 Miles; Mill, Grade, Base, Storm Sewer, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Wall Modular Block Gravity, Signals, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 6,046 CY; Base Aggregate Dense, 4,993 Ton; Base Aggregate Open Graded, 1,611 Ton; Breaker Run, 4,365 Ton; Concrete Pavement, 3,044 SY; Pavement Marking Wet Reflective Tape, 13,160 LF; Pavement Marking Epoxy, 45,316 LF; Pavement Marking Thermoplastic, 4,415 LF; Construction Staking, 36,394 LF; Construction Staking, 44 Each; Construction Staking, 5 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive IRI Ride, 15,740 Dol; Storm Sewer Pipe Reinforced Concrete, 632 LF 12", 33 LF 15", 192 LF 18", 10 LF 24", 3 LF 30"; Concrete Curb, 453 LF; Concrete Curb and Gutter, 7,096 LF; Concrete Sidewalk, 32,362 SF; Asphaltic Surface, 1,820 Ton; HMA Pavement Type E-10, 17,854 Ton; Removing Asphaltic Surface Milling, 14,100 Ton; Tack Coat, 10,146 Gals; Asphaltic Material, 990 Ton; Signs, 348 SF; Pull Boxes, 24 Each; Concrete Bases, 22 Each; Poles, 19 Each; Wall Modular Block Gravity, 705 SF.

DBE Goal: 20 %

Contract Completion Date: October 31, 2015

Contact Information: Douglas Cain, (262) 548-5603 / douglas.cain@dot.wi.gov

27. Various Highways, Three Connecting Highway Intersections; Milwaukee County; 2984-04-71; Various Highways; 0.000 Miles; Sidewalk, Signals, and Signing.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Construction Staking, 2 LS; Concrete Sidewalk, 27 SF; Signs, 171 SF; Concrete Bases, 4 Each; Poles, 4 Each.

DBE Goal: NA

Contract Completion Time: 20 Working Days

Contact Information: Christine Hanna, (262) 548-8809 / christine.hanna@dot.wi.gov

28. Various Locations, City of Milwaukee, Three Local Intersections; Milwaukee County; 2984-04-77, WISC 2015 291; Local; 0.000 Miles; Signals.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Construction Staking, 2 LS; Concrete Bases, 12 Each; Poles, 12 Each.

DBE Goal: DISC

Contract Completion Date: September 12, 2015

Contact Information: Joe Klarkowski, (414) 225-9817 / joe.klarkowski@daarcop.com

29. DEFERRED

30. STH 50, New Signal, STH 50 and CTH O; Kenosha County; 3700-20-71; STH 50; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Curb and Gutter, Sidewalk, Signing, Signals, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,829 CY; Base Aggregate Dense, 1,277 Ton; Base Aggregate Open Graded, 1,227 Ton; Concrete Pavement, 3,195 SY; Pavement Marking Wet Reflective Tape, 2,771 LF; Pavement Marking Epoxy, 8,178 LF; Pavement Marking Thermoplastic, 141 LF; Storm Sewer Pipe Reinforced Concrete, 613 LF 12", 474 LF 15", 29 LF 18"; Concrete Curb and Gutter, 2,590 LF; Concrete Sidewalk, 3,755 SF; Signs, 333 SF; Pull Boxes, 14 Each; Concrete Bases, 18 Each; Poles, 13 Each.

DBE Goal: NA

Contract Completion Date: August 12, 2015

Contact Information: Justin Effinger, (262) 548-5676 / justin.effinger@dot.wi.gov

31. IH 43, New Signal, IH 43 and STH 67; Walworth County; 3700-20-72; STH 67; 0.000 Miles; Base, Asphalt Pavement, Signals, Signing, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Thermoplastic, 380 LF; Pavement Marking Epoxy, 11,481 LF; Pavement Marking Plastic Tape, 928 LF; Asphaltic Surface, 30 Ton; Signs, 429 SF; Pull Boxes, 23 Each; Concrete Bases, 22 Each; Poles, 16 Each.

DBE Goal: NA

Contract Completion Date: September 25, 2015

Contact Information: Justin Effinger, (262) 548-5676 / justin.effinger@dot.wi.gov

32. Replace Existing Signals, Milwaukee / Waukesha, Various Locations; Milwaukee and Waukesha Counties; 3700-20-74; Various Highways; 0.000 Miles; Grade, Base, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signing, Signals, and Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 16 CY; Borrow, 72 CY; Base Aggregate Dense, 300 Ton; Concrete Pavement, 362 SY; Construction Staking, 1,172 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 24 LF 30"; Pipe Arch Corrugated Steel, 6 LF 49" X 33"; Concrete Curb, 100 LF; Concrete Curb and Gutter, 240 LF; Concrete Sidewalk, 2,050 SF; Asphaltic Surface, 211 Ton; Tack Coat, 18 Gals; Signs, 2,124 SF; Pull Boxes, 73 Each; Concrete Bases, 56 Each; Poles, 27 Each; Riprap, 5 CY.

DBE Goal: NA

Contract Completion Time: 80 Working Days

Contact Information: Jarrett Gates, (262) 574-4237 / jarrett.gates@dot.wi.gov

33. Oneida Mitigation Bank Site, Northeast Region; Brown County; 1009-32-33; Non-Hwy.; 0.000 Miles; Grading and Plantings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 119,100 CY; Breaker Run, 105 Ton; Construction Staking, 4 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 55 LF 12"; Trees, 1,240 Each; Interlocking Concrete Block Revetment System, 407 SF.

DBE Goal: NA

Contract Completion Date: October 21, 2015

Contact Information: Jeremy Ashauer, (920) 492-4165 / jeremy.ashauer@dot.wi.gov

34. Northeast Region-Wide Deck Sealing, Various Locations; NE Region-Wide; 1009-33-12; Various Highways; 0.000 Miles; Deck Sealing.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Protective Surface Reseal, 149,943 SY.

DBE Goal: NA

Contract Completion Time: 20 Working Days

Contact Information: Timothy Verhagen, (920) 492-4116 /
timothy.verhagen@dot.wi.gov

35. City of DePere, STH 32/57, CTH X Intersection; Brown County; 4085-43-71, WISC 2015 292; STH 32; 0.350 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Culvert Pipe, Curb and Gutter, Sidewalk, Concrete Driveway, Street Lighting, Plants, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 23,675 CY; Base Aggregate Dense, 8,096 Ton; Breaker Run, 17,985 Ton; Concrete Pavement, 1,230 SY; Pavement Marking Epoxy, 10,717 LF; Construction Staking, 20,588 LF; Construction Staking, 47 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 369 Dol; Incentive Density HMA Pavement, 4,100 Dol; Culvert Pipe Reinforced Concrete, 189 LF 36"; Storm Sewer Pipe Reinforced Concrete, 740 LF 12", 117 LF 18", 1,170 LF 24", 146 LF 15"; Concrete Curb, 102 LF; Concrete Curb and Gutter, 6,711 LF; Concrete Sidewalk, 10,295 SF; Asphaltic Surface, 42 Ton; HMA Pavement Type E-10, 6,413 Ton; Tack Coat, 1,653 Gals; Asphaltic Material, 353 Ton; Concrete Driveway, 121 SY; Concrete Roundabout Truck Apron, 447 SY; Conduit, 2,080 LF; Aluminum Poles, 13 Each; Plants, 288 Each; Signs, 544 SF.

DBE Goal: 14 %

Contract Completion Time: 55 Working Days

Contact Information: Andrew Fulcer, (920) 492-5664 / andrew.fulcer@dot.wi.gov

36. Algoma - South Junction 42/57, Unnamed Creek, Village of Forestville; Door County; 4430-13-71, WISC 2015 293; STH 42; 0.048 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Construction, Storm Sewer, Curb and Gutter, Signs, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 579 CY; Backfill Structure, 476 CY; Base Aggregate Dense, 690 Ton; Concrete Pavement, 84 SY; Concrete Masonry Bridges, 288 CY; Bar Steel Reinforcement, 7,120 Lbs; Bar Steel Reinforcement Coated, 35,480 Lbs; Piling Steel, 298 LF 10-Inch; Pavement Marking Epoxy, 843 LF; Construction Staking, 1,145 LF; Construction Staking, 10 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 160 Dol; Incentive Strength Concrete Structure, 1,728 Dol; Storm Sewer Pipe Reinforced Concrete, 34 LF 12", 70 LF 15", 220 LF 18"; Concrete Curb and Gutter, 499 LF; Asphaltic Surface, 22 Ton; HMA Pavement Type E-1, 226 Ton; Tack Coat, 45 Gals; Asphaltic Material, 13 Ton; Signs, 20 SF.

DBE Goal: 9 %

Contract Completion Time: 40 Working Days

Contact Information: Jeremy Ashauer, (920) 492-4165 / jeremy.ashauer@dot.wi.gov

37. Two Rivers - Kewaunee, Zander Road - CTH BB; Manitowoc County; 4570-15-71, WISC 2015 294; STH 42; 0.080 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Culvert Pipe, Beam Guard, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,156 CY; Backfill Structure, 290 CY; Base Aggregate Dense, 2,745 Ton; Breaker Run, 100 Ton; Concrete Masonry Bridges, 244 CY; Prestressed Girders, 284 LF 36-Inch; Bar Steel Reinforcement, 4,620 Lbs; Bar Steel Reinforcement Coated, 28,310 Lbs; Piling Steel, 1,035 LF 10-Inch; Construction Staking, 990 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 320 Dol; Incentive Strength Concrete Structure, 244 Dol; Culvert Pipe Corrugated Steel, 108 LF 18"; Steel Plate Beam Guard, 295 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-1, 500 Ton; Tack Coat, 110 Gals; Asphaltic Material, 28 Ton; Signs, 24 SF.

DBE Goal: 6 %

Contract Completion Time: 45 Working Days

Contact Information: Brian Haen, (920) 492-4103 / brian.haen@dot.wi.gov

38. Village of Sister Bay, Country Walk Drive - Scandia Road; Door County; 4610-06-71, WISC 2015 295; STH 42; 0.770 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Culvert Pipe Liner, Concrete Median, Street Lighting, Water Main, Sanitary Sewer, Signs, Pavement Markings, and Timber Fence.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 22,547 CY; Excavation Rock, 3,419 CY; Backfill Granular, 350 CY; Base Aggregate Dense, 13,818 Ton; Breaker Run, 920 Ton; Concrete Pavement, 23,490 SY; Pavement Marking Epoxy, 19,413 LF; Construction Staking, 19,097 LF; Construction Staking, 107 Each; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 1,307 Dol; Incentive Density HMA Pavement, 840 Dol; Incentive IRI Ride, 3,600 Dol; Storm Sewer Pipe Reinforced Concrete, 954 LF 12", 716 LF 24", 1,002 LF 36", 471 LF 15", 173 LF 27", 262 LF 42", 183 LF 18", 1,106 LF 30", 49 LF 54"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 430 LF 43" X 68", 108 LF 14" X 23", 459 LF 24" X 38"; Concrete Curb, 257 LF; Concrete Curb and Gutter, 9,106 LF; Concrete Sidewalk, 51,180 SF; Asphaltic Surface, 2,675 Ton; HMA Pavement Type E-1, 1,736 Ton; Tack Coat, 490 Gals; Asphaltic Material, 98 Ton; Excavation, Hauling and Disposal of Contaminated Soil, 220 Ton; Presplitting Rock, 800 LF; Concrete Driveway, 118 SY; Culvert Pipe Liners 30-Inch, 134 LF; Storm Sewer Composite 6-Inch 13 LF, 8-Inch 47 LF, 10-Inch 17 LF, 12-Inch 11 LF; Storm Sewer Rock Excavation, 2,300 CY; Concrete Corrugated Median, 230 SF; Conduit, 5,632 LF; Sanitary Sewer and Water Main Excavation, 570 CY; Rock Trenching, 700 CY; Decorative Light Poles, 34 Each; Water Service, 39 LF; Water Main, 454 LF; Sanitary Sewer PVC, 596 LF; Sanitary Lateral PVC, 42 LF; Timber Fence, 460 LF; Signs, 504 SF; Modular Block Wall, 438 SF.

DBE Goal: 12 %

Contract Completion Date: June 15, 2016

***** MANDATORY PRE-BID MEETING *****

DATE: April 21, 2015 **TIME:** 10 AM

LOCATION: Northeast Region Office
944 Vanderperren Way
Green Bay, WI

NOTES: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Jeremy Ashauer, (920) 492-4165 / jeremy.ashauer@dot.wi.gov

39. 14th Street, City of Sheboygan, Sheboygan River Bridge; Sheboygan County; 4640-06-71, WISC 2015 296; STH 28; 0.074 Miles; Grading, Base, Concrete Pavement, Bridge Widening, Storm Sewer, Curb and Gutter, Asphalt Pavement, Concrete Driveway, Street Lighting, Pavement Markings, and Signs.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 615 CY; Backfill Structure, 155 CY; Base Aggregate Dense, 750 Ton; Concrete Pavement, 1,145 SY; Concrete Masonry Bridges, 528 CY; Prestressed Girders, 281 LF 45-Inch; Bar Steel Reinforcement, 980 Lbs; Bar Steel Reinforcement Coated, 126,975 Lbs; Pavement Marking Epoxy, 848 LF; Construction Staking, 684 LF; Construction Staking, 2 Each; Construction Staking, 3 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Strength Concrete Structure, 3,168 Dol; Storm Sewer Pipe Reinforced Concrete, 46 LF 12"; Concrete Curb and Gutter, 356 LF; Concrete Sidewalk, 1,870 SF; Asphaltic Surface, 2 Ton; Concrete Driveway, 10 SY; Concrete Surface Repair, 86 SF; Conduit, 1,764 LF; Light Poles, 4 Each; Signs, 65 SF.

DBE Goal: 10 %

Contract Completion Date: May 26, 2016

Contact Information: Paul Brauer, (920) 492-0135 / paul.brauer@dot.wi.gov

40. Little Chute Canal Bridge, Village of Little Chute; Outagamie County; 4990-03-71, WISC 2015 297; Non-Hwy.; 0.066 Miles; Grading, Base, Concrete Pavement, Structure Replacement, Curb and Gutter, Sidewalk, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 440 CY; Backfill Granular, 384 CY; Base Aggregate Dense, 320 Ton; Concrete Pavement, 640 SY; Concrete Masonry Bridges, 119 CY; Bar Steel Reinforcement Coated, 12,850 Lbs; Structural Steel HS, 59,550 Lbs; Pavement Marking Paint, 180 LF; Construction Staking, 449 LF; Construction Staking, 2 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Strength Concrete Structure, 714 Dol; Concrete Curb, 24 LF; Concrete Curb and Gutter, 161 LF; Concrete Sidewalk, 1,446 SF; Concrete Surface Repair, 690 SF; Conduit, 195 LF; Electrical Work, 1 LS; Signs, 4 SF.

DBE Goal: 15 %

Contract Completion Date: April 28, 2016

Contact Information: Craig Treadway, (920) 468-4771 /
craigtreadway@jt-engineering.com

41. Waukau - Omro, STH 91 - City of Omro; Winnebago County; 6190-25-60; STH 116; 4.020 Miles; Sealing Asphaltic Pavement Cracks.

Guaranty Required: \$2,000.00

Estimate of Principal Items: Sealing Asphaltic Pavement Cracks, 4.02 Mi.

DBE Goal: NA

Contract Completion Time: 20 Working Days

Contact Information: Timothy Verhagen, (920) 492-4116 /
timothy.verhagen@dot.wi.gov

42. Antigo - Monico, Rusch Road - CTH B; Langlade County; 1602-10-61, WISC 2015 298; USH 45; 3.520 Miles; Milling, Asphalt Patching, Seal Coat, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Pavement Marking Epoxy, 86,315 LF; Asphaltic Surface, 325 Ton; Removing Asphaltic Surface Milling, 3,075 SY; Spray Patching, 3,075 SY; Seal Coat, 100,257 SY.

DBE Goal: DISC

Contract Completion Time: 25 Working Days

Contact Information: Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

43. Minocqua - Woodruff, USH 51 - STH 47; Oneida County; 9455-04-70, WISC 2015 299; CTH J; 0.824 Miles; Grading, Base, Asphalt Pavement, Storm Sewer, Curb and Gutter, Concrete Driveway, Signs, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 6,990 CY; Backfill Granular, 100 CY; Base Aggregate Dense, 17,105 Ton; Pavement Marking Paint, 17,000 LF; Construction Staking, 14,855 LF; Construction Staking, 12 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 3,560 Dol; Storm Sewer Pipe Reinforced Concrete, 188 LF 12", 127 LF 15", 1,148 LF 24"; Concrete Curb, 15 LF; Concrete Curb and Gutter, 1,205 LF; Concrete Sidewalk, 2,720 SF; Asphaltic Surface, 250 Ton; HMA Pavement Type E-3, 5,560 Ton; Tack Coat, 926 Gals; Asphaltic Material, 310 Ton; Concrete Driveway, 145 SY; Signs, 123 SF.

DBE Goal: 8 %

Contract Completion Date: November 7, 2015

Contact Information: Mike Novey, (608) 334-5215 / mike.novey@daarcop.com

44. Northwest Region Pavement Marking 2015; NW Region-Wide; 1000-08-34, WISC 2015 300; Various Highways; 0.000 Miles; Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Wet Reflective Tape, 50,354 LF; Pavement Marking Epoxy, 1,017,272 LF; Pavement Marking Grooved Wet Reflective Epoxy, 5,898 LF.

DBE Goal: DISC

Contract Completion Date: October 30, 2015

Contact Information: Nicole Passuello, (715) 836-3920 / nicole.passuello@dot.wi.gov

45. Eau Claire - Chippewa Falls, North Crossing to Tower Drive; Eau Claire County; 1190-01-78; USH 53; 0.280 Miles; Grade, Base, Concrete Pavement, Asphaltic Surface Temporary, Guardrail, and Pavement Marking.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 6,141 CY; Borrow, 1,654 CY; Backfill Granular, 2,987 CY; Base Aggregate Dense, 2,859 Ton; Pavement Marking Wet Reflective Tape, 251 LF; Pavement Marking Epoxy, 1,488 LF; Construction Staking, 5,455 LF; Construction Staking, 1 LS; Asphaltic Surface Temporary, 692 Ton; Replacing Guardrail Rail and Hardware, 390 LF; Replacing Guardrail Posts and Blocks, 144 Each; Project Concrete Crack Mitigation and Repair Special, 1 Lump Sum; Concrete Pavement 6-Inch Special, 459 SY; Concrete Pavement 9.5-Inch Special, 995 SY.

DBE Goal: NA

Contract Completion Date: August 25, 2015

Contact Information: David Koepp, (715) 836-2078 / david.koepp@dot.wi.gov

46. City of Ladysmith, 3rd Street, Flambeau River Bridge, B-54-0065; Ladysmith - Ojibwa, Thornapple River Bridge, B-54-0120; Rusk County; 1580-09-73, WISC 2015 014; 8180-02-70, WISC 2015 018; USH 8; STH 27; 0.341 Miles; Grade, Base, Asphalt Pavement, Concrete Pavement Approach Slabs, Culvert Pipes, Curb and Gutter, Sidewalk, Guardrail, Signs, Pavement Marking, and Structures B-54-65 and B-54-120.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 560 CY; Selected Borrow, 5,180 CY; Backfill Structure, 290 CY; Base Aggregate Dense, 4,580 Ton; Concrete Masonry Bridges, 629 CY; Concrete Masonry Overlay, 15 CY; Bar Steel Reinforcement, 6,000 Lbs; Bar Steel Reinforcement Coated, 112,430 Lbs; Piling Steel, 2,700 LF 10-Inch; Pavement Marking Epoxy, 4,860 LF; Construction Staking, 3,675 LF; Construction Staking, 2 Each; Construction Staking, 4 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 1,040 Dol; Incentive Strength Concrete Structure, 3,774 Dol; Culvert Pipe Corrugated Steel, 148 LF 24"; Culvert Pipe Reinforced Concrete, 164 LF 36"; Concrete Curb and Gutter, 90 LF; Concrete Sidewalk, 440 SF; Steel Plate Beam Guard, 308 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement Type E-0.3, 1,620 Ton; Tack Coat, 490 Gals; Asphaltic Material, 90 Ton; Concrete Pavement Approach Slab, 340 SY; Concrete Surface Repair, 200 SF; Polymer Overlay, 2,325 SY; Cleaning Parapets, 815 LF; Signs, 32 SF.

DBE Goal: 5 %

Contract Completion Date: October 15, 2015

Contact Information: Matt Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

47. STH 95 - CTH CC, Swinns Valley Creek Bridge, B-6-189; Buffalo County; 7310-00-70; CTH C; 0.109 Miles; Grade, Base, Asphaltic Surface, Culvert Pipe, Guardrail, Signs, and Structure B-6-189.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 4,700 CY; Excavation Marsh, 60 CY; Borrow, 1,850 CY; Backfill Structure, 350 CY; Base Aggregate Dense, 3,180 Ton; Select Crushed Material, 180 Ton; Concrete Masonry Bridges, 273 CY; Bar Steel Reinforcement, 8,190 Lbs; Bar Steel Reinforcement Coated, 34,180 Lbs; Piling Steel, 880 LF 10-Inch; Construction Staking, 2,980 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Incentive Strength Concrete Structure, 1,638 Dol; Corrugated Steel Pipe Arch, 44 LF 35" X 24"; Concrete Curb and Gutter, 140 LF; Steel Plate Beam Guard, 216 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 600 Ton; Tack Coat, 130 Gals; Concrete Pavement Approach Slab, 160 SY; Signs, 36 SF.

DBE Goal: NA

Contract Completion Time: 50 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

48. City of Altoona, Highland / Spooner Avenue, Bus. 53 - USH 53; City of Altoona, Highland / Spooner Avenue, Bus. 53 - USH 53; City of Altoona, Highland / Spooner Avenue, Bus. 53 - USH 53; Eau Claire County; 7824-01-72, WISC 2015 302; 7824-01-73; 7824-01-74; Local Streets; 0.732 Miles; Mill, Grade, Base, Asphalt Pavement, Sidewalk, Curb and Gutter, Culvert Pipe, Storm Sewer, Pavement Marking, Sanitary Sewer, and Water Main.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 12,089 CY; Borrow, 3,191 CY; Base Aggregate Dense, 8,675 Ton; Pavement Marking Epoxy, 16,004 LF; Incentive Density HMA Pavement, 4,180 Dol; Culvert Pipe Corrugated Steel, 154 LF 15"; Culvert Pipe Reinforced Concrete, 509 LF 12", 554 LF 21", 1,041 LF 15", 305 LF 24", 255 LF 18", 574 LF 30"; Concrete Curb and Gutter, 6,242 LF; Concrete Sidewalk, 12,107 SF; HMA Pavement Type E-1, 6,530 Ton; Removing Asphaltic Surface Milling, 3,450 SY; Tack Coat, 2,400 Gals; Asphaltic Material, 360 Ton; Concrete Driveway, 560 SY; Fire Hydrant, 2 Each; 8-Inch Sanitary Sewer, 375 LF; 10-Inch Sanitary Sewer, 250 LF; 6-Inch Sanitary Sewer Service, 171 LF; 6-Inch DI Hydrant Lead, 65 LF; 6-Inch DI Water Service, 230 LF; 8-Inch DI Water Main CL52, 642 LF.

DBE Goal: 15 %

Contract Completion Date: September 5, 2015

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

49. Bloomer - Bruce, STH 64 / CTH F West Jct. Intersection; Chippewa County; 8620-07-73, WISC 2015 304; STH 40; 0.33 Miles; Mill, Grade, Base, Asphaltic Surface Special, Culvert Pipes, Curb and Gutter, Signs, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 3,719 CY; Borrow, 2,899 CY; Base Aggregate Dense, 3,210 Ton; Pavement Marking Epoxy, 7,573 LF; Construction Staking, 2,348 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel Polymer Coated, 120 LF 18"; Concrete Curb, 78 LF; Concrete Curb and Gutter, 144 LF; Asphaltic Surface Special, 1,470 Ton; Removing Asphaltic Surface Milling, 2,712 SY; Tack Coat, 469 Gals; Pit Run, 3,085 Ton; Signs, 257 SF.

DBE Goal: 6 %

Contract Completion Time: 54 Calendar Days

Contact Information: Tim Mason, (715) 833-5366 / timothy.mason@dot.wi.gov

50. City of Chippewa Falls, Spring Street, Duncan Creek Bridge, P-09-0711; Chippewa County; 8996-00-98; Local Street; 0.010 Miles; Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Structure Rehabilitation P-9-711.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Concrete Masonry Bridges, 5 CY; Concrete Masonry Overlay, 15 CY; Bar Steel Reinforcement Coated, 450 Lbs; Pavement Marking Epoxy, 60 LF; Construction Staking, 176 LF; Construction Staking, 1 LS; Incentive Strength Concrete Structure, 500 Dol; Concrete Curb and Gutter, 115 LF; Concrete Sidewalk, 590 SF; Asphaltic Surface, 25 Ton; Tack Coat, 8 Gals; Concrete Staining, 4,800 SF; Signs, 73 SF; Painting Existing Steel Gas Line, 1 Lump Sum; Fiber Wrap Reinforcing, 4,500 SF; Concrete Surface Repair Special, 1,100 SF.

DBE Goal: NA

Contract Completion Time: 30 Working Days

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

51. City of Rice Lake, Wisconsin Avenue, Allen Street Intersection; Barron County; 8997-00-22, WISC 2015 305; Local Street; 0.067 Miles; Mill, Grade, Base, Asphalt Pavement, Curb and Gutter, Sidewalk, Storm Sewer, Signs, Pavement Marking, Traffic Signals, and Lighting.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 740 Ton; Pavement Marking Epoxy, 2,990 LF; Construction Staking, 2,692 LF; Construction Staking, 12 Each; Construction Staking, 1 LS; Incentive Density HMA Pavement, 300 Dol; Storm Sewer Pipe Reinforced Concrete, 80 LF 12", 24 LF 21", 196 LF 42", 8 LF 15", 6 LF 27", 47 LF 18", 123 LF 36"; Concrete Curb and Gutter, 1,000 LF; Concrete Sidewalk, 1,550 SF; HMA Pavement Type E-1, 460 Ton; Removing Asphaltic Surface Milling, 2,360 SY; Tack Coat, 170 Gals; Asphaltic Material, 28 Ton; Signs, 106 SF; Conduit, 1,085 LF; Traffic Signal Cable, 2,927 LF; Electrical Wire, 1,712 LF.

DBE Goal: 7 %

Contract Completion Date: August 28, 2015

Contact Information: Chris Ehlert, (715) 231-1600 / cehlert@klengineering.com

52. Mellen - USH 2, STH 13 - East County Line; Ashland County; 9929-00-67; STH 169; 10.29 Miles; Asphaltic Surface Sealing and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Pavement Marking Paint, 196,697 LF; Seal Coat Special, 144,598 SY.

DBE Goal: NA

Contract Completion Time: 10 Working Days

Contact Information: Matt Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

53. Fond du Lac Bypass, CTH T Overpass; Fond du Lac County; 1420-23-71, WISC 2015 306; USH 151; 1.230 Miles; Grading, Base, Asphalt Pavement, Concrete Pavement, Culvert Pipe, Storm Sewer, Bridge Construction, Retaining Wall, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Fence, Concrete Median, Street Lighting, Pavement Markings, and Signs.

Guaranty Required: \$330,000.00

Estimate of Principal Items: Excavation Common, 40,494 CY; Borrow, 538,664 CY; Backfill Structure, 359 CY; Base Aggregate Dense, 41,268 Ton; Base Aggregate Open Graded, 40 CY; Breaker Run, 2,850 Ton; Concrete Pavement, 190 SY; Concrete Masonry Bridges, 989 CY; Prestressed Girders, 2,077 LF 45-Inch; Bar Steel Reinforcement, 11,800 Lbs; Bar Steel Reinforcement Coated, 155,110 Lbs; Piling CIP Concrete, 3,160 LF 12 3/4-Inch; Pavement Marking Epoxy, 34,941 LF; Construction Staking, 58,833 LF; Construction Staking, 90 Each; Construction Staking, 4 LS; Incentive Strength Concrete Pavement, 500 Dol; Incentive Density HMA Pavement, 6,860 Dol; Incentive IRI Ride, 5,040 Dol; Incentive Strength Concrete Structure, 5,934 Dol; Culvert Pipe Corrugated Steel, 94 LF 15", 92 LF 36", 192 LF 18", 109 LF 24"; Culvert Pipe Reinforced Concrete, 1,458 LF 24", 144 LF 30"; Storm Sewer Pipe Reinforced Concrete, 222 LF 12", 314 LF 24", 883 LF 15", 50 LF 30", 271 LF 18", 30 LF 36"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 80 LF 19" X 30", 298 LF 53" X 83"; Concrete Curb and Gutter, 8,307 LF; Concrete Sidewalk, 35,463 SF; Steel Plate Beam Guard, 227 LF; Steel Plate Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 655 Ton; HMA Pavement Type E-0.3, 560 Ton, Type E-3, 10,133 Ton; Tack Coat, 2,599 Gals; Asphaltic Material, 589 Ton; Concrete Driveway, 185 SY; Bar Steel Reinforcement HS Stainless, 1,870 Lbs; Pipe Arch Corrugated Steel 42" X 29", 220 LF; Concrete Barrier, 190 LF; Woven Wire Fence, 575 LF; Concrete Median Nose, 131 SF; Trees, 51 Each; Conduit, 5,328 LF; Drainage Blanket, 75,731 CY; Light Poles, 16 Each; Prefabricated Vertical Drains, 1,999,215 LF; Storm Sewer PVC, 16 LF; Prestressed Precast Concrete Wall Panel, 3,700 SF; Wire Wall Face Mechanically Stabilized Earth, 3,700 SF; Signs, 222 SF.

DBE Goal: 6 %

Contract Completion Date: November 18, 2016

Contact Information: Bryan Learst, (920) 492-4139 / bryan.learst@dot.wi.gov

By order of:

Dan Grasser
Administrator
Division of Transportation System Development