



Wisconsin Department of Transportation

May 4, 2016

Division of Transportation Systems Development

Bureau of Project Development
4802 Sheboygan Avenue, Rm 601
P O Box 7916
Madison, WI 53707-7916

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #20: 2595-00-71, WISC 2016 171
North 60th Street, City of Milwaukee
W Florist Ave to W Mill Rd
Local Street
Milwaukee County

Letting of May 10, 2016

This is Addendum No. 1, which provides for the following:

Special Provisions

Revised Special Provisions	
Article No.	Description
14	Excavation, Hauling, and Disposal of Petroleum Contaminated Soil, Item 205.0501.S.

Added Special Provisions	
Article No.	Description
30	Construction Staking, Upper Layer, Item SPV.0090.03

Schedule of Items

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
SPV.0090.03	Construction Staking, Upper Layer	LF	0	5597	5597

Plan Sheets

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
104	Miscellaneous Quantities, A table was added for Construction Staking, Upper Layer, Item SPV.0090.03
105	Miscellaneous Quantities, Information was added to the table for Adjust TES Manhole Covers, Item SPV.0060.06 to include the location where new covers will be provided.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

2595-00-71

May 4, 2016

Special Provisions

14. Excavation, Hauling, and Disposal of Petroleum Contaminated Soil, Item 205.0501.S

Replace contact information under section titled A.2 Notice to Contractor – Contaminated Soils Location(s) with the following:

Name: Joseph Klarkowski
Address: 325 East Chicago Street, Suite 500, Milwaukee, WI 53202
Phone: (414) 935-4410
e-mail: Joe.Klarkowski@daarcop.com

30. Construction Staking, Upper Layer, Item SPV.0090.03.

A Description

This work shall consist of the construction survey work, including furnishing and setting of construction stakes, flags, or marking necessary to establish the profile and slope for the paving operations.

**B Materials
(Vacant)**

C Construction

Place construction stakes, flags, or markings at 25 foot intervals through all slope transition areas and at all structures for whatever distance required for slope and profile correction. Construction stakes, flags, or markings are required at both edges of each lane.

Set additional stakes as necessary to establish the profile and slope for structure approaches, auxiliary lanes, horizontal curves, and curve transitions in accordance with the plan.

The work shall include cross sectioning the existing pavement at 25 foot intervals, two locations per lane per interval as described above. The plotting of the cross sections and profiles determined by these cross sections should be the basis for computing the fills for the paving operations.

Mark these fills on stakes or flags at a predetermined offset from the edge of pavement or with paint or paint keel on the existing pavement. Paint finish grades (fill) on the pavement at each station prior to paving. Calculate and mark finish grades for all manholes, including private utilities, on four sides before setting the manholes to the proper grade and slope.

Obtain from the department, or calculate from data in the plan, benchmark data, grades, and alignment.

Ensure that before beginning work, the methods of survey and staking are approved by the engineer. The degree of accuracy used in the survey work shall be consistent with third order, class II. The stakes or markings shall establish the grade elevations to within 3 mm (0.01 ft.) of the true vertical position.

Maintain neat, orderly, and complete survey notes and computations, and plotted profiles and cross sections. Make the survey notes, computations, and plots available to the engineer upon request as the work progresses and furnish to the engineer when the survey work has been completed.

D Measurement

The department will measure Construction Staking, Upper Layer in length by the linear foot to the nearest 25-foot interval measured along each roadway centerline; the measurement will use markings on both edges of the lane.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090.03	Construction Staking, Upper Layer	LF

Schedule of Items

Attached, dated May 4, 2016, are the revised Schedule of Items Page

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 104 and 105

END OF ADDENDUM

CATEGORY 0010

SAWING CONCRETE					SAWING CONCRETE 690.0250	
STAGE	STA	TO	STA	SIDE	LF	
1	31+06	31+35	RT		29	
	31+35	31+35	RT		6	
	31+70	31+70	RT		12	
	31+70	32+16	RT		46	
	32+16	32+16	RT		12	
	32+52	32+52	LT		6	
	32+52	33+12	LT		60	
	33+12	33+12	LT		6	
	32+61	32+61	RT		23	
	32+84	32+84	RT		23	
	34+00	34+51	LT		50	
	36+41	36+41	RT		6	
	36+41	37+01	RT		60	
	37+01	37+01	RT		6	
	37+31	37+34	L/RT		136	
	37+29	37+34	L/T		5	
				STAGE 1 TOTAL	3276	

SAWING CONCRETE					SAWING CONCRETE 690.0250	
STAGE	STA	TO	STA	SIDE	LF	
2	9+78	10+33	RT		55	
	9+97	9+97	RT		36	
	9+97	10+33	RT		54	
	10+91	10+93	LT		20	
	11+01	11+03	RT		27	
	11+13	11+13	RT		24	
	11+40	11+40	RT		21	
	11+02	11+04	LT		36	
	12+00	12+12	RT		12	
	12+50	12+50	RT		22	
	12+62	12+62	RT		22	
	12+88	12+88	RT		22	
	13+12	13+12	RT		22	
	12+98	13+12	RT		15	
	12+02	12+02	RT		8	
	12+50	12+50	RT		8	
	13+88	14+81	RT		93	
	14+19	14+63	RT		45	
	14+12	14+55	RT		43	
	15+42	15+54	RT		12	
	19+51	20+02	RT		52	
	22+26	22+67	RT		42	
	22+67	22+67	RT		11	
	23+47	23+89	LT		45	
	24+47	24+47	LT		6	
	24+47	24+89	LT		44	
	24+89	24+89	L/RT		16	
	24+91	25+76	RT		85	
	24+80	25+60	RT		80	
	25+60	25+60	RT		17	
	25+60	26+67	RT		107	
	26+67	26+67	RT		11	
	32+61	32+76	RT		15	
	32+76	32+84	RT		8	
	34+00	34+00	LT		18	
	34+51	34+51	LT		17	
				STAGE 2 TOTAL	1219	
				UNDISTRIBUTED	600	
				PROJECT TOTAL	5095	

INCENTIVE STRENGTH CONCRETE PAVEMENT	
INCENTIVE STRENGTH CONCRETE PAVEMENT	75,045
STAGE	DOL
ALL	15000
PROJECT TOTAL	15000

CONSTRUCTION STAKING CURB RAMPS	
CONSTRUCTION STAKING CURB RAMPS	SPV.0060.01
STAGE	EACH
1	24
TOTAL	24

INLET CONSTRUCTION SPECIAL					INLET TYPE 45A SPV.0060.03	
STAGE	STA	OFF	SIDE	EACH	INLET TYPE 57 SPV.0060.02	INLET TYPE 45A SPV.0060.03
1	9+79	38	LT	1	1	1
	10+30	30	RT	1	1	1
	10+56	108	LT	1	1	1
	11+34	74	LT	1	1	1
	15+97	65	LT	1	1	1
	16+27	65	LT	1	1	1
	18+49	57	RT	1	1	1
	18+94	55	RT	1	1	1
	20+84	75	LT	1	0	0
	22+01	51	LT	1	1	1
	28+50	55	LT	1	1	1
	28+49	29	RT	1	1	1
	33+75	55	LT	1	1	1
	37+02	29	RT	1	1	1
				STAGE 1 TOTAL	14	13
2	12+01	7	LT	1	1	1
	13+50	1	LT	1	1	1
	13+60	46	LT	1	1	1
	35+57	1	LT	1	1	1
				STAGE 2 TOTAL	4	4
				PROJECT TOTAL	18	17

ASPHALT DRIVEWAY RAMPS TEMPORARY	
ASPHALT DRIVEWAY RAMPS TEMPORARY	SPV.0060.07
STAGE	SIDE
1	RT/LT
	EACH
	20
	STAGE 1 TOTAL
	20
	PROJECT TOTAL
	20

CONCRETE CURB AND GUTTER SPECIAL									
STAGE	STA	TO	STA	SIDE	CONCRETE CURB AND GUTTER TYPE D	CONCRETE CURB AND GUTTER TYPE D MODIFIED			
1	11+59	12+24	LT		SPV.0090.01	SPV.0090.02			
	17+68	18+33	RT		LF	LF			
	18+94	19+66	LT		65	65			
	22+02	22+67	LT		70	70			
	24+10	24+78	RT		65	65			
	32+33	33+05	RT		70	70			
	32+42	33+12	LT		70	70			
	36+15	37+01	RT		85	85			
				STAGE 1 TOTAL	555	555			
				PROJECT TOTAL	555	555			

CONSTRUCTION STAKING ASPHALT SURFACE	
CONSTRUCTION STAKING ASPHALT SURFACE	SPV.0090.03
STAGE	LOCATION
3	NB PGL
	SB PGL
	WEST DOUGLAS AVENUE
	105
	TOTAL
	5597

CONCRETE GUTTER									
STAGE	STA	TO	STA	SIDE	CONCRETE GUTTER TYPE D	CONCRETE GUTTER TYPE D MODIFIED			
2	14+07	14+17	LT		SPV.0090.02	SPV.0090.02			
	14+73	14+83	LT		LF	LF			
	17+96	18+06	LT		10	10			
	19+10	19+20	LT		10	10			
	24+62	24+72	LT		10	10			
	25+67	25+77	LT		10	10			
	27+31	27+41	LT		10	10			
	32+03	32+13	LT		10	10			
				TOTAL	80	80			

Addendum No. 01
ID 2595-00-71
Revised Sheet 104
May 4, 2016

ADJUST MANHOLE COVERS				ADJUSTING MANHOLE COVERS 611810	
STAGE	STA	OFF	SIDE	EACH	
1	10+87	47	LT	1	
	11+07	34	RT	1	
	11+38	31	RT	1	
	15+14	50	LT	1	
	18+72	30	RT	1	
	19+11	12	RT	1	
	21+06	53	LT	1	
	21+62	28	RT	1	
	22+33	25	RT	1	
	24+44	35	LT	1	
	26+77	58	LT	1	
	28+72	16	RT	1	
	31+26	48	LT	1	
STAGE 1 TOTAL				13	
PROJECT TOTAL				13	

MANHOLE RECONSTRUCT				RECONSTRUCTING MANHOLES 6110420	
STAGE	STA	OFF	SIDE	EACH	
2	24+44	35	LT	1	
STAGE 2 TOTAL				1	
PROJECT TOTAL				1	

WATER SERVICES		RELOCATING SPRINKLER BOXES SPV.0060.05	
STAGE	ADJUSTING WATER BOX SPV.0060.04	EACH	EACH
1		22	0
2		3	2
TOTAL		25	2

ADJUST TES MANHOLE COVERS				ADJUSTING TES MANHOLE COVERS SPV.0060.06		REMARKS	
STAGE	STA	OFF	SIDE	EACH	COVER		
1	10+71	26	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
	21+73	35	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
	24+99	41	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
	31+25	40	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
STAGE 1 TOTAL				4			
2	15+87	25	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
	18+99	25	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
	37+39	39	LT	1	NEW COVER		REMOVE CHIMNEY TO ROOF DECK
STAGE 2 TOTAL				3			
PROJECT TOTAL				7			

Addendum No. 01
ID 2595-00-71
Revised Sheet 105
May 4, 2016

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20160510020PROJECT(S):
2595-00-71FEDERAL ID(S):
WISC 2016171

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0750	SPV.0060 Special 02 Inlet Covers Type 57	18.000 EACH
0760	SPV.0060 Special 03 Inlet Type 45A	17.000 EACH
0770	SPV.0060 Special 04 ADJUSTING WATER BOXES	25.000 EACH
0780	SPV.0060 Special 05 RELOCATING SPRINKLER BOXES	2.000 EACH
0790	SPV.0060 Special 06 Adjusting TES Manhole Covers	7.000 EACH
0800	SPV.0060 Special 07 Asphalt Driveway Ramps Temporary	20.000 EACH
0810	SPV.0090 Special 01 Concrete curb and Gutter 31" Integral Type D Special	555.000 LF
0820	SPV.0090 Special 02 Concrete Gutter Type D Modified	80.000 LF
0830	SPV.0165 Special 01 Concrete Sidewalk 9-Inch	1,699.000 SF
0840	SPV.0090 Special 03. Construction Staking, Upper Layer	5,597.000 LF
	SECTION 0001 TOTAL				.	.
	TOTAL BID				.	.