

**STATE OF WISCONSIN  
DEPARTMENT OF TRANSPORTATION  
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT  
NOTICE TO CONTRACTORS**

**BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, November 13, 2018,** to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4<sup>th</sup> Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

**ELECTRONIC BIDDING**

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

**PROPOSAL GUARANTY**

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

## **PLANS AND PROPOSALS**

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

## **PLAN HOLDERS and ELIGIBLE BIDDERS**

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

## **QUALIFICATIONS OF BIDDERS**

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## **HOURS OF LABOR AND MINIMUM WAGE RATES**

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

## **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

## **AFFIDAVIT OF NON-COLLUSION**

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

## **SUMMARY SHEET**

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

1, 2, 4, 5, 6, 12, 13, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25, 27, 30, 31, 32, 37, 38, 39

### **GRADING**

18

### **CONCRETE PAVEMENT**

23

### **ASPHALTIC PAVEMENT**

4, 19, 21, 24, 25, 31, 37

### **STRUCTURES**

7, 8, 9, 10, 11, 13, 14, 15, 20, 26, 27, 28, 29, 32, 33, 34, 35, 36, 38

### **BRIDGE PAINTING**

### **STREET OR AIRPORT LIGHTING**

### **BUILDING CONSTRUCTION**

### **INCIDENTAL CONSTRUCTION**

2, 3, 6, 12, 16, 17, 39

**1. Illinois State Line - Madison, East Church Road - Church Street, SB; Illinois State Line - Madison, Church Street - CTH AB, SB;** Dane County; 1007-11-79, WISC 2018 433; 1007-11-80, WISC 2018 434; IH 39; 7.828 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Construction, Box Culvert Construction, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Beam Guard, Concrete Barrier, Fence, Retaining Walls, Plantings, Signs, Overhead Sign Supports, Pavement Markings, and Weigh-in-Motion System.

**Guaranty Required: \$900,000.00**

**Estimate of Principal Items:** Excavation Common, 526,978 CY; Excavation Rock, 109,340 CY; Excavation Marsh, 3,238 CY; Selected Borrow, 20,036 CY; Backfill Structure, 7,542 Ton; Select Crushed Material, 289,791 Ton; Base Aggregate Open Graded, 107 Ton; Breaker Run, 298 Ton; Concrete Pavement, 279,269 SY; Concrete Masonry Bridges, 1,603 CY; Concrete Masonry Culverts, 666 CY; Prestressed Girders, 819 LF 36-Inch, 777 LF 54-Inch, 4,641 LF 72-Inch; Bar Steel Reinforcement, 143,650 Lbs; Bar Steel Reinforcement Coated, 485,170 Lbs; Bar Steel Reinforcement HS Stainless, 10,630 Lbs; Piling Steel, 6,350 LF 10-Inch, 3,800 LF 12-Inch; Marking Tape, 75,492 LF; Marking Epoxy, 318,635 LF; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 1,736 LF 18", 722 LF 36", 540 LF 72", 1,042 LF 24", 844 LF 42", 146 LF 54", 640 LF 30", 242 LF 48"; Storm Sewer Pipe Reinforced Concrete, 10 LF 30", 8 LF 24", 66 LF 12", 185 LF 18"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 4 LF 19" X 30", 216 LF 34" X 53", 134 LF 24" X 38", 84 LF 29" X 45"; Concrete Curb and Gutter, 3,446 LF; Concrete Sidewalk, 545 SF; Beam Guard, 5,362 LF; Beam Guard Energy Absorbing Terminals, 20 Each; HMA Pavement, 3,659 Ton; Tack Coat, 821 Gals; Signs, 3,352 SF; Concrete Barrier, 1,978 LF; Woven Wire Fence, 1,797 LF; Trees, 661 Each; Shrubs, 2,206 Each; Overhead Sign Supports, 2 LS; Aluminum Poles, 2 Each; Aluminum Poles, 2 Each; Roadway Embankment, 290,089 CY; High Performance Concrete Masonry Structures, 2,740 CY; Polymer Coated Chain Link Fence, 133 LF; Weigh-in-Motion System, 1 LS; Wall Concrete Panel Mechanically Stabilized Earth, 5,920 SF.

**DBE Goal: 8 %**

**Contract Completion Date: December 15, 2021**

**Contact Information: Mark Sponem, (608) 245-2627 / mark.sponem@dot.wi.gov**

**2. Madison - Oconomowoc, STH 73 - CTH F;** Jefferson and Dane Counties; 1067-02-62, WISC 2018 435; IH 94; 0.000 Miles; Excavation, Base, and Cable Barrier Installation.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 519 CY; Borrow, 5,932 CY; Base Aggregate Dense, 514 Ton; Construction Staking, 19,052 LF; Construction Staking, 12 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 4 LF 12", 34 LF 18", 12 LF 30"; Culvert Pipe Reinforced Concrete, 4 LF 24"; Cable Barrier Type 1, 19,052 LF; Cable Barrier End Terminal Type 1, 18 Each.

**DBE Goal:** 4 %

**Contract Completion Time:** 80 Calendar Days

**Contact Information:** Craig Hardy, (608) 216-3158 / craig.hardy@dot.wi.gov

**3. Beloit - Elkhorn, STH 140 Interchange Area;** Rock County; 1093-01-63, WISC 2018 436; IH 43; 1.085 Miles; Cable Barrier Installation.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 191 Ton; Construction Staking, 5,155 LF; Construction Staking, 1 LS; Cable Barrier Type 1, 5,045 LF.

**DBE Goal:** 4 %

**Contract Completion Time:** 25 Calendar Days

**Contact Information:** Craig Hardy, (608) 216-3158 / craig.hardy@dot.wi.gov

**4. Sun Prairie - Beaver Dam, CTH VV to STH 73;** Columbia, Dane, and Dodge Counties; 1111-03-72, WISC 2018 437; USH 151; 13.611 Miles; Base, Mill and Relay, Base Patching Concrete, Concrete Pavement, HMA Pavement, Beam Guard, Pavement Marking, and Signs.

**Guaranty Required:** \$380,000.00

**Estimate of Principal Items:** Excavation Common, 54 CY; Borrow, 2,275 CY; Base Aggregate Dense, 39,695 Ton; Concrete Pavement, 2,496 SY; Structural Steel HS, 10,434 Lbs; Marking Epoxy, 14,176 LF; Construction Staking, 276,134 LF; Construction Staking, 7 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 24 LF 12"; Beam Guard, 2,128 LF; Beam Guard Energy Absorbing Terminals, 5 Each; HMA Pavement, 108,596 Ton; Tack Coat, 55,307 Gals; Signs, 5,339 SF; Mill and Relay, 172,499 SY; Base Patching Concrete, 36,695 SY; Marking Line Grooved Wet Ref Epoxy 4-Inch, 255,342 LF.

**DBE Goal:** 7 %

**Contract Completion Time:** 95 Working Days

**Contact Information:** Amy Coughlin, (608) 245-5358 / amy.coughlin@dot.wi.gov

**5. Mount Horeb - Madison, CTH PD - Raymond Road / STG 2 / Phase 3;** Dane County; 1206-08-77, WISC 2018 438; USH 18; 1.136 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Milling, Bridge Construction, Retaining Walls, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Concrete Barrier, Plantings, Street Lighting, Traffic Signals, ITS, Signs, Pavement Markings, Sign Bridges, Overhead Sign Supports, and Water Main.

**Guaranty Required: \$700,000.00**

**Estimate of Principal Items:** Excavation Common, 233,235 CY; Backfill Granular, 8,517 CY; Select Crushed Material, 109,357 Ton; Concrete Pavement, 85,842 SY; Concrete Masonry Bridges, 891 CY; Concrete Masonry Retaining Walls, 1,557 CY; Prestressed Girders, 7,240 LF 72-Inch; Bar Steel Reinforcement, 43,440 Lbs; Bar Steel Reinforcement Coated, 691,880 Lbs; Structural Steel Carbon, 4,320 Lbs; Piling Steel, 2,025 LF 14-Inch; Marking Tape, 27,793 LF; Marking Epoxy, 195,335 LF; Marking Paint, 742 LF; Construction Staking, 87,636 LF; Construction Staking, 278 Each; Construction Staking, 12 LS; Storm Sewer Pipe Reinforced Concrete, 5,430 LF 12", 2,385 LF 24", 96 LF 42", 1,182 LF 15", 251 LF 30", 2,148 LF 18", 23 LF 36"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 104 LF 14" X 23", 89 LF 24" X 38"; Concrete Curb, 362 LF; Concrete Curb and Gutter, 26,221 LF; Concrete Sidewalk, 34,545 SF; Beam Guard, 155 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 2,686 Ton; HMA Pavement, 22,649 Ton; Removing Asphaltic Surface Milling, 13,800 SY; Signs, 3,155 SF; Select Crushed Material, 330 CY; Concrete Driveway, 535 SY; Concrete Pavement Repair, 61 SY; Concrete Pavement Replacement, 251 SY; Bar Steel Reinforcement HS Stainless, 4,540 Lbs; Concrete Barrier, 10,814 LF; Trees, 31 Each; Shrubs, 62 Each; Sign Bridge, 2 LS; Overhead Sign Support, 2 LS; Light Poles, 64 Each; Traffic Signal Standards, 27 Each; Roadway Embankment, 128,885 CY; Excavation Special, 350 CY; High Performance Concrete Masonry Structures, 1,985 CY; Perennials, 3,794 Each; Removing HMA Pavement Longitudinal Joint Milling, 347,000 LF; Water Main, 145 LF; Interim Traffic Signals, 2 LS; Colored and Stamped Concrete 5-Inch, 77,920 SF; Concrete Panel Wall, 46,920 SF; Asphaltic Surface Safety Islands, 5,455 SY; Excavation of Contaminated Soil, 700 Ton.

**DBE Goal: 6 %**

**Contract Completion Date: October 30, 2020**

**Contact Information:** Chris Fredrick, (608) 884-7130 / christopher.fredrick@dot.wi.gov

**6. City of Lake Mills, Main Street, Topel Street to Madison Street; City of Lake Mills, Main Street, Topel Street to Madison Street;** Jefferson County; 3300-01-73, WISC 2018 137; 3300-01-74; STH 89; 1.248 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Traffic Signals, Street Lighting, Signing, Pavement Markings, Sanitary Sewer, and Water Main.

**Guaranty Required:** \$100,000.00

**Estimate of Principal Items:** Excavation Common, 41,322 CY; Select Crushed Material, 28,985 Ton; Concrete Pavement, 32,284 SY; Marking Epoxy, 23,413 LF; Construction Staking, 25,146 LF; Construction Staking, 208 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 1,781 LF 15", 693 LF 36", 4,397 LF 24", 589 LF 12", 422 LF 30"; Concrete Curb and Gutter, 14,906 LF; Concrete Sidewalk, 68,115 SF; Asphaltic Surface, 925 Ton; Signs, 840 SF; Concrete Driveway, 2,164 SY; Traffic Signal Standards, 8 Each; Decorative Light Pole, 74 Each; Water Service, 5,353 Each; Water Main, 7,393 LF; Sanitary Lateral, 5,295 LF; Sanitary Sewer, 6,768 LF; Excavation, Hauling and Disposal of Contaminated Soil, 3,591 Ton.

**DBE Goal:** 8 %

**Contract Completion Date:** July 1, 2020

**\*\*\* NON-MANDATORY PRE-BID MEETING \*\*\***

**DATE:** October 17, 2018 **TIME:** 2 PM

**LOCATION:** WisDOT SW Region Office  
Columbia, Dane, and Rock Rooms  
2101 Wright Street  
Madison, WI

**NOTE:** No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

**Contact Information:** Craig Hardy, (608) 216-3158 / craig.hardy@dot.wi.gov



**7. Town of Ithaca, Spiral Road, Little Willow Creek Bridge, B-52-0272;** Richland County; 5056-00-70; Local Street; 0.038 Miles; Excavation, Base, Asphaltic Surface, Bridge Replacement, and Signs.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 395 CY; Borrow, 186 CY; Backfill Structure, 280 Ton; Base Aggregate Dense, 480 Ton; Concrete Masonry Bridges, 115 CY; Bar Steel Reinforcement, 4,050 Lbs; Bar Steel Reinforcement Coated, 14,570 Lbs; Piling Steel, 490 LF 10-Inch; Construction Staking, 984 LF; Construction Staking, 1 Each; Culvert Pipe Reinforced Concrete, 42 LF 48"; Asphaltic Surface, 80 Ton; Tack Coat, 20 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 35 Working Days

**Contact Information:** Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

**8. Bell Center - STH 131, Kickapoo River Bridge, B-12-0018;** Crawford County; 5057-00-70; CTH S; 0.080 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, Signs, and Bridge Rehabilitation.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 240 CY; Borrow, 528 CY; Backfill Structure, 110 Ton; Base Aggregate Dense, 525 Ton; Concrete Masonry Bridges, 214 CY; Bar Steel Reinforcement Coated, 42,250 Lbs; Marking Epoxy, 1,775 LF; Construction Staking, 630 LF; Construction Staking, 2 LS; Beam Guard, 157 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 149 Ton; Tack Coat, 46 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 40 Working Days

**Contact Information:** Mark Westerveld, (608) 246-5355 / mark.westerveld@dot.wi.gov

**9. CTH Y - CTH B, Fish Creek Bridge, B-32-0235;** LaCrosse County; 5087-00-70; CTH J; 0.071 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, Signs, Beam Guard, and Bridge Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 483 CY; Backfill Structure, 290 Ton; Base Aggregate Dense, 682 Ton; Concrete Masonry Bridges, 365 CY; Bar Steel Reinforcement, 6,580 Lbs; Bar Steel Reinforcement Coated, 35,730 Lbs; Piling CIP Concrete, 715 LF 10 3/4-Inch, 540 LF 12 3/4-Inch; Marking Epoxy, 850 LF; Construction Staking, 903 LF; Construction Staking, 2 LS; Beam Guard, 207 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 214 Ton; Tack Coat, 49 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 50 Working Days

**Contact Information:** Zach Pearson, (608) 246-5319 / zachary.pearson@dot.wi.gov

**10. Town of Webster, River Road, Branch West Fork Kickapoo River, B-62-0253;** Vernon County; 5289-00-73; Local Street; 0.028 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 399 CY; Borrow, 239 CY; Backfill Structure, 230 Ton; Base Aggregate Dense, 304 Ton; Concrete Masonry Bridges, 136 CY; Bar Steel Reinforcement, 3,420 Lbs; Bar Steel Reinforcement Coated, 18,340 Lbs; Piling Steel, 120 LF 10-Inch; Construction Staking, 1,104 LF; Construction Staking, 2 LS; Asphaltic Surface, 50 Ton; Tack Coat, 18 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 40 Working Days

**Contact Information:** Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

**11. Village of Genoa, Main Street, Genoa Creek Bridge, B-62-0255;** Vernon County; 5386-00-72; Local Street; 0.055 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Bridge Replacement, and Pavement Marking.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 859 CY; Backfill Structure, 380 Ton; Base Aggregate Dense, 666 Ton; Breaker Run, 778 Ton; Concrete Masonry Bridges, 219 CY; Prestressed Girders, 236 LF 36-Inch; Bar Steel Reinforcement, 5,230 Lbs; Bar Steel Reinforcement Coated, 26,020 Lbs; Piling Steel, 600 LF 10-Inch; Marking Epoxy, 1,160 LF; Construction Staking, 1,078 LF; Construction Staking, 5 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 50 LF 12"; Concrete Curb and Gutter, 388 LF; Concrete Sidewalk, 1,040 SF; Asphaltic Surface, 169 Ton; Tack Coat, 38 Gals; Signs, 17 SF.

**DBE Goal:** NA

**Contract Completion Time:** 55 Working Days

**Contact Information:** Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

**12. Madison - Deforest, Pierstorff Street to Rieder Road;** Dane County; 5410-00-62, WISC 2018 439; USH 51; 0.000 Miles; Excavation, Base, and Cable Barrier Installation.

**Guaranty Required:** \$6,000.00

**Estimate of Principal Items:** Excavation Common, 43 CY; Borrow, 782 CY; Base Aggregate Dense, 243 Ton; Construction Staking, 1,590 LF; Construction Staking, 1 LS; Cable Barrier Type 1, 1,590 LF.

**DBE Goal:** 4 %

**Contract Completion Time:** 20 Calendar Days

**Contact Information:** Jeremy Hall, (608) 245-2655 / jeremy.hall@dot.wi.gov

**13. Town of Marcellon, Haynes Road, Fox River Bridge, B-11-0168;** Columbia County; 5651-00-70; Local Street; 0.080 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 700 CY; Backfill Structure, 530 Ton; Base Aggregate Dense, 1,660 Ton; Concrete Masonry Bridges, 192 CY; Bar Steel Reinforcement, 4,810 Lbs; Bar Steel Reinforcement Coated, 22,920 Lbs; Piling Steel, 960 LF 10-Inch; Construction Staking, 1,180 LF; Construction Staking, 2 LS; Beam Guard, 448 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 330 Ton; Tack Coat, 70 Gals; Signs, 17 SF.

**DBE Goal: NA**

**Contract Completion Time: 40 Working Days**

**Contact Information:** Mark Westerveld, (608) 246-5355 /  
mark.westerveld@dot.wi.gov

**14. USH 51 - McFarland, Yahara River Bridge, B-13-0684;** Dane County; 5841-00-70; CTH AB; 0.080 Miles; Excavation, Base, HMA Pavement, Beam Guard, Signs, Concrete Pavement, and Bridge Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 634 CY; Backfill Structure, 420 Ton; Base Aggregate Dense, 1,160 Ton; Breaker Run, 190 Ton; Concrete Pavement, 40 SY; Concrete Masonry Bridges, 306 CY; Prestressed Girders, 840 LF 28-Inch; Bar Steel Reinforcement, 7,605 Lbs; Bar Steel Reinforcement Coated, 32,285 Lbs; Piling CIP Concrete, 1,110 LF 10 3/4-Inch; Marking Paint, 1,111 LF; Construction Staking, 1,182 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 101 LF 19" X 30"; Beam Guard, 207 LF; Beam Guard Energy Absorbing Terminals, 3 Each; HMA Pavement, 305 Ton; Tack Coat, 60 Gals; Signs, 46 SF; Underwater Pier Inspection, 1 Each.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Mark Westerveld, (608) 246-5355 /  
mark.westerveld@dot.wi.gov

**15. STH 78 - I-39/90, Wisconsin River Tributary Bridge, B-11-0169;** Columbia County; 6721-00-71; CTH U; 0.057 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, and Bridge Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 675 CY; Borrow, 135 CY; Backfill Structure, 330 Ton; Base Aggregate Dense, 1,020 Ton; Concrete Masonry Bridges, 173 CY; Bar Steel Reinforcement, 5,250 Lbs; Bar Steel Reinforcement Coated, 21,280 Lbs; Piling Steel, 555 LF 10-Inch; Marking Epoxy, 1,200 LF; Construction Staking, 1,155 LF; Construction Staking, 2 LS; Beam Guard, 160 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 170 Ton; Tack Coat, 40 Gals; Signs, 21 SF.

**DBE Goal:** NA

**Contract Completion Time:** 40 Working Days

**Contact Information:** Mark Westerveld, (608) 246-5355 /  
mark.westerveld@dot.wi.gov

**16. STH 67 to CTH SS;** Waukesha County; 1060-49-70, WISC 2018 440; IH 94; 0.000 Miles; Excavation, Base, Cable Barrier Installation, and Guardrail.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 3,158 CY; Base Aggregate Dense, 5,121 Ton; Culvert Pipe Reinforced Concrete, 3 LF 18", 224 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 15 LF 14" X 23"; Beam Guard, 17,079 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Cable Barrier Type 1, 19,479 LF; Cable Barrier End Terminal Type 1, 20 Each.

**DBE Goal:** 15 %

**Contract Completion Date:** August 1, 2019

**Contact Information:** Joshua LeVeque, (414) 750-1468 / joshua.leveque@dot.wi.gov

**17. W. Morgan Avenue, W. Forest Home Avenue to S. 43rd Street;** Milwaukee County; 2405-00-74, WISC 2018 441; Local Street; 0.000 Miles; Grade, Base, Rout and Seal, Storm Sewer, Sanitary Utility, Water Utility, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Signs, Lighting, and Marking.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 17,005 CY; Base Aggregate Dense, 19,346 Ton; Base Aggregate Open Graded, 132 Ton; Concrete Pavement, 1,630 SY; Marking Epoxy, 16,212 LF; Marking Paint, 100 LF; Construction Staking, 26,082 LF; Construction Staking, 115 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 1,212 LF 12", 557 LF 15", 913 LF 18", 602 LF 21", 913 LF 24", 288 LF 30"; Concrete Curb, 85 LF; Concrete Curb and Gutter, 8,102 LF; Concrete Sidewalk, 36,725 SF; Asphaltic Surface, 119 Ton; HMA Pavement, 4,460 Ton; Tack Coat, 1,130 Gals; Signs, 524 SF; Rout and Seal, 7,832 LF; Pull Boxes, 11 Each; Concrete Bases, 33 Each; Poles, 32 Each.

**DBE Goal:** 15 %

**Contract Completion Date:** October 15, 2019

**Contact Information:** Paul Piccione, (262) 548-8706 / paul.piccione@dot.wi.gov

**18. Wisconn Valley Way, Wisconn Valley Way / CTH KR Intersection; Village of Mount Pleasant, IH 41 E. Frontage Road to CTH H; Racine County; 2704-00-77; 3763-00-73; Local Street; CTH KR; 3.144 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Street Lighting, Traffic Signals, and Storm Sewer.**

**Guaranty Required: \$440,000.00**

**Estimate of Principal Items:** Excavation Common, 127,843 CY; Base Aggregate Dense, 46,730 Ton; Breaker Run, 101,167 Ton; Concrete Pavement, 85,380 SY; Marking Epoxy, 33,499 LF; Marking Paint, 57,735 LF; Culvert Pipe Reinforced Concrete, 212 LF 30", 60 LF 18"; Storm Sewer Pipe Reinforced Concrete, 600 LF 12", 1,447 LF 30", 53 LF 18", 889 LF 36", 3,295 LF 15", 376 LF 36", 942 LF 24", 2,103 LF 24", 3,382 LF 15", 859 LF 30"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 124 LF 34" X 53", 657 LF 29" X 45", 302 LF 19" X 30", 1,223 LF 19" X 30"; Concrete Curb and Gutter, 33,671 LF; Concrete Sidewalk, 17,885 SF; Asphaltic Surface, 2,217 Ton; HMA Pavement, 354 Ton; Tack Coat, 71 Gals; Signs, 1,213 SF.

**DBE Goal: NA**

**Contract Completion Date: May 31, 2020**

**\*\*\* NON-MANDATORY PRE-BID MEETING \*\*\***

**DATE:** October 18, 2018 **TIME:** 9 AM

**LOCATION:** Mount Pleasant Village Hall  
8811 Campus Drive  
Mount Pleasant, WI 53406

**NOTE:** No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

**Contact Information:** Steve Hoff, (262) 548-6718 / [steve.hoff@dot.wi.gov](mailto:steve.hoff@dot.wi.gov)

**19. Valders - Manitowoc, Jackson Street - IH 43 SB Ramps;** Manitowoc County; 4100-21-71, WISC 2018 442; USH 151; 8.500 Miles; Excavation, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, Street Lights, Traffic Signals, and Signs.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 1,237 CY; Borrow, 254 CY; Base Aggregate Dense, 4,225 Ton; Marking Epoxy, 53,198 LF; Marking Paint, 136,415 LF; Construction Staking, 49,972 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 15 LF 24"; Concrete Curb and Gutter, 225 LF; Concrete Sidewalk, 255 SF; Beam Guard, 146 LF; Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 109 Ton; HMA Pavement, 30,622 Ton; Removing Asphaltic Surface Milling, 158,473 SY; Tack Coat, 22,940 Gals; Signs, 1,321 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 80,415 LF; Cable Traffic Signal 12-14 AWG, 1,270 LF.

**DBE Goal:** 5 %

**Contract Completion Time:** 70 Working Days

**Contact Information:** Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov

**20. Town of Manitowoc Rapids, CTH R, Manitowoc River Bridge and Approaches;** Manitowoc County; 4310-06-71; CTH R; 0.178 Miles; Excavation, Base, Concrete Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Beam Guard, Pavement Marking, Loop Detectors, and Bridge Replacement.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 2,300 CY; Backfill Structure, 1,550 Ton; Base Aggregate Dense, 3,400 Ton; Concrete Pavement, 2,827 SY; Concrete Masonry Bridges, 2,685 CY; Prestressed Girders, 4,375 LF 54-Inch; Bar Steel Reinforcement, 160,090 Lbs; Bar Steel Reinforcement Coated, 277,120 Lbs; Piling CIP Concrete, 12,550 LF 10 3/4-Inch; Marking Epoxy, 2,550 LF; Construction Staking, 2,272 LF; Construction Staking, 11 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 110 LF 12", 112 LF 15", 95 LF 18"; Concrete Curb and Gutter, 1,028 LF; Concrete Sidewalk, 2,665 SF; Beam Guard, 154 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 85 Ton; Signs, 71 SF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 895 LF.

**DBE Goal:** NA

**Contract Completion Date:** November 1, 2019

**Contact Information:** Dave Schmidt, (920) 492-5715 / dave.schmidt@dot.wi.gov



**21. City of New Holstein, Clark Street - Manitowoc Calumet Co.;** Calumet County; 4501-00-71, WISC 2018 443; CTH X; 1.703 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Pavement Marking, and Signs.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 40 CY; Borrow, 290 CY; Base Aggregate Dense, 1,470 Ton; Marking Epoxy, 26,550 LF; Construction Staking, 11,240 LF; Construction Staking, 3 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 84 LF 60"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 64 LF 19" X 30"; Concrete Curb and Gutter, 550 LF; HMA Pavement, 7,600 Ton; Tack Coat, 1,990 Gals; Signs, 2 SF; Pipe Arch Corrugated Steel 137 X 87-Inch, 90 LF.

**DBE Goal: 4 %**

**Contract Completion Time: 20 Working Days**

**Contact Information:** Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

**22. Village of St. Cloud, CTH G (Main Street), Palm Tree Road - Cedarview Drive;** Fond du Lac County; 4854-03-71, WISC 2018 444; CTH G; 0.827 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Storm Sewer, and Water Service.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 29,000 CY; Base Aggregate Dense, 19,060 Ton; Breaker Run, 23,050 Ton; Marking Epoxy, 8,415 LF; Construction Staking, 23,154 LF; Construction Staking, 107 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 928 LF 12", 159 LF 15", 225 LF 18", 86 LF 21", 2,098 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 431 LF 34" X 53", 395 LF 29" X 45", 701 LF 19" X 30", 297 LF 24" X 38"; Concrete Curb and Gutter, 8,301 LF; Concrete Sidewalk, 35,650 SF; HMA Pavement, 5,390 Ton; Tack Coat, 1,630 Gals; Signs, 130 SF.

**DBE Goal: 10 %**

**Contract Completion Time: 75 Working Days**

**Contact Information:** Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**23. City of Menasha, CTH LP, USH 10 / STH 114 to CTH AP;** Calumet County; 4992-00-57, WISC 2018 445; CTH LP; 0.000 Miles; Grade, Base, Storm Sewer, Water Main, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Landscape, Signing, Signals, and Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 52,000 CY; Excavation Marsh, 520 CY; Selected Borrow, 780 CY; Base Aggregate Dense, 45,540 Ton; Base Aggregate Open Graded, 8 Ton; Concrete Pavement, 43,175 SY; Marking Epoxy, 35,620 LF; Marking Paint, 225 LF; Construction Staking, 27,962 LF; Construction Staking, 179 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 28 LF 18"; Pipe Arch Corrugated Steel, 102 LF 21" X 15"; Storm Sewer Pipe Reinforced Concrete, 1,952 LF 12", 205 LF 15", 1,337 LF 18", 3,610 LF 24", 440 LF 27", 2,098 LF 30"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 287 LF 29" X 45"; Concrete Curb, 90 LF; Concrete Curb and Gutter, 19,979 LF; Concrete Sidewalk, 42,530 SF; Asphaltic Surface, 1,695 Ton; HMA Pavement, 1,115 Ton; Tack Coat, 327 Gals; Signs, 488 SF; Riprap, 20 CY; Trees, 3 Each; Shrubs, 15 Each; Pull Boxes, 3 Each; Concrete Bases, 3 Each; Poles, 2 Each; Storm Sewer Pipe, 75 LF; Water Main, 80 LF; Water Service, 135 LF.

**DBE Goal: 8 %**

**Contract Completion Date: October 4, 2019**

**Contact Information:** Bill Bertrand, (920) 360-3124 / [william.bertrand@dot.wi.gov](mailto:william.bertrand@dot.wi.gov)

**24. Mauston - I-39, Juneau County Line to STH 13;** Adams County; 1430-02-74, WISC 2018 446; STH 82; 1.091 Miles; Excavation, Base, HMA Pavement, Pavement Marking, and Signs.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 42 CY; Base Aggregate Dense, 1,251 Ton; Concrete Pavement, 100 SY; Marking Epoxy, 6,720 LF; Construction Staking, 6,205 LF; Construction Staking, 1 LS; HMA Pavement, 3,348 Ton; Tack Coat, 1,371 Gals; Signs, 104 SF.

**DBE Goal: 4 %**

**Contract Completion Time: 10 Working Days**

**Contact Information:** Jeffrey Stewart, (715) 421-8376 / [jeffrey.stewart@dot.wi.gov](mailto:jeffrey.stewart@dot.wi.gov)

**25. Ripon - Auroraville, STH 23 to South Street;** Green Lake County; 6210-00-72, WISC 2018 447; STH 49; 0.000 Miles; Mill, Pulverize and Relay, Grade, Base, Culvert Pipe, Cold-in-Place Recycling Asphalt Pavement, HMA Pavement, Curb and Gutter, Beam Guard, Signing, and Marking.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 8,669 CY; Base Aggregate Dense, 3,609 Ton; Select Crushed Material, 3,555 Ton; Marking Epoxy, 267,529 LF; Construction Staking, 80,195 LF; Construction Staking, 10 Each; Construction Staking, 1 LS; Culvert Pipe, 88 LF 24", 88 LF 36", 22 LF 48"; Culvert Pipe Corrugated Steel, 8 LF 18", 18 LF 24", 82 LF 36", 180 LF 42"; Concrete Curb and Gutter, 184 LF; Beam Guard, 7,720 LF; Beam Guard Energy Absorbing Terminals, 36 Each; Asphaltic Surface, 950 Ton; HMA Pavement, 36,112 Ton; Removing Asphaltic Surface Milling, 11,084 SY; Tack Coat, 8,406 Gals; Signs, 735 SF; Removing Asphaltic Surface Milling, 21,805 Ton; Pulverize and Relay, 76,342 SY; Culvert Pipe Liners, 256 LF; Riprap, 14 CY; Cold-in-Place Recycling (CIR) Asphalt Pavement, 72,001 SY.

**DBE Goal: 5 %**

**Contract Completion Date: October 15, 2019**

**Contact Information:** Tim Hanley, (715) 421-8050 / timothy.hanley@dot.wi.gov

**26. Plainfield - Wisconsin Rapids, Bridge Maintenance, B-71-0018; Merrill - Antigo, Bridge Maintenance, B-35-0002; Crandon - Three Lakes, Bridge Maintenance, B-21-0015;** Wood, Lincoln, and Forest Counties; 6320-08-62, WISC 2018 448; 9000-13-61, WISC 2018 449; 9260-01-61, WISC 2018 450; STH 73; STH 64; STH 32; 0.000 Miles; Bridge Maintenance, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, and Pavement Marking.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 36 CY; Backfill Structure, 100 Ton; Base Aggregate Dense, 67 Ton; Concrete Masonry Bridges, 11 CY; Bar Steel Reinforcement, 270 Lbs; Bar Steel Reinforcement Coated, 4,600 Lbs; Marking Epoxy, 2,530 LF; Construction Staking, 7 LS; Concrete Curb and Gutter, 65 LF; Concrete Sidewalk, 162 SF; Asphaltic Surface, 33 Ton; Repainting Stone Masonry, 1,500 SF.

**DBE Goal: 4 %**

**Contract Completion Date: August 30, 2019**

**Contact Information:** Robin Stafford, (715) 365-5750 / robin.stafford@dot.wi.gov

**27. Quill Point Road - CTH H, Long Lake Inlet, B-26-35;** Iron County; 9352-00-70; CTH G; 0.135 Miles; Excavation, Base, Asphaltic Surface, Sign, Pavement Marking, and Bridge Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 129 CY; Borrow, 2,270 CY; Backfill Structure, 250 Ton; Base Aggregate Dense, 1,371 Ton; Concrete Masonry Bridges, 126 CY; Bar Steel Reinforcement, 4,060 Lbs; Bar Steel Reinforcement Coated, 15,220 Lbs; Piling CIP Concrete, 375 LF 12 3/4-Inch; Marking Epoxy, 1,320 LF; Construction Staking, 1,916 LF; Construction Staking, 2 LS; Asphaltic Surface, 365 Ton; Tack Coat, 131 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 40 Working Days

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**28. Wausau - Aniwa, Eau Claire River Bridge, Town of Easton;** Marathon County; 9440-05-70; CTH Z; 0.109 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, Signs, and Bridge Replacement.

**Guaranty Required:** \$40,000.00

**Estimate of Principal Items:** Excavation Common, 346 CY; Borrow, 1,957 CY; Backfill Structure, 420 Ton; Base Aggregate Dense, 1,280 Ton; Concrete Masonry Bridges, 448 CY; Prestressed Girders, 954 LF 36-Inch; Bar Steel Reinforcement, 19,000 Lbs; Bar Steel Reinforcement Coated, 60,760 Lbs; Piling Steel, 240 LF 10-Inch; Marking Epoxy, 2,340 LF; Construction Staking, 1,155 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 54 LF 18"; Beam Guard, 285 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 425 Ton; Tack Coat, 105 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 50 Working Days

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**29. Town of Crandon, Cole Road, Wolf River Bridge, B-21-0028;** Forest County; 9813-01-70; Local Street; 0.066 Miles; Excavation, Base, Asphaltic Surface, and Bridge Replacement.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 148 CY; Borrow, 160 CY; Backfill Structure, 340 Ton; Base Aggregate Dense, 790 Ton; Concrete Masonry Bridges, 121 CY; Bar Steel Reinforcement, 4,370 Lbs; Bar Steel Reinforcement Coated, 14,150 Lbs; Piling Steel, 1,170 LF 10-Inch; Construction Staking, 945 LF; Construction Staking, 2 LS; Asphaltic Surface, 175 Ton; Tack Coat, 55 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 35 Working Days

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**30. Hudson - Baldwin, 130th Street Bridge (WB), B-55-0254; Hudson - Baldwin, 130th Street Bridge (EB), B-55-0255; Hudson - Baldwin, Kinnickinnic River Bridge (WB), B-55-0256; Hudson - Baldwin, Kinnickinnic River Bridge (EB), B-55-0257;** St. Croix County; 1020-03-76, WISC 2018 451; 1020-03-77, WISC 2018 452; 1020-03-78, WISC 2018 453; 1020-03-79, WISC 2018 454; IH 94; 3.813 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Pavement Marking, Signs, Storm Sewer, and Structure Replacements.

**Guaranty Required:** \$420,000.00

**Estimate of Principal Items:** Excavation Common, 160,970 CY; Borrow, 142,450 CY; Selected Borrow, 18,121 CY; Backfill Structure, 2,895 Ton; Base Aggregate Dense, 96,548 Ton; Select Crushed Material, 89,032 Ton; Concrete Pavement, 55,184 SY; Concrete Masonry Bridges, 2,717 CY; Prestressed Girders, 3,952 LF 54-Inch; Bar Steel Reinforcement, 41,000 Lbs; Bar Steel Reinforcement Coated, 3,352,000 Lbs; Piling Steel, 5,390 LF 10-Inch; Construction Staking, 141,508 LF; Construction Staking, 23 Each; Construction Staking, 12 LS; Culvert Pipe Reinforced Concrete, 1,084 LF 24", 274 LF 30", 100 LF 30", 88 LF 48"; Storm Sewer Pipe Reinforced Concrete, 14 LF 18", 82 LF 24", 260 LF 24", 212 LF 60"; Concrete Curb and Gutter, 96 LF; Beam Guard, 2,611 LF; Beam Guard Energy Absorbing Terminals, 9 Each; HMA Pavement, 10,083 Ton; Removing Asphaltic Surface Milling, 690 SY; Signs, 1,199 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 51,210 LF.

**DBE Goal:** 10 %

**Contract Completion Date:** July 1, 2020

**Contact Information:** Adam Sarauer, (715) 833-5367 / adam.sarauer@dot.wi.gov

**31. Hayward - Drummond, STH 27 to Larsen Road; Hayward - Drummond, Hospital Road Intersection;** Sawyer County; 1560-02-70, WISC 2018 455; 1560-02-75, WISC 2018 456; USH 63; 7.033 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Pavement Marking, Signs, and Guardrail.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Excavation Common, 749 CY; Excavation Marsh, 1,981 CY; Selected Borrow, 3,605 CY; Base Aggregate Dense, 52,656 Ton; Marking Epoxy, 126,020 LF; Construction Staking, 76,761 LF; Construction Staking, 12 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 832 LF 24", 252 LF 30", 210 LF 60"; Concrete Curb and Gutter, 199 LF; Beam Guard, 1,654 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 4,731 Ton; HMA Pavement, 37,918 Ton; Tack Coat, 6,476 Gals; Signs, 1,012 SF.

**DBE Goal:** 8 %

**Contract Completion Date:** July 12, 2019

**Contact Information:** Matt Dickenson, (715) 395-3022 /  
matthew.dickenson@dot.wi.gov

**32. Gilmanton - Independence, S. Fork Elk Creek Bridge, B-06-0050;** Buffalo County; 7735-00-73, WISC 2018 457; STH 121; 0.095 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Signs, Pavement Marking, and Bridge Rehabilitation.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 756 CY; Borrow, 20 CY; Base Aggregate Dense, 1,107 Ton; Concrete Masonry Bridges, 95 CY; Bar Steel Reinforcement Coated, 17,880 Lbs; Marking Epoxy, 2,600 LF; Marking Paint, 500 LF; Construction Staking, 1,290 LF; Construction Staking, 2 LS; Beam Guard, 156 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 316 Ton; Tack Coat, 70 Gals; Signs, 49 SF.

**DBE Goal:** 12 %

**Contract Completion Time:** 50 Working Days

**Contact Information:** Nicole Passuello, (715) 833-5572 / nicole.passuello@dot.wi.gov

**33. Town of Green Grove, Meridian Avenue, E. Fork Popple River Bridge, B-10-0231;** Clark County; 7836-00-70; Local Street; 0.071 Miles; Excavation, Base, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 276 CY; Backfill Structure, 300 Ton; Base Aggregate Dense, 754 Ton; Concrete Masonry Bridges, 223 CY; Bar Steel Reinforcement, 5,830 Lbs; Bar Steel Reinforcement Coated, 29,650 Lbs; Piling Steel, 336 LF 10-Inch; Construction Staking, 879 LF; Construction Staking, 2 LS; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 45 Working Days**

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**34. Town of Beaver, Owen Avenue, Rock Creek Bridge, B-10-0232;** Clark County; 7841-00-70; Local Street; 0.137 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

**Guaranty Required: \$40,000.00**

**Estimate of Principal Items:** Excavation Common, 1,291 CY; Borrow, 2,000 CY; Backfill Granular, 290 CY; Backfill Structure, 260 Ton; Base Aggregate Dense, 2,340 Ton; Concrete Masonry Bridges, 434 CY; Bar Steel Reinforcement, 7,040 Lbs; Bar Steel Reinforcement Coated, 70,520 Lbs; Piling Steel, 625 LF 12-Inch; Construction Staking, 2,574 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Asphaltic Surface, 50 Ton; Tack Coat, 20 Gals; Signs, 83 SF.

**DBE Goal: NA**

**Contract Completion Date: August 30, 2019**

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**35. Town of Beaver, Mill Road, Branch Nelson Creek Bridge, B-10-0233;** Clark County; 7841-00-71; Local Street; 0.047 Miles; Excavation, Base, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 90 CY; Borrow, 170 CY; Backfill Structure, 350 Ton; Base Aggregate Dense, 330 Ton; Concrete Masonry Bridges, 178 CY; Bar Steel Reinforcement, 3,700 Lbs; Bar Steel Reinforcement Coated, 24,630 Lbs; Structural Steel Carbon, 480 Lbs; Piling Steel, 200 LF 10-Inch; Construction Staking, 606 LF; Construction Staking, 2 LS; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 35 Working Days**

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**36. Town of York, Curley Creek Avenue, Panther Creek Bridge, B-10-0236;** Clark County; 7850-00-70; Local Street; 0.062 Miles; Excavation, Base, Signs, and Bridge Replacement.

**Guaranty Required: \$20,000.00**

**Estimate of Principal Items:** Excavation Common, 352 CY; Borrow, 167 CY; Backfill Structure, 170 Ton; Base Aggregate Dense, 615 Ton; Concrete Masonry Bridges, 150 CY; Bar Steel Reinforcement, 3,540 Lbs; Bar Steel Reinforcement Coated, 18,920 Lbs; Structural Steel Carbon, 510 Lbs; Piling Steel, 180 LF 10-Inch; Construction Staking, 855 LF; Construction Staking, 2 LS; Signs, 12 SF.

**DBE Goal: NA**

**Contract Completion Time: 35 Working Days**

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**37. Menomonie - Ridgeland, STH 170 to STH 64; Menomonie - Ridgeland, STH 170 to STH 64; Menomonie - Ridgeland, Hay River Bridge, B-17-0225;** Dunn County; 8090-00-70, WISC 2018 458; 8090-00-71, WISC 2018 459; 8100-01-71, WISC 2018 460; STH 25; 5.894 Miles; Excavation, Base, HMA Pavement, Beam Guard, Pavement Marking, Signs, and Structure Replacement.

**Guaranty Required: \$75,000.00**

**Estimate of Principal Items:** Excavation Common, 795 CY; Selected Borrow, 13,175 CY; Backfill Structure, 224 CY; Base Aggregate Dense, 7,494 Ton; Concrete Masonry Bridges, 891 CY; Prestressed Girders, 1,912 LF 28-Inch; Bar Steel Reinforcement, 6,160 Lbs; Bar Steel Reinforcement Coated, 118,890 Lbs; Piling CIP Concrete, 4,920 LF 12 3/4-Inch; Marking Epoxy, 22,015 LF; Construction Staking, 31,831 LF; Construction Staking, 3 LS; Beam Guard, 2,021 LF; Beam Guard Energy Absorbing Terminals, 16 Each; Asphaltic Surface, 3,030 Ton; HMA Pavement, 27,350 Ton; Removing Asphaltic Surface Milling, 98,625 SY; Tack Coat, 11,525 Gals; Signs, 735 SF.

**DBE Goal: 8 %**

**Contract Completion Time: 120 Calendar Days**

**Contact Information:** Tyler Rongstad, (715) 461-0372 / tyler.rongstad@dot.wi.gov



**38. Benoit - USH 2, South Fish Creek Bridge, B-04-0019;** Bayfield County; 8349-00-70; CTH F; 0.057 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, Bridge Rehabilitation, and Signs.

**Guaranty Required:** \$20,000.00

**Estimate of Principal Items:** Excavation Common, 604 CY; Backfill Structure, 60 Ton; Base Aggregate Dense, 1,225 Ton; Concrete Pavement, 24 SY; Concrete Masonry Bridges, 112 CY; Bar Steel Reinforcement Coated, 20,780 Lbs; Marking Epoxy, 1,550 LF; Construction Staking, 690 LF; Construction Staking, 2 LS; Beam Guard, 444 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 226 Ton; Tack Coat, 70 Gals; Signs, 12 SF.

**DBE Goal:** NA

**Contract Completion Time:** 35 Working Days

**Contact Information:** Ross Johnson, (715) 836-2069 / ross.johnson@dot.wi.gov

**39. Zoo IC - Landscaping, Zoo IC Project Limits;** Milwaukee County; 1060-35-81, WISC 2018 045; Various Highways; 0.000 Miles; Landscape Plantings.

**Guaranty Required:** \$75,000.00

**Estimate of Principal Items:** Trees, 1,329 Each; Shrubs, 291 Each; Vines, 37 Each; Perennial Plants, 1,528 Each.

**DBE Goal:** 1 %

**Contract Completion Date:** November 15, 2021

**Contact Information:** Josh LeVeque, (414) 750-1468 / joshua.leveque@dot.wi.gov

By order of:

Joe Nestler  
Administrator  
Division of Transportation System Development