

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, December 10, 2019, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4th Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 18, 19, 21, 22, 23, 24, 25, 26, 28, 29, 30, 31, 32, 33, 37, 40, 41

GRADING

10, 25

CONCRETE PAVEMENT

12, 22

ASPHALTIC PAVEMENT

7, 13, 23, 26, 40

STRUCTURES

1, 2, 3, 4, 9, 11, 14, 15, 18, 20, 21, 24, 34, 35, 36, 37, 39, 41, 42

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

22, 26, 27, 29, 32

1. Illinois State Line - Madison, USH 12/18 Intchg / Core NB / Early Work; Dane County; 1007-12-78, WISC 2019 732; IH 39; 0.157 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Construction, Retaining Walls, Culvert Pipe, Storm Sewer, Guardrail, Concrete Barrier, and Pavement Markings.

Guaranty Required: \$510,000.00

Estimate of Principal Items: Excavation Common, 32,580 CY; Selected Borrow, 16,850 CY; Backfill Granular, 1,000 Ton; Backfill Structure, 4,095 Ton; Base Aggregate Dense, 22,190 Ton; Select Crushed Material, 32,629 Ton; Base Aggregate Open Graded, 33 Ton; Concrete Pavement, 3,017 SY; Concrete Masonry Bridges, 1,405 CY; Concrete Masonry Retaining Walls, 868 CY; Prestressed Girders, 868 LF 36-Inch, 1,996 LF 54-Inch, 2,457 LF 72-Inch; Bar Steel Reinforcement, 61,110 Lbs; Bar Steel Reinforcement Coated, 591,050 Lbs; Piling CIP Concrete, 14,505 LF 12 3/4-Inch; Piling Steel, 2,940 LF 10-Inch; Marking Epoxy, 36,090 LF; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 378 LF 24", 188 LF 42", 168 LF 36", 187 LF 30"; Storm Sewer Pipe Reinforced Concrete, 175 LF 12", 1,854 LF 18", 276 LF 24"; Concrete Curb and Gutter, 15 LF; Concrete Sidewalk, 52 SF; Beam Guard, 2,278 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 75 Ton; HMA Pavement, 3,365 Ton; Tack Coat, 569 Gals; Concrete Pavement Repair, 90 SY; Concrete Pavement Replacement, 35 SY; Bar Steel Reinforcement HS Stainless, 8,600 Lbs; Concrete Barrier, 1,925 LF; Roadway Embankment, 350,360 CY; High Performance Concrete Masonry Structures, 2,530 CY; Bar Steel Reinforcement HS Textured Coated, 27,210 Lbs; Bar Steel Reinforcement HS Galvanized, 27,140 Lbs; Concrete Pavement Joint Sealing, 2,426 LF; Bore and Jack Culvert Pipe Reinforced Concrete 30-Inch 88 LF, 42-Inch 168 LF; Concrete Panel Wall, 19,595 LF.

DBE Goal: 4 %

Contract Completion Date: May 27, 2021

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Mark Sponem.

Contact Information: Mark Sponem, (608) 245-2627 / mark.sponem@dot.wi.gov

2. T. Wellington, Orlando Avenue, Billings Creek Bridge, B-41-0309; Monroe County; 5026-00-70; Local Street; 0.034 Miles; Excavation, Base, Asphaltic Surface, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 145 CY; Backfill Structure, 130 Ton; Base Aggregate Dense, 285 Ton; Concrete Masonry Bridges, 147 CY; Bar Steel Reinforcement, 3,550 Lbs; Bar Steel Reinforcement Coated, 21,900 Lbs; Piling Steel, 200 LF 10-Inch; Construction Staking, 405 LF; Construction Staking, 2 LS; Asphaltic Surface, 95 Ton; Tack Coat, 27 Gals; Signs, 17 SF.

DBE Goal: NA

Contract Completion Date: September 1, 2020

Contact Information: Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

3. Washington - Portland, Berge Coulee Creek Bridge, B-32-0238; LaCrosse County; 5503-00-70; CTH X; 0.095 Miles; Excavation, Base, Asphaltic Surface, Guardrail, Pavement Marking, Signs, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,658 CY; Borrow, 14 CY; Backfill Structure, 460 Ton; Base Aggregate Dense, 801 Ton; Concrete Masonry Bridges, 189 CY; Bar Steel Reinforcement, 5,170 Lbs; Bar Steel Reinforcement Coated, 21,810 Lbs; Piling Steel, 200 LF 10-Inch; Marking Epoxy, 2,000 LF; Construction Staking, 1,374 LF; Construction Staking, 2 LS; Beam Guard, 155 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 310 Ton; Tack Coat, 70 Gals; Signs, 54 SF.

DBE Goal: NA

Contract Completion Time: 45 Working Days

Contact Information: Aleigha Burg, (608) 317-9083 / aleigha.burg@dot.wi.gov

4. T. Newark, Skinner Road, Raccoon Creek Bridge, B-53-0378; Rock County; 5788-00-75; Local Street; 0.025 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 105 CY; Backfill Structure, 310 Ton; Base Aggregate Dense, 175 Ton; Select Crushed Material, 40 Ton; Concrete Masonry Bridges, 139 CY; Bar Steel Reinforcement, 4,470 Lbs; Bar Steel Reinforcement Coated, 16,510 Lbs; Piling CIP Concrete, 700 LF 10 3/4-Inch; Construction Staking, 390 LF; Construction Staking, 2 LS; Asphaltic Surface, 45 Ton; Tack Coat, 15 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Zachary Pearson, (608) 246-5319 /
zachary.pearson@dot.wi.gov

5. C. Madison, Cottage Grove Road, North Star Drive to Sprecher Road; C. Madison, Cottage Grove Road, North Star Drive to Sprecher Road; Dane County; 5992-09-26, WISC 2019 733; 5992-09-27; CTH BB; 0.834 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Storm Sewer, Street Lights, and Traffic Signals.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 27,667 CY; Excavation Rock, 102 CY; Base Aggregate Dense, 28,275 Ton; Breaker Run, 5,600 Ton; Marking Epoxy, 23,876 LF; Construction Staking, 31,720 LF; Construction Staking, 73 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 1,005 LF 12", 637 LF 21", 428 LF 30", 300 LF 15", 152 LF 24", 277 LF 36", 330 LF 18", 344 LF 27", 114 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 77 LF 34" X 53"; Concrete Curb and Gutter, 10,510 LF; Concrete Sidewalk, 25,620 SF; HMA Pavement, 9,250 Ton; Removing Asphaltic Surface Milling, 5,210 SY; Tack Coat, 1,900 Gals; Signs, 592 SF.

DBE Goal: 6 %

Contract Completion Date: October 9, 2020

Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov

6. C. Madison, Gammon Road, West Towne Mall to Grand Canyon Drive; C. Madison, Gammon Road, USH 12 to Mineral Point Road; C. Madison, Gammon Road, USH 12 to Mineral Point Road; Dane County; 5992-10-31, WISC 2019 771; 5992-10-32, WISC 2019 772; 5992-10-33; Local Street; 0.792 Miles; Excavation, Base, HMA Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Pavement Marking, Box Culvert Construction, Retaining Wall Construction, Sign Bridge Construction, Street Lighting, Traffic Signals, Storm Sewer, and Signs.

Guaranty Required: \$250,000.00

Estimate of Principal Items: Excavation Common, 32,619 CY; Backfill Structure, 7,345 Ton; Base Aggregate Dense, 49,322 Ton; Concrete Pavement, 459 SY; Concrete Masonry Culverts, 896 CY; Bar Steel Reinforcement, 158,390 Lbs; Bar Steel Reinforcement Coated, 2,290 Lbs; Marking Epoxy, 5,759 LF; Construction Staking, 299,783 LF; Construction Staking, 85 Each; Construction Staking, 21 LS; Storm Sewer Pipe Reinforced Concrete, 356 LF 12", 1,003 LF 15", 205 LF 18", 665 LF 24", 40 LF 36", 576 LF 48", 402 LF 54", 59 LF 12", 8 LF 15", 318 LF 30", 465 LF 48"; Concrete Curb and Gutter, 5,220,669 LF; Concrete Sidewalk, 19,580 SF; Beam Guard, 107 LF; Asphaltic Surface, 925 Ton; HMA Pavement, 8,914 Ton; Removing Asphaltic Surface Milling, 270 SY; Tack Coat, 3,321 Gals; Signs, 783 SF; Fence Chain Link, 1,343 LF.

DBE Goal: 5 %

Contract Completion Date: November 13, 2020

**Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov**

7. Wyocena - Montello, STH 16 to NCL / B-11-0171; Columbia County; 6050-00-71, WISC 2019 734; STH 22; 10.933 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Asphaltic Pavement, Curb and Gutter, Sidewalk, Signs, Beam Guard, Pavement Marking, and Street Lighting.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 830 CY; Backfill Structure, 544 Ton; Base Aggregate Dense, 6,231 Ton; Concrete Pavement, 194 SY; Concrete Masonry Bridges, 512 CY; Bar Steel Reinforcement, 10,680 Lbs; Bar Steel Reinforcement Coated, 62,400 Lbs; Piling Steel, 1,960 LF 10-Inch; Marking Epoxy, 139,552 LF; Construction Staking, 59,250 LF; Construction Staking, 50 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 72 LF 24"; Storm Sewer Pipe Reinforced Concrete, 62 LF 12"; Concrete Curb and Gutter, 1,357 LF; Concrete Sidewalk, 4,890 SF; Beam Guard, 7,612 LF; Beam Guard Energy Absorbing Terminals, 22 Each; Asphaltic Surface, 317 Ton; HMA Pavement, 54,610 Ton; Removing Asphaltic Surface Milling, 201,360 SY; Tack Coat, 29,680 Gals; Signs, 74 SF.

DBE Goal: 4 %

Contract Completion Date: September 25, 2020

**Contact Information: Mahesh Shrestha, (608) 245-2674 /
mahesh.shrestha@dot.wi.gov**

8. Mauston - Necedah, CTH G Intersection, (6 Mi. N. of IH 90); Juneau County; 6639-00-72, WISC 2019 735; STH 58; 0.148 Miles; Excavation, Base, HMA Pavement, Pavement Marking, Signs, Curb and Gutter, Sidewalk, and Culvert Pipes.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,855 CY; Base Aggregate Dense, 1,715 Ton; Select Crushed Material, 180 Ton; Marking Epoxy, 3,535 LF; Construction Staking, 6,026 LF; Construction Staking, 2 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 44 LF 18", 92 LF 24"; Concrete Curb and Gutter, 237 LF; Concrete Sidewalk, 180 SF; HMA Pavement, 421 Ton; Tack Coat, 124 Gals; Signs, 43 SF.

DBE Goal: 4 %

Contract Completion Date: May 21, 2020

Contact Information: Anthony Vander Wielen, (608) 789-7878 /
anthony.vanderwielen@dot.wi.gov

9. CTH D - CTH TT, Long Coulee Creek Bridge, B-32-0237; LaCrosse County; 7345-00-70; CTH V; 0.066 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, Signs, and Bridge Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,649 CY; Borrow, 291 CY; Backfill Structure, 570 Ton; Base Aggregate Dense, 1,816 Ton; Concrete Pavement, 46 SY; Concrete Masonry Bridges, 340 CY; Bar Steel Reinforcement, 7,820 Lbs; Bar Steel Reinforcement Coated, 46,230 Lbs; Piling CIP Concrete, 1,380 LF 14-Inch; Marking Epoxy, 1,137 LF; Construction Staking, 1,170 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 28 LF 18"; Culvert Pipe Reinforced Concrete, 86 LF 36"; Beam Guard, 50 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 320 Ton; Tack Coat, 58 Gals; Signs, 7 SF.

DBE Goal: NA

Contract Completion Time: 45 Working Days

Contact Information: Aleigha Burg, (608) 317-9083 / aleigha.burg@dot.wi.gov

10. STH 11, CTH H Intersection; STH 11, Willow Road Sidewalk, 86th Street to 84th Street / Willow Road; CTH H, Braun Road to STH 11, Braun Road to STH 11; Louis Sorenson Road, International Drive to West Road; Racine County; 1320-23-71; 1320-23-74; 3760-00-71; 3760-00-72; STH 11; STH 11; CTH H; Local Street; 1.896 Miles; Removals, Grading, Base Aggregate, HMA Pavement, Concrete Pavement, Storm Sewer, Pond Construction, Erosion Control, Permanent Signing, Traffic Control, Traffic Signals, Pavement Markings, and Restoration.

Guaranty Required: \$370,000.00

Estimate of Principal Items: Excavation Common, 113,123 CY; Base Aggregate Dense, 41,340 Ton; Breaker Run, 81,050 Ton; Concrete Pavement, 64,096 SY; Marking Tape, 48,257 LF; Marking Epoxy, 44,580 LF; Culvert Pipe Reinforced Concrete, 525 LF 15", 155 LF 36"; Storm Sewer Pipe Reinforced Concrete, 3,991 LF 15", 1,361 LF 18", 3,502 LF 24", 1,131 LF 36", 14 LF 60"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 411 LF 19" X 30", 139 LF 24" X 38"; Concrete Curb and Gutter, 26,424 LF; Concrete Sidewalk, 40,321 SF; Asphaltic Surface, 4,249 Ton; HMA Pavement, 1,102 Ton; Tack Coat, 297 Gals; Signs, 727 SF; Conduit, 22,972 LF; Concrete Bases, 54 Each; Roadway Embankment, 59,320 CY; EBS Excavation, 22,300 CY; EBS Backfill, 22,300 CY; Pond P Outlet Storm Sewer Structure, 1 LS; Survey Project, 4 LS; Topsoil Special, 110,990 SY; Temporary Traffic Signals for Intersections, 1 LS.

DBE Goal: NA

Contract Completion Date: July 30, 2021

Contact Information: Steve Hoff, (262) 548-6718 / steve.hoff@dot.wi.gov

11. North South Freeway, STH 60 to N. Ozaukee Co. Line; North South Freeway, IH 43 Over STH 33 to STH 32 Over IH 43; Ozaukee County; 1450-02-70, WISC 2019 736; 1450-02-72, WISC 2019 737; IH 43; 0.000 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, Signs, Traffic Signals, Bridge Rehabilitation, Bridge Painting, and Bridge Deck Overlays.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 872 CY; Borrow, 5,003 CY; Backfill Structure, 42 Ton; Base Aggregate Dense, 1,820 Ton; Concrete Pavement, 916 SY; Concrete Masonry Bridges, 380 CY; Concrete Masonry Overlay, 1,231 CY; Bar Steel Reinforcement, 110,380 Lbs; Marking Epoxy, 13,701 LF; Construction Staking, 4,755 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 824 LF; Concrete Sidewalk, 931 SF; Beam Guard, 3,075 LF; Beam Guard Energy Absorbing Terminals, 22 Each; HMA Pavement, 1,179 Ton; Removing Asphaltic Surface Milling, 3,487 SY; Tack Coat, 600 Gals; Signs, 126 SF; Polymer Overlay, 8,008 SY.

DBE Goal: 15 %

Contract Completion Date: November 20, 2020

Contact Information: Scott Anderson, (262) 548-6894 / scottm.anderson@dot.wi.gov

12. North Teutonia Avenue, West Groeling Avenue to West Capitol Drive; Milwaukee County; 2080-00-72, WISC 2019 738; Local Street; 1.258 Miles; Removals, Grading, Base Aggregate, Concrete Pavement, HMA Pavement, Curb and Gutter, Concrete Sidewalk, Storm Sewer, Erosion Control, Traffic Signals, Traffic Control, Pavement Marking, Street Lighting, and Restoration.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 25,442 CY; Base Aggregate Dense, 24,218 Ton; Concrete Pavement, 38,236 SY; Marking Tape, 11,768 LF; Marking Epoxy, 21,751 LF; Marking Paint, 7,128 LF; Construction Staking, 54,661 LF; Construction Staking, 163 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 29 LF 12"; Concrete Curb, 270 LF; Concrete Curb and Gutter, 14,752 LF; Concrete Sidewalk, 89,489 SF; Asphaltic Surface, 77 Ton; Conduit, 32,326 LF; Removing Pavement, 45,869 SY; Storm Sewer Pipe Composite 8-Inch, 1,437 LF; Concrete Bases, 89 Each; Monotube Arms, 9 Each; Adjusting Water Boxes, 211 Each; Conduit Cement Encased, 7,295 LF; Manhole Type CUC, 14 Each; Luminaire Historic Milwaukee, 9 Each; Management of Solid Waste, 1,227 Ton.

DBE Goal: 15 %

Contract Completion Date: August 1, 2021

Contact Information: Greg Hafeman, (262) 548-8677 / greg.hafeman@dot.wi.gov

13. Jackson - Grafton, CTH Y Intersection; STH 60, Eagle Drive to STH 181; Ozaukee; Washington and Ozaukee Counties; 2310-14-70, WISC 2019 739; 2310-17-70, WISC 2019 740; STH 60; 6.612 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Beam Guard, Pavement Marking, Storm Sewer, Culvert Replacement, and Street Lighting.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 32,591 CY; Backfill Structure, 10 Ton; Base Aggregate Dense, 40,324 Ton; Breaker Run, 24,902 Ton; Concrete Pavement, 85 SY; Concrete Masonry Bridges, 83 CY; Concrete Masonry Overlay, 31 CY; Bar Steel Reinforcement Coated, 22,700 Lbs; Marking Epoxy, 52,958 LF; Construction Staking, 92,384 LF; Construction Staking, 91 Each; Construction Staking, 4 LS; Culvert Pipe Reinforced Concrete, 76 LF 12", 76 LF 15", 232 LF 18", 138 LF 24", 270 LF 18", 184 LF 18", 80 LF 24", 94 LF 30"; Storm Sewer Pipe Reinforced Concrete, 585 LF 12", 22 LF 15", 120 LF 18", 240 LF 12", 201 LF 15", 20 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 96 LF 19" X 30", 88 LF 24" X 38", 178 LF 20" X 45"; Concrete Curb and Gutter, 8,502 LF; Concrete Sidewalk, 15,400 SF; Beam Guard, 2,036 LF; Beam Guard Energy Absorbing Terminals, 12 Each; HMA Pavement, 43,511 Ton; Removing Asphaltic Surface Milling, 108,335 SY; Tack Coat, 22,521 Gals; Signs, 1,644 SF.

DBE Goal: 15 %

Contract Completion Date: September 17, 2020

Contact Information: Nguyen Ly, (262) 548-8739 / nguyen.ly@dot.wi.gov

14. Hoods Creek Road, Bridge Over Hoods Creek, P-51-0904; Racine County; 2703-00-73; Local Street; 0.064 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 838 CY; Borrow, 397 CY; Backfill Structure, 90 Ton; Base Aggregate Dense, 928 Ton; Concrete Masonry Bridges, 150 CY; Bar Steel Reinforcement, 3,000 Lbs; Bar Steel Reinforcement Coated, 21,950 Lbs; Piling Steel, 400 LF 10-Inch; Construction Staking, 1,956 LF; Construction Staking, 2 LS; Asphaltic Surface, 13 Ton; HMA Pavement, 266 Ton; Tack Coat, 42 Gals; Signs, 12 SF; Temporary Structure, 1 LS.

DBE Goal: NA

Contract Completion Date: November 6, 2020

Contact Information: Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

15. CTH M, Milwaukee River Bridge, B-66-0945; Washington County; 2745-00-71, WISC 2019 741; CTH M; 0.076 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, Signs, and Bridge Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 264 CY; Borrow, 58 CY; Backfill Structure, 370 Ton; Base Aggregate Dense, 823 Ton; Breaker Run, 80 Ton; Concrete Pavement, 146 SY; Concrete Masonry Bridges, 722 CY; Bar Steel Reinforcement, 9,560 Lbs; Bar Steel Reinforcement Coated, 87,910 Lbs; Piling Steel, 2,125 LF 10-Inch; Marking Epoxy, 1,600 LF; Construction Staking, 722 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe, 113 LF 18"; Asphaltic Surface, 190 Ton; Tack Coat, 34 Gals; Signs, 56 SF.

DBE Goal: 10 %

Contract Completion Time: 65 Working Days

Contact Information: Paul Piccione, (262) 548-8706 / paul.piccione@dot.wi.gov

16. DEFERRED

17. Waldo Blvd., C. Manitowoc, Fleetwood Drive - 14th Street; Waldo Blvd., C. Manitowoc, Fleetwood Drive - 14th Street; Waldo Blvd., C. Manitowoc, CTH R - Fleetwood Drive; Manitowoc County; 1500-37-76, WISC 2019 743; 1500-37-77; 1500-47-71, WISC 2018 471; USH 10; 1.776 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Deck Replacement, Box Culvert Construction, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Guardrail, Plantings, Traffic Signals, Street Lighting, Signs, Pavement Markings, Fence, Sanitary Sewer, and Water Main.

Guaranty Required: \$320,000.00

Estimate of Principal Items: Excavation Common, 42,400 CY; Backfill Structure, 4,840 Ton; Base Aggregate Dense, 20,450 Ton; Select Crushed Material, 36,700 Ton; Breaker Run, 530 Ton; Concrete Pavement, 42,298 SY; Concrete Masonry Bridges, 730 CY; Concrete Masonry Culverts, 613 CY; Bar Steel Reinforcement, 75,760 Lbs; Bar Steel Reinforcement Coated, 168,550 Lbs; Marking Epoxy, 16,605 LF; Construction Staking, 43,127 LF; Construction Staking, 188 Each; Construction Staking, 7 LS; Storm Sewer Pipe Reinforced Concrete, 3,043 LF 12", 3,315 LF 24", 168 LF 72", 619 LF 15", 850 LF 30", 18 LF 18", 1,346 LF 36"; Concrete Curb, 30 LF; Concrete Curb and Gutter, 23,050 LF; Concrete Sidewalk, 69,830 SF; Beam Guard, 2,245 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 480 Ton; HMA Pavement, 2,987 Ton; Tack Coat, 1,155 Gals; Signs, 917 SF; Base Patching Concrete, 1,250 SY; Concrete Driveway, 1,950 SY; Trees, 46 Each; Shrubs, 11 Each; Conduit, 11,594 LF; Traffic Signal Poles, 8 Each; Traffic Signal Standards, 17 Each; Composite Light Poles, 25 Each; Mini Storm Sewer, 3,215 LF; Polymer Coated Chain Link Fence, 375 LF; Steel Casing Pipe, 152 LF; Installing Water Main, 6,134 LF; Water Service Pipe, 2,940 LF; Sanitary Sewer Pipe, 3,024 LF; Sanitary Lateral, 2,946 LF.

DBE Goal: 6 %

Contract Completion Date: October 2, 2020

Contact Information: Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov

18. T. Cato, CTH S, Manitowoc River Bridge; Manitowoc County; 4362-02-71; CTH S; 0.085 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Bridge Replacement, Signs, Pavement Markings, and Guardrail.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,440 CY; Borrow, 747 CY; Backfill Structure, 370 Ton; Base Aggregate Dense, 1,900 Ton; Concrete Pavement, 120 SY; Concrete Masonry Bridges, 363 CY; Prestressed Girders, 595 LF 36-Inch; Bar Steel Reinforcement, 7,230 Lbs; Bar Steel Reinforcement Coated, 44,040 Lbs; Piling Steel, 1,750 LF 12-Inch; Marking Epoxy, 1,286 LF; Construction Staking, 2,112 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 98 LF 18"; Beam Guard, 243 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 350 Ton; Tack Coat, 80 Gals; Signs, 19 SF.

DBE Goal: NA

Contract Completion Time: 60 Working Days

Contact Information: Eric Gwidt, (920) 366-8896 / eric.gwidt@dot.wi.gov

19. C. Manitowoc, Hecker Road, USH 151 - Viebahn Street; Manitowoc County; 4991-00-97, WISC 2019 744; CTH CL; 0.656 Miles; Grading, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Concrete Driveway, Guardrail, Signs, and Pavement Markings.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 3,504 CY; Borrow, 1,274 CY; Selected Borrow, 2,080 CY; Base Aggregate Dense, 4,875 Ton; Marking Epoxy, 13,944 LF; Construction Staking, 10,919 LF; Construction Staking, 5 Each; Construction Staking, 1 LS; Culvert Pipe Corrugated Steel, 530 LF 18"; Culvert Pipe Reinforced Concrete, 140 LF 24", 73 LF 48"; Storm Sewer Pipe Reinforced Concrete, 35 LF 12"; Concrete Curb and Gutter, 2,436 LF; Beam Guard, 338 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 55 Ton; HMA Pavement, 2,890 Ton; Tack Coat, 755 Gals; Signs, 155 SF; Pulverize and Relay, 8,160 SY; Concrete Driveway, 495 SY.

DBE Goal: 5 %

Contract Completion Time: 30 Working Days

Contact Information: Scott Ebel, (920) 360-2225 / scott.ebel@dot.wi.gov

20. T. Pound, North 1st Road, Little Peshtigo River Bridge; T. Pound, North 5th Road, Little Peshtigo River Bridge, B-38-0148; Marinette County; 9246-08-71; 9246-09-71; Local Streets; 0.114 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacements.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,090 CY; Borrow, 1,139 CY; Backfill Structure, 520 Ton; Base Aggregate Dense, 1,270 Ton; Concrete Masonry Bridges, 327 CY; Bar Steel Reinforcement, 6,500 Lbs; Bar Steel Reinforcement Coated, 42,420 Lbs; Piling Steel, 505 LF 10-Inch; Construction Staking, 1,956 LF; Construction Staking, 1 Each; Construction Staking, 4 LS; Culvert Pipe, 41 LF 24"; Asphaltic Surface, 266 Ton; Tack Coat, 60 Gals; Signs, 24 SF.

DBE Goal: NA

Contract Completion Time: 60 Working Days

Contact Information: Timothy Verhagen, (920) 362-1267 /
timothy.verhagen@dot.wi.gov

21. T. Grover, Tower Hill Road, Little Peshtigo River Bridge; Marinette County; 9246-10-71; Local Street; 0.033 Miles; Excavation, Base, Asphaltic Surface, Signs, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 175 CY; Excavation Marsh, 814 CY; Borrow, 920 CY; Selected Borrow, 1,221 CY; Backfill Structure, 820 Ton; Base Aggregate Dense, 145 Ton; Concrete Masonry Bridges, 174 CY; Bar Steel Reinforcement, 5,140 Lbs; Bar Steel Reinforcement Coated, 16,270 Lbs; Piling Steel, 280 LF 10-Inch; Construction Staking, 417 LF; Construction Staking, 2 LS; Asphaltic Surface, 85 Ton; Tack Coat, 30 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Tim Verhagen, (920) 362-1267 / timothy.verhagen@dot.wi.gov

22. Abbotsford - Wausau, Clark County Line - CTH E, EB; Marathon County; 1053-07-65, WISC 2019 745; STH 29; 9.143 Miles; Grading, Base, Concrete Pavement Repair, Diamond Grinding, Asphalt Pavement, Curb and Gutter, Sidewalk, Concrete Truck Apron, Guardrail, Pavement Markings, Signs, and Relocating Traffic Signals.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 442 CY; Borrow, 128 CY; Base Aggregate Dense, 4,099 Ton; Select Crushed Material, 52 Ton; Marking Tape, 17,850 LF; Marking Epoxy, 106,410 LF; Construction Staking, 4,506 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 687 LF; Concrete Sidewalk, 455 SF; Beam Guard, 1,702 LF; Beam Guard Energy Absorbing Terminals, 7 Each; Asphaltic Surface, 60 Ton; HMA Pavement, 5,782 Ton; Removing Asphaltic Surface Milling, 58,610 SY; Tack Coat, 1,434 Gals; Signs, 18 SF; Concrete Truck Apron, 832 SY; Concrete Pavement Repair, 6,248 SY; Concrete Pavement Replacement, 12,308 SY; Continuous Diamond Grinding, 24,600 SY; Conduit, 49 LF; Relocate Traffic Signal Pole, 2 Each.

DBE Goal: 4 %

Contract Completion Time: 65 Working Days

Contact Information: Mark Steidl, (715) 459-8043 / mark.steidl@dot.wi.gov

23. Tomahawk - Minocqua, CTH Y - Oneida Street; Oneida County; 1170-16-61, WISC 2019 746; USH 51; 2.495 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Guardrail, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 585 CY; Borrow, 3,810 CY; Base Aggregate Dense, 1,585 Ton; Marking Epoxy, 61,191 LF; Construction Staking, 13,175 LF; Construction Staking, 1 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 120 LF 24"; Beam Guard, 865 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 125 Ton; HMA Pavement, 6,835 Ton; Removing Asphaltic Surface Milling, 37,330 SY; Tack Coat, 4,295 Gals.

DBE Goal: 5 %

Contract Completion Time: 30 Working Days

Contact Information: Dan Erva, (715) 365-5776 / daniel.erva@dot.wi.gov

24. Merrill - Antigo, Pine River Bridge, B-35-117; Lincoln County; 9000-04-70, WISC 2019 747; STH 64; 0.100 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Replacement, Temporary Bridge, Culvert Pipe, Guardrail, Temporary Traffic Signals, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 7,907 CY; Borrow, 6,463 CY; Backfill Structure, 390 Ton; Base Aggregate Dense, 3,967 Ton; Breaker Run, 2,200 Ton; Concrete Pavement, 124 SY; Concrete Masonry Bridges, 448 CY; Prestressed Girders, 666 LF 54-Inch; Bar Steel Reinforcement, 5,980 Lbs; Bar Steel Reinforcement Coated, 59,870 Lbs; Marking Paint, 2,050 LF; Construction Staking, 4,026 LF; Construction Staking, 4 Each; Construction Staking, 2 LS; Culvert Pipe, 50 LF 24"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 38 LF 19" X 30"; Beam Guard, 308 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 425 Ton; HMA Pavement, 512 Ton; Tack Coat, 84 Gals; Bar Steel Reinforcement HS Stainless, 1,470 Lbs; Temporary Structure, 1 LS; Temporary Traffic Signals, 1 LS.

DBE Goal: 5 %

Contract Completion Date: November 20, 2020

Contact Information: Stacy Hagenbucher, (715) 365-5770 /
stacy.hagenbucher@dot.wi.gov

25. Northwest Region-Wide, Var. Hwys. / Culvert Replace, Chippewa, Clark, and Taylor Counties; NW Region-Wide; 1000-06-09, WISC 2019 748; Various Highways; 0.000 Miles; Excavation, Base, Asphaltic Surface, and Culvert Replacements.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 8,875 CY; Borrow, 2,145 CY; Base Aggregate Dense, 7,080 Ton; Marking Epoxy, 2,550 LF; Construction Staking, 3,825 LF; Construction Staking, 9 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 78 LF 24", 144 LF 84", 280 LF 60", 188 LF 72"; Asphaltic Surface, 1,290 Ton; Tack Coat, 386 Gals; Pipe Arch Corrugated Steel Aluminum Coated 137" X 87", 92 LF.

DBE Goal: 6 %

Contract Completion Time: 50 Working Days

Contact Information: Adam Hetrick, (715) 577-8053 / adam.hetrick@dot.wi.gov

26. SFY 2020 Chip Seals - North, Northwest Region-Wide - Various Highways; NW Region-Wide; 1000-18-33; Various Highways; 50.570 Miles; Crack Filling, Chip Seal, Scrub Seal, and Fog Seal Pavement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Epoxy, 938,469 LF; Chip Seal, 406,051 SY; Scrub Seal, 547,252 SY; Fog Seal, 953,303 SY.

DBE Goal: NA

Contract Completion Date: August 31, 2020

Contact Information: Paula Groom, (715) 579-6776 / paula.groom@dot.wi.gov

27. Chippewa Falls - Abbotsford, 90th Street to CTH E (Two Segments); Eau Claire - Chippewa Falls, North Crossing / STH 312 to STH 124; Chippewa and Clark; Chippewa and Eau Claire Counties; 1050-02-72, WISC 2019 749; 1190-02-79, WISC 2019 750; STH 29; USH 53; 0.000 Miles; Cable Barrier Type 1 Construction.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Base Aggregate Dense, 765 Ton; Construction Staking, 28,065 LF; Construction Staking, 2 LS; Beam Guard, 200 LF; Cable Barrier Type 1, 27,680 LF.

DBE Goal: 6 %

Contract Completion Time: 40 Working Days

Contact Information: Stacie Lambele, (715) 577-2967 / stacie.lambele@dot.wi.gov

28. Rice Lake - Spooner, STH 48 Interchange; C. Rice Lake, West Knapp Street, West Avenue Intersection; Barron County; 1197-19-70, WISC 2019 751; 8120-00-72, WISC 2019 762; USH 53; STH 48; 0.834 Miles; Excavation, Base, HMA Pavement, Asphaltic Surface, Concrete Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Signs, Storm Sewer, Street Lighting, and Traffic Signals.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 29,999 CY; Excavation Marsh, 382 CY; Selected Borrow, 12,730 CY; Base Aggregate Dense, 21,430 Ton; Concrete Pavement, 17,828 SY; Marking Epoxy, 16,215 LF; Construction Staking, 25,820 LF; Construction Staking, 125 Each; Construction Staking, 9 LS; Culvert Pipe, 136 LF 18"; Storm Sewer Pipe Reinforced Concrete, 637 LF 12", 281 LF 18", 513 LF 24", 183 LF 36", 138 LF 42", 503 LF 12", 27 LF 15", 558 LF 18", 178 LF 24", 403 LF 30", 651 LF 36", 34 LF 42"; Concrete Curb and Gutter, 12,101 LF; Concrete Sidewalk, 28,807 SF; Asphaltic Surface, 345 Ton; HMA Pavement, 1,518 Ton; Removing Asphaltic Surface Milling, 1,860 SY; Tack Coat, 1,539 Gals; Signs, 1,424 SF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 4,464 LF; Poles Type 5-Steel, 42 Each.

DBE Goal: 8 %

Contract Completion Date: November 13, 2020

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

29. C. Superior, East Second Street, 2nd Avenue East to 31st Avenue East; Douglas County; 1198-03-74, WISC 2019 752; USH 2; 2.420 Miles; Excavation, Base, HMA Pavement, Concrete Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Traffic Signals, Structure Rehabilitation, and Structure Painting.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 522 CY; Backfill Structure, 20 CY; Base Aggregate Dense, 965 Ton; Concrete Pavement, 4,030 SY; Concrete Masonry Bridges, 3 CY; Bar Steel Reinforcement Coated, 4,320 Lbs; Marking Epoxy, 61,422 LF; Construction Staking, 16,701 LF; Construction Staking, 53 Each; Construction Staking, 2 LS; Concrete Curb and Gutter, 3,606 LF; Concrete Sidewalk, 24,954 SF; Asphaltic Surface, 14 Ton; HMA Pavement, 10,480 Ton; Tack Coat, 8,320 Gals; Signs, 74 SF; Structure Repainting Recycled Abrasive B-16-68, 1 LS.

DBE Goal: 8 %

Contract Completion Date: October 1, 2020

Contact Information: Stephanie J. King, (715) 392-7874 / stephanie.king@dot.wi.gov

30. St. Croix Falls - Turtle Lake, 150th Street Intersection; Polk County; 1570-02-77, WISC 2019 753; USH 8; 0.488 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Pavement Marking, Signs, and Culvert Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 7,753 CY; Excavation Marsh, 117 CY; Selected Borrow, 6,614 CY; Base Aggregate Dense, 9,870 Ton; Marking Epoxy, 9,548 LF; Construction Staking, 11,028 LF; Construction Staking, 4 Each; Construction Staking, 1 LS; Culvert Pipe Reinforced Concrete, 110 LF 24"; Concrete Curb and Gutter, 1,440 LF; HMA Pavement, 3,734 Ton; Removing Asphaltic Surface Milling, 5,778 SY; Tack Coat, 1,431 Gals; Signs, 84 SF.

DBE Goal: 6 %

Contract Completion Time: 35 Working Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

31. Park Falls - Mellen, Morse Road - Cayuga Road; Park Falls - Mellen, Cayuga Road - Jefferson Avenue; Park Falls - Mellen, Soo Line Railroad Bridge, B-02-0025; Ashland County; 1610-08-74, WISC 2019 754; 1610-08-76, WISC 2019 755; 1610-11-73, WISC 2019 756; STH 13; 5.310 Miles; Excavation, Base, Concrete Pavement, Asphaltic Surface, Signs, Beam Guard, Pavement Marking, Culvert Replacements, and Bridge Rehabilitation.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,253 CY; Excavation Marsh, 3,714 CY; Selected Borrow, 60,185 CY; Backfill Granular, 5,570 CY; Backfill Structure, 210 Ton; Base Aggregate Dense, 12,655 Ton; Concrete Pavement, 106 SY; Concrete Masonry Bridges, 29 CY; Concrete Masonry Overlay, 45 CY; Bar Steel Reinforcement Coated, 2,850 Lbs; Marking Epoxy, 1,300 LF; Marking Paint, 349,874 LF; Construction Staking, 21,752 LF; Construction Staking, 50 Each; Construction Staking, 4 LS; Culvert Pipe Reinforced Concrete, 1,383 LF 24", 1,316 LF 30", 752 LF 36", 136 LF 42", 309 LF 48"; 769 LF 60"; Storm Sewer Pipe Reinforced Concrete, 34 LF 18"; Beam Guard, 3,300 LF; Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 3,432 Ton; Removing Asphaltic Surface Milling, 334 SY; Tack Coat, 1,532 Gals; Signs, 569 SF.

DBE Goal: 6 %

Contract Completion Time: 81 Working Days

Contact Information: Matt Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

32. C. Black River Falls, Water Street, CTH A Intersection; Jackson County; 3700-50-52; USH 12; 0.069 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Traffic Signals.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,176 CY; Selected Borrow, 369 CY; Subbase, 757 Ton; Base Aggregate Dense, 1,856 Ton; Marking Epoxy, 1,644 LF; Construction Staking, 3,830 LF; Construction Staking, 6 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 42 LF 15"; Concrete Curb and Gutter, 1,511 LF; Concrete Sidewalk, 1,260 SF; Asphaltic Surface, 711 Ton; Tack Coat, 143 Gals; Signs, 54 SF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 3,117 LF.

DBE Goal: NA

Contract Completion Date: July 10, 2020

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

33. Menomonie - Eau Claire, CTH EE / Town Hall Road Intersection; Eau Claire County; 7090-00-74, WISC 2019 757; USH 12; 0.301 Miles; Excavation, Base, Concrete Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Storm Sewer, Street Lighting, and Traffic Signals.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 2,848 CY; Selected Borrow, 371 CY; Base Aggregate Dense, 3,100 Ton; Concrete Pavement, 3,105 SY; Marking Epoxy, 4,480 LF; Construction Staking, 6,318 LF; Construction Staking, 8 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 30 LF 18", 92 LF 21", 60 LF 12"; Concrete Curb and Gutter, 468 LF; Concrete Sidewalk, 905 SF; Asphaltic Surface, 385 Ton; Removing Asphaltic Surface Milling, 1,265 SY; Tack Coat, 135 Gals; Signs, 15 SF.

DBE Goal: 6 %

Contract Completion Date: July 31, 2020

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

34. Ellsworth - Downsville, Eau Galle River Bridge, B-17-0227; Dunn County; 7105-00-72, WISC 2019 773; STH 72; 0.085 Miles; Excavation, Base, HMA Pavement, Beam Guard, Signs, Pavement Marking, and Bridge Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 350 CY; Borrow, 8,950 CY; Backfill Structure, 534 Ton; Base Aggregate Dense, 890 Ton; Concrete Masonry Bridges, 783 CY; Prestressed Girders, 1,773 LF 54-Inch; Bar Steel Reinforcement, 11,270 Lbs; Bar Steel Reinforcement Coated, 127,840 Lbs; Piling CIP Concrete, 2,600 LF 10 3/4-Inch; Piling Steel, 2,200 LF 14-Inch; Marking Epoxy, 2,735 LF; Construction Staking, 3,032 LF; Construction Staking, 2 LS; Beam Guard, 430 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 330 Ton; Tack Coat, 60 Gals; Signs, 83 SF.

DBE Goal: 6 %

Contract Completion Date: August 31, 2020

Contact Information: Tyler Rongstad, (715) 461-0372 / tyler.rongstad@dot.wi.gov

35. T. Lincoln, Creek Road, Plum Creek Bridge, B-61-0233; Trempealeau County; 7284-00-71; Local Street; 0.025 Miles; Excavation, Base, Asphaltic Surface, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 82 CY; Backfill Structure, 450 Ton; Base Aggregate Dense, 164 Ton; Concrete Masonry Bridges, 170 CY; Bar Steel Reinforcement, 5,230 Lbs; Bar Steel Reinforcement Coated, 20,120 Lbs; Piling CIP Concrete, 720 LF 10 3/4-Inch; Construction Staking, 282 LF; Construction Staking, 2 LS; Asphaltic Surface, 55 Ton; Tack Coat, 18 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

36. CTH B - IH 94, South Fork Buffalo River Bridge, B-27-166; Jackson County; 7367-00-70, WISC 2019 758; CTH G; 0.026 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 85 CY; Backfill Structure, 220 Ton; Base Aggregate Dense, 200 Ton; Concrete Masonry Bridges, 128 CY; Bar Steel Reinforcement, 3,260 Lbs; Bar Steel Reinforcement Coated, 17,360 Lbs; Piling Steel, 520 LF 10-Inch; Marking Epoxy, 540 LF; Construction Staking, 291 LF; Construction Staking, 2 LS; Asphaltic Surface, 60 Ton; Tack Coat, 18 Gals; Signs, 12 SF.

DBE Goal: 6 %

Contract Completion Time: 40 Working Days

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

37. Fairchild - Black River Falls, Allen Creek, B-27-0170; Jackson County; 7540-01-72, WISC 2019 759; USH 12; 0.398 Miles; Excavation, Base, Asphaltic Surface, Guardrail, Pavement Marking, Bridge Construction, and Retaining Wall Construction.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 3,126 CY; Borrow, 21,739 CY; Backfill Structure, 382 Ton; Base Aggregate Dense, 6,710 Ton; Concrete Pavement, 62 SY; Concrete Masonry Bridges, 437 CY; Prestressed Girders, 888 LF 45-Inch; Bar Steel Reinforcement, 5,930 Lbs; Bar Steel Reinforcement Coated, 57,320 Lbs; Piling Steel, 1,210 LF 10-Inch; Marking Epoxy, 7,500 LF; Construction Staking, 4,504 LF; Construction Staking, 2 Each; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 58 LF 18"; Culvert Pipe Reinforced Concrete, 208 LF 48"; Beam Guard, 1,413 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 2,530 Ton; Tack Coat, 995 Gals; Wall Concrete Panel Mechanically Stabilized Earth, 5,118 SF, 4,700 SF.

DBE Goal: 6 %

Contract Completion Date: November 1, 2020

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

38. DEFERRED

39. T. Washburn, Pray Avenue, Cunningham Creek Bridge, B-10-0237; Clark County; 7859-00-70; Local Street; 0.032 Miles; Excavation, Base, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 106 CY; Backfill Structure, 400 Ton; Base Aggregate Dense, 230 Ton; Concrete Masonry Bridges, 251 CY; Bar Steel Reinforcement, 6,120 Lbs; Bar Steel Reinforcement Coated, 32,090 Lbs; Structural Steel Carbon, 510 Lbs; Piling Steel, 480 LF 10-Inch; Construction Staking, 192 LF; Construction Staking, 2 LS; Signs, 12 SF.

DBE Goal: NA

Contract Completion Date: October 15, 2020

Contact Information: Matthew Thorsen, (715) 225-4159 /
matthew.thorsen@dot.wi.gov

40. V. Dresser, STH 35, CTH F to West Avenue North; Polk County; 8060-04-72, WISC 2019 761; STH 35; 0.410 Miles; Base, HMA Pavement, Curb and Gutter, Pavement Marking, and Signs.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Base Aggregate Dense, 16 Ton; Marking Epoxy, 5,069 LF; Construction Staking, 2,200 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 1,178 LF; HMA Pavement, 1,770 Ton; Removing Asphaltic Surface Milling, 10,856 SY; Tack Coat, 65 Gals; Signs, 61 SF.

DBE Goal: 6 %

Contract Completion Time: 20 Working Days

Contact Information: Beth Cunningham, (715) 635-4973 /
beth.cunningham@dot.wi.gov

41. Oliver - Superior, Pokegama River Bridge, B-16-0143; Douglas County; 8760-00-70, WISC 2019 763; STH 105; 0.225 Miles; Excavation, Base, HMA Pavement, Guardrail, Signs, Pavement Marking, and Bridge Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 11,157 CY; Borrow, 12,086 CY; Backfill Structure, 350 Ton; Base Aggregate Dense, 8,102 Ton; Concrete Masonry Bridges, 453 CY; Prestressed Girders, 749 LF 45-Inch; Bar Steel Reinforcement, 6,460 Lbs; Bar Steel Reinforcement Coated, 63,550 Lbs; Piling Steel, 1,045 LF 12-Inch; Marking Epoxy, 4,756 LF; Construction Staking, 7,596 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Culvert Pipe, 62 LF 24"; Beam Guard, 350 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 70 Ton; HMA Pavement, 1,849 Ton; Tack Coat, 200 Gals; Signs, 27 SF.

DBE Goal: 5 %

Contract Completion Time: 75 Working Days

Contact Information: Brendan Dirkes, (715) 395-3026 / brendan.dirkes@dot.wi.gov

42. Conrath - Tony, Deer Tail Creek Bridge, B-54-0129; Rusk County; 8795-00-70; CTH I; 0.052 Miles; Excavation, Base, Asphaltic Surface, Signs, Beam Guard, and Bridge Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 544 CY; Backfill Structure, 240 Ton; Base Aggregate Dense, 863 Ton; Concrete Masonry Bridges, 253 CY; Bar Steel Reinforcement, 5,895 Lbs; Bar Steel Reinforcement Coated, 36,530 Lbs; Piling CIP Concrete, 275 LF 10 3/4-Inch, 280 LF 12 3/4-Inch; Construction Staking, 900 LF; Construction Staking, 2 LS; Beam Guard, 157 LF; Asphaltic Surface, 197 Ton; Tack Coat, 48 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Date: September 1, 2020

Contact Information: Matt Van Natta, (715) 392-7934 / matthew.vannatta@dot.wi.gov

By order of:

Rebecca Burkel
Administrator
Division of Transportation System Development