

Wisconsin Department of Transportation

January 7, 2020

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal 033: 8798-00-72, WISC 2019 821

CTH E - STH 27

Deer Tail Creek Bridge B540130

CTH D

Rusk County

Letting of January 14, 2020

This is Addendum No. 01, which provides for the following:

Special Provisions:

| Revised Special Provisions | | | |
|----------------------------|-----------------------------------|--|--|
| Article No. | Description | | |
| 16 | Riprap Heavy Special, SPV.0035.01 | | |

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

ADDENDUM NO. 01 8798-00-72 January 7, 2020

Special Provisions

16. Riprap Heavy Special, Item SPV.0035.01.

Replace entire article language with the following:

A Description

This special provision describes furnishing and installing riprap heavy and limestone screenings according to standard spec 606, as shown on the plans, and as indicated by these specifications.

B Materials

Modify standard spec 606.2.1 as follows:

Furnish durable quarry stone that is sound, hard, dense, resistant to the action of air and water, and free of seams, cracks, or other structural defects. Use stone pieces with a length and width no more than twice the thickness. Do not place material without the engineer's approval of the stone quality, size, and shape.

Fill voids in exposed riprap with limestone screenings with gradation conforming to the following:

| SIEVE | PERCENT PASSING (by weigh |
|----------|---------------------------|
| 1-inch | 90 – 100 |
| 3/8-inch | 45 – 65 |
| No. 4 | 15 – 45 |
| No. 10 | 0 – 20 |
| No. 40 | 0 – 10 |
| No. 200 | 0 - 5 |

C Construction

Install material according to standard spec 606.3.

D Measurement

The department will measure Riprap Heavy Special by the cubic yard acceptably completed, measured as the volume within the limiting dimensions the contract designates or the engineer establishes in the field.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION | UNIT |
|-------------|----------------------|------|
| SPV.0035.01 | Riprap Heavy Special | CY |

Payment is full compensation for all material, labor, tools, equipment, and incidentals necessary to complete the work.

END OF ADDENDUM