#### STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT NOTICE TO CONTRACTORS

# BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL

TIME, TUESDAY, January 14, 2020, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express<sup>™</sup> on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4<sup>th</sup> Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4<sup>th</sup> Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

#### ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

#### PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

# PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

# PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the <u>online proposal request application</u> and <u>users guide</u>. This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx

#### QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department. The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

## HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

#### **AFFIRMATIVE ACTION**

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 US.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

### AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express<sup>™</sup> on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

#### SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

### **GENERAL CONSTRUCTION**

6, 7, 8, 9, 10, 11, 12, 14, 20, 21, 22, 23, 24, 28, 29, 34, 35, 36, 37

### <u>GRADING</u>

36

# CONCRETE PAVEMENT

14

#### **ASPHALTIC PAVEMENT**

3, 6, 20, 21, 23, 34, 35

#### **STRUCTURES**

4, 5, 7, 13, 15, 16, 19, 25, 26, 27, 28, 29, 30, 31, 32, 33

#### BRIDGE PAINTING

**STREET OR AIRPORT LIGHTING** 

BUILDING CONSTRUCTION 18

INCIDENTAL CONSTRUCTION 1, 17 **1.** Southwest Region Pavement Marking, Eastern Counties, STN Locations Per Annual Plan; SW Region-Wide; 1009-12-93, WISC 2020 104; Various Highways; 0.000 Miles; Pavement Marking.

# Guaranty Required: \$40,000.00

Estimate of Principal Items: Marking Epoxy, 1,149,738 LF.

**DBE Goal:** 4 % **Contract Completion Date:** October 16, 2020

**Contact Information:** Iver Peterson, (608) 785-9060 / iver.peterson@dot.wi.gov

#### 2. DEFERRED

**3. Spring Green - Madison, Westview Court to Pinehurst Drive;** Dane County; 5310-02-63, WISC 2019 799; USH 14; 4.979 Miles; Base, HMA Pavement, Asphaltic Surface, Beam Guard, and Pavement Marking.

### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Selected Borrow, 100 CY; Base Aggregate Dense, 9,670 Ton; Marking Epoxy, 44,483 LF; Construction Staking, 27,320 LF; Construction Staking, 1 LS; Beam Guard, 4,513 LF; Beam Guard Energy Absorbing Terminals, 6 Each; Asphaltic Surface, 635 Ton; HMA Pavement, 27,140 Ton; Removing Asphaltic Surface Milling, 1,370 SY; Tack Coat, 12,715 Gals; Marking Line Grooved Wet Ref Epoxy 4-Inch, 52,422 LF.

# **DBE Goal:** 5 % **Contract Completion Time:** 40 Working Days

**Contact Information:** Greg Brecka, (608) 516-6524 / gregory.brecka@dot.wi.gov

**4.** Warren - Argyle, Pecatonica River, Structure B-33-0009; Lafayette County; 5590-00-81, WISC 2019 800; STH 78; 0.123 Miles; Bridge Deck Replacement, Excavation, Base, Asphaltic Surface, Beam Guard, and Pavement Marking.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 23 CY; Borrow, 141 CY; Backfill Structure, 280 Ton; Base Aggregate Dense, 324 Ton; Concrete Masonry Bridges, 289 CY; Bar Steel Reinforcement Coated, 66,730 Lbs; Marking Epoxy, 1,272 LF; Construction Staking, 1,141 LF; Construction Staking, 2 LS; Beam Guard, 308 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 252 Ton; Removing Asphaltic Surface Milling, 340 SY; Tack Coat, 53 Gals.

# DBE Goal: 6 %Contract Completion Date: November 18, 2020

**Contact Information:** Lalitha Balachandran, (608) 243-3382 / lalitha.balachandran@dot.wi.gov

**5.** City of Beloit, Powerhouse Riverwalk, Pleasant Street to South of Portland Avenue; Rock County; 5989-05-26, WISC 2018 139; Non-Highway; 0.158 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Structure Construction.

### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 637 CY; Borrow, 50 CY; Backfill Structure, 140 Ton; Base Aggregate Dense, 400 Ton; Breaker Run, 300 Ton; Concrete Masonry Bridges, 93 CY; Bar Steel Reinforcement Coated, 18,460 Lbs; Structural Steel Carbon, 1,200 Lbs; Piling CIP Concrete, 2,120 LF 12 3/4-Inch; Marking Epoxy, 320 LF; Construction Staking, 1,254 LF; Construction Staking, 2 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 56 LF 12"; Concrete Curb and Gutter, 323 LF; Concrete Sidewalk, 4,300 SF; Asphaltic Surface, 70 Ton; Signs, 17 SF; Concrete Masonry Overlay Decks, 43 CY; Electrical Wire Lighting 10 AWG, 2,500 LF; Prestressed Girders Box Type 21-Inch, 1,782 LF.

DBE Goal: 2 %Contract Completion Date: November 20, 2020

# \*\*\* MANDATORY PRE-BID MEETING \*\*\*

DATE: December 17, 2019

**TIME:** 10 AM

- LOCATION: Beloit Utilities and Engineering Facility 2400 Springbrook Court Beloit, WI 53511
- **NOTE:** No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Zachary Pearson, (608) 246-5319 / zachary.pearson@dot.wi.gov

6. Wisconsin Dells - Portage, STH 13 to Boeck Road; Columbia County; 6130-04-60, WISC 2020 002; STH 16; 13.832 Miles; Base, HMA Pavement, Signs, Beam Guard, and Pavement Marking.

# Guaranty Required: \$100,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 14,350 Ton; Marking Epoxy, 37,500 LF; Construction Staking, 73,035 LF; Construction Staking, 1 LS; Beam Guard, 162 LF; Beam Guard Energy Absorbing Terminals, 20 Each; HMA Pavement, 56,100 Ton; Removing Asphaltic Surface Milling, 290,000 SY; Tack Coat, 34,350 Gals; Signs, 12 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 146,070 LF.

DBE Goal: 5 %Contract Completion Date: July 17, 2020

Contact Information: Mahesh Shrestha, (608) 245-2674 / mahesh.shrestha@dot.wi.gov

**7. IH 43 Rock Freeway, Rock County Line - USH 12;** Walworth County; 1090-16-70, WISC 2019 801; IH 43; 15.846 Miles; Grading, Base, Milling, Concrete Pavement, Concrete Pavement Repair, Asphalt Pavement, Diamond Grinding, Culvert Pipe, Storm Sewer, Curb and Gutter, Guardrail, Bridge Deck Replacement, Bridge Deck Repair, Bridge Deck Overlays, Bridge Painting, Fencing, Pavement Marking, and Signs.

#### Guaranty Required: \$660,000.00

Estimate of Principal Items: Excavation Common, 75,478 CY; Backfill Granular, 200 Ton; Backfill Structure, 288 Ton; Base Aggregate Dense, 57,090 Ton; Base Aggregate Open Graded, 340 Ton; Breaker Run, 53,100 Ton; Concrete Pavement, 1,110 SY; Concrete Masonry Bridges, 2,402 CY; Concrete Masonry Overlay, 1,145 CY; Bar Steel Reinforcement Coated, 598,180 Lbs; Marking Tape, 65,555 LF; Marking Epoxy, 429,698 LF; Marking Paint, 66,660 LF; Construction Staking, 126,068 LF; Construction Staking, 26 Each; Construction Staking, 9 LS; Culvert Pipe Reinforced Concrete, 8 LF 18", 91 LF 12", 8 LF 24", 192 LF 30"; Storm Sewer Pipe Reinforced Concrete, 718 LF 18", 363 LF 30"; Concrete Curb and Gutter, 1,603 LF; Beam Guard, 13,001 LF; Beam Guard Energy Absorbing Terminals, 44 Each; Asphaltic Surface, 1,681 Ton; HMA Pavement, 32,686 Ton; Removing Asphaltic Surface Milling, 28,943 SY; Tack Coat, 5,271 Gals; Signs, 2,619 SF; Concrete Base, 334 SY; Concrete Base Patching, 145 SY; Concrete Pavement Repair, 425 SY; Concrete Pavement Replacement, 450 SY; Continuous Diamond Grinding, 472,000 SY; Preparation Decks, 4,776 SY; Concrete Surface Repair, 3,999 SF; Polymer Overlay, 11,766 SY; Structure Repainting, 10 LS; Structure Overcoating Cleaning and Priming, 2 LS; Chain Link Fence, 200 LF; Woven Wire Fence, 264 LF; Conduit, 1,223 LF; Resin Binder High Friction Surface Treatment, 34,750 SY.

**DBE Goal:** 10 % **Contract Completion Date:** October 30, 2021

Contact Information: Scott Anderson, (262) 548-6894 / scottm.anderson@dot.wi.gov

8. Durand Avenue, City of Racine, STH 31 to Kentucky Street; Racine County; 2260-00-71, WISC 2019 802; STH 11; 0.000 Miles; Grade, Storm Sewer, Base, Concrete Pavement, Asphalt Pavement, Curb and Gutter, Sidewalk, Wall Modular Block Gravity, Signals, Lighting, Signing, and Pavement Marking.

## Guaranty Required: \$270,000.00

**Estimate of Principal Items:** Excavation Common, 46,820 CY; Borrow, 23,620 CY; Base Aggregate Dense, 42,675 Ton; Select Crushed Material, 8,000 Ton; Base Aggregate Open Graded, 384 CY; Concrete Pavement, 69,928 SY; Marking Epoxy, 37,702 LF; Construction Staking, 37,708 LF; Construction Staking, 327 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 4,188 LF 12", 2,094 LF 15", 1,505 LF 18", 1,621 LF 24"; Concrete Curb, 1,370 LF; Concrete Curb and Gutter, 28,460 LF; Concrete Sidewalk, 111,620 SF; Asphaltic Surface, 335 Ton; Tack Coat, 90 Gals; Signs, 2,534 SF; Pull Boxes, 92 Each; Concrete Bases, 50 Each; Poles, 42 Each; Communication Vault, 8 Each; Marking Contrast Epoxy, 19,603 LF; Wall Modular Block Gravity, 870 SF.

**DBE Goal:** 15 % **Contract Completion Date:** July 31, 2021

**Contact Information:** Michael Pyritz, (262) 521-5373 / michael.pyritz@dot.wi.gov

**9.** West National Avenue, South 82nd Street to South 76th Street; Milwaukee County; 2410-03-71, WISC 2019 803; Local Street; 0.368 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Milling, Storm Sewer, Curb and Gutter, Sidewalk, Traffic Signals, Street Lighting, Plantings, Signs, Pavement Markings, Sanitary Sewer, Water Main, Block Wall, and High Friction Surfacing.

#### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 11,942 CY; Base Aggregate Dense, 5,844 Ton; Base Aggregate Open Graded, 13 Ton; Breaker Run, 8,653 Ton; Concrete Pavement, 10,718 SY; Marking Epoxy, 11,033 LF; Construction Staking, 5,835 LF; Construction Staking, 71 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 455 LF 18", 381 LF 36", 373 LF 21", 578 LF 12", 342 LF 30", 75 LF 15"; Concrete Curb, 83 LF; Concrete Curb and Gutter, 4,315 LF; Concrete Sidewalk, 20,959 SF; Asphaltic Surface, 628 Ton; Removing Asphaltic Surface Milling, 502 SY; Tack Coat, 27 Gals; Signs, 220 SF; Excavation, Hauling and Disposal of Contaminated Soil, 374 Ton; Concrete Base, 42 SY; Concrete Driveway, 345 SY; Trees, 60 Each; Conduit, 4,406 LF; Temporary Traffic Signals, 1 LS; Decorative Light Pole, 29 Each; Perennials and Grasses, 280 Each; Sanitary Sewer, 2,156 LF; Water Main, 1,477 LF; Water Service, 534 LF; PVC Storm Sewer Lateral, 632 LF; High Friction Surfacing, 3,307 LF; Modular Block Wall, 64 SF.

**DBE Goal:** 10 % **Contract Completion Date:** October 16, 2020

**Contact Information:** Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

**10. 16th Street, STH 32 to Main Street;** Racine County; 2703-00-74, WISC 2019 804; Local Street; 0.000 Miles; Grade, Base, Storm Sewer, Concrete Pavement, Curb and Gutter, Sidewalk, Lighting, Signing, and Pavement Marking.

#### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 16,599 CY; Base Aggregate Dense, 5,312 Ton; Base Aggregate Open Graded, 22 Ton; Breaker Run, 11,855 Ton; Concrete Pavement, 10,480 SY; Marking Epoxy, 11,935 LF; Construction Staking, 6,209 LF; Construction Staking, 125 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 1,215 LF 12", 150 LF 15"; Concrete Curb and Gutter, 4,095 LF; Concrete Sidewalk, 17,231 SF; Signs, 361 SF; Pull Boxes, 26 Each; Concrete Bases, 29 Each; Poles, 25 Each; Lighting Control Cabinet, 1 Each.

**DBE Goal:** 15 % **Contract Completion Date:** October 16, 2020

**Contact Information:** Kathy Kramer, (262) 548-8772 / kathleen1.kramer@dot.wi.gov

**11.** Fond du Lac - Plymouth, WCL - CTH P; Sheboygan County; 1440-13-72; STH 23; 7.423 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Bridge Construction, Signs, Pavement Markings, Street Lighting, Fencing, and Guardrail.

### Guaranty Required: \$420,000.00

**Estimate of Principal Items:** Excavation Common, 89,992 CY; Borrow, 14,840 CY; Backfill Structure, 720 Ton; Base Aggregate Dense, 196,294 Ton; Concrete Pavement, 134,322 SY; Concrete Masonry Bridges, 464 CY; Bar Steel Reinforcement, 6,700 Lbs; Bar Steel Reinforcement Coated, 61,430 Lbs; Piling Steel, 560 LF 10-Inch; Marking Tape, 20,004 LF; Marking Epoxy, 179,796 LF; Construction Staking, 146,973 LF; Construction Staking, 36 Each; Construction Staking, 1 LS; Culvert Pipe, 592 LF 24", 132 LF 30"; Culvert Pipe Reinforced Concrete, 1,872 LF 24", 456 LF 42", 90 LF 60", 511 LF 30", 166 LF 48", 182 LF 36", 172 LF 54"; Concrete Curb and Gutter, 11,334 LF; Beam Guard, 4,061 LF; Beam Guard Energy Absorbing Terminals, 10 Each; Asphaltic Surface, 997 Ton; HMA Pavement, 32,905 Ton; Signs, 5,268 SF; Pit Run, 125,266 Ton; Bar Steel Reinforcement HS Stainless, 390 Lbs; Surface Drain Corrugated Metal Slotted, 240 LF; Woven Wire Fence, 70,115 LF; Conduit, 11,585 LF; Light Poles, 30 Each; Foundation Backfill, 625 CY.

#### **DBE Goal:** NA **Contract Completion Date:** July 30, 2021

**Contact Information:** Paul Brauer, (920) 366-1097 / paul.brauer@dot.wi.gov

**12.** City of Kaukauna, Green Bay Road, Lawe Street - Claribel Street; Outagamie County; 4075-33-71, WISC 2019 805; STH 96; 0.547 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Signs, and Pavement Markings.

## Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 13,300 CY; Backfill Granular, 1,150 CY; Base Aggregate Dense, 7,523 Ton; Select Crushed Material, 12,634 Ton; Concrete Pavement, 13,343 SY; Marking Epoxy, 13,673 LF; Construction Staking, 6,487 LF; Construction Staking, 3,284 Each; Construction Staking, 1 LS; Storm Sewer Pipe Reinforced Concrete, 37 LF 36", 321 LF 15", 47 LF 48", 251 LF 18", 504 LF 12", 2,130 LF 24"; Concrete Curb and Gutter, 5,800 LF; Concrete Sidewalk, 30,940 SF; Asphaltic Surface, 90 Ton; HMA Pavement, 271 Ton; Tack Coat, 48 Gals; Signs, 213 SF; Concrete Driveway, 1,060 SY; Storm Sewer Lateral, 1,268 LF.

# DBE Goal: 7 %Contract Completion Date: August 28, 2020

**Contact Information:** Tim Rank, (920) 360-2579 / tim.rank@dot.wi.gov

**13.** V. Denmark, CTH R, Devils River Trail Bridge, B-05-0438; V. Denmark, CTH R, S. Wall Street Bridge, B-05-0439; Brown County; 4327-08-71; 4327-09-71; CTH R; 0.155 Miles; Grading, Base, Concrete Pavement, Bridge Replacement, Beam Guard, and Pavement Markings.

#### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 1,269 CY; Borrow, 1,460 CY; Backfill Structure, 1,370 Ton; Base Aggregate Dense, 1,165 Ton; Breaker Run, 1,905 Ton; Concrete Pavement, 320 SY; Concrete Masonry Bridges, 1,126 CY; Prestressed Girders, 763 LF 45-Inch; Bar Steel Reinforcement, 34,080 Lbs; Bar Steel Reinforcement Coated, 157,330 Lbs; Piling CIP Concrete, 2,210 LF 10 3/4-Inch, 5,250 LF 12 3/4-Inch; Marking Epoxy, 3,095 LF; Construction Staking, 1,728 LF; Construction Staking, 4 LS; Beam Guard, 869 LF; Beam Guard Energy Absorbing Terminals, 1 Each.

#### **DBE Goal:** NA **Contract Completion Date:** August 4, 2020

Contact Information: Eric Gwidt, (920) 366-8896 / eric.gwidt@dot.wi.gov

**14. T. Grand Chute, CTH CA, CTH CB - Casaloma Drive;** Outagamie County; 4657-25-03, WISC 2019 806; CTH CA; 1.519 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Concrete Driveway, Sidewalk, Guardrail, Fencing, Signs, Pavement Markings, Traffic Signals, Water Main, and Sanitary Sewer.

#### Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 71,270 CY; Base Aggregate Dense, 43,810 Ton; Breaker Run, 76,660 Ton; Concrete Pavement, 65,720 SY; Marking Tape, 8,745 LF; Marking Epoxy, 33,732 LF; Construction Staking, 55,809 LF; Construction Staking, 265 Each; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 210 LF 12", 11 LF 36", 20 LF 24", 9 LF 30"; Storm Sewer Pipe Reinforced Concrete, 303 LF 15", 48 LF 30", 303 LF 18", 215 LF 36", 635 LF 24", 3,063 LF 12"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 364 LF 29" X 45", 986 LF 53" X 83"; Concrete Curb, 510 LF; Concrete Curb and Gutter, 35,977 LF; Concrete Sidewalk, 69,150 SF; Beam Guard, 75 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 2,024 Ton; HMA Pavement, 1,990 Ton; Tack Coat, 280 Gals; Signs, 959 SF; Concrete Driveway, 290 SY; Concrete Truck Apron, 780 SY; Pipe Arch Corrugated Steel 17" X 13", 72 LF; Storm Sewer Pipe 12" 639 LF, 15" 333 LF, 18" 1,125 LF, 24" 673 LF, 30" 1,621 LF, 36" 1,598 LF; Overhead Sign Support, 1 LS; Conduit, 953 LF; Traffic Signal Poles, 7 Each; Traffic Signal Standards, 2 Each; Pavement Marking Preformed Thermoplastic, 1,402 LF; Chain Link Fence, 250 LF; Sanitary Sewer, 62 LF; Pipe Arch Corrugated Steel 79" X 117", 236 LF; Steel Casing Pipe 24", 156 LF; Water Service, 166 LF; Water Main, 72 LF, Salvage and Reinstall Traffic Signal, 3 LS.

# **DBE Goal:** 10 %**Contract Completion Time:** 80 Working Days

Contact Information: Brian Edwards, (920) 360-2801 / brian.edwards@dot.wi.gov

**15.** Maple - Oregon Bridge, Sturgeon Bay, Neenah Avenue - First Avenue; Door County; 4997-05-71; Local Street; 0.000 Miles; Diamond Grinding, Polymer Overlay, Pavement Marking, and Structures.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Marking Epoxy, 5,790 LF; Concrete Masonry Deck Repair, 20 CY; Polymer Overlay, 6,031 SY; Counterweight Calculations and Span Balancing, 1 LS; Diamond Grinding Bascule Span, 1,106 SY.

#### **DBE Goal:** NA**Contract Completion Date:** June 19, 2020

**Contact Information:** Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

**16. V. Suamico, CTH J, Suamico River Bridge;** Brown County; 9286-05-71; CTH J; 0.071 Miles; Grade, Base, Asphalt Pavement, Curb and Gutter, Beam Guard, Signing, and a Structure.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 692 CY; Excavation Marsh, 225 CY; Borrow, 851 CY; Backfill Granular, 270 CY; Backfill Structure, 340 Ton; Base Aggregate Dense, 750 Ton; Breaker Run, 1,280 Ton; Concrete Masonry Bridges, 213 CY; Prestressed Girders, 430 LF 36W-Inch; Bar Steel Reinforcement, 4,680 Lbs; Bar Steel Reinforcement Coated, 25,870 Lbs; Piling Steel, 880 LF 12-Inch; Construction Staking, 1,475 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 350 LF; Beam Guard, 283 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 300 Ton; Tack Coat, 80 Gals; Signs, 48 SF; Steel Diaphragms, 8 Each; Railing Tubular Type M, 230 LF; Riprap Heavy, 325 CY.

**DBE Goal:** NA **Contract Completion Time:** 40 Working Days

**Contact Information:** Matthew Ternes, (920) 366-3028 / matthew.ternes@dot.wi.gov

**17.** North Central Region, Epoxy Pavement Marking, Locations on STN Per Annual Plan; NC Region-Wide; 1009-42-22, WISC 2019 807; Various Highways; 0.000 Miles; Pavement Markings.

### Guaranty Required: \$75,000.00

Estimate of Principal Items: Marking Tape, 1,200 LF; Marking Epoxy, 2,831,697 LF.

DBE Goal: 4 %Contract Completion Date: October 1, 2020

**Contact Information:** Jeannie Silver, (608) 246-5408 / jeannie.silver@dot.wi.gov

**18.** Waushara County Line - Waupaca, Waupaca County Salt Shed; Waupaca County; 6843-00-72; CTH A; 0.000 Miles; Wooden Salt Storage Building.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Base Aggregate Dense, 524 Ton; Breaker Run, 1,047 Ton; Asphaltic Surface, 678 Ton; Tack Coat, 165 Gals; Wooden Salt Storage Building, 1 LS.

**DBE Goal:** NA **Contract Completion Date:** September 1, 2020

**Contact Information:** Jeffrey Stewart, (715) 421-8376 / jeffrey.stewart@dot.wi.gov

**19. STH 47 - STH 55, West Branch Wolf River Bridge;** Menominee County; 9435-00-70; CTH M; 0.028 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Sidewalk, Beam Guard, and Bridge Replacement.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 245 CY; Backfill Structure, 570 Ton; Base Aggregate Dense, 420 Ton; Concrete Masonry Bridges, 302 CY; Bar Steel Reinforcement, 6,140 Lbs; Bar Steel Reinforcement Coated, 36,290 Lbs; Piling Steel, 540 LF 10-Inch; Marking Epoxy, 600 LF; Construction Staking, 654 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 105 LF; Concrete Sidewalk, 216 SF; Beam Guard, 40 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 80 Ton; Tack Coat, 25 Gals; Signs, 12 SF.

# DBE Goal: NAContract Completion Time: 35 Working Days

# \*\*\* <u>NOTE</u> \*\*\*

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact Jason Schaeffer.

Contact Information: Jason Schaeffer, (715) 421-7309 / jason.schaeffer@dot.wi.gov

**20.** Lincoln County Line - USH 51, S. Leisure Drive - S. Garth Lake Road; Oneida County; 9465-00-71, WISC 2019 808; CTH Y; 1.941 Miles; Grading, Base, Pulverize and Relay, Asphalt Pavement, Culvert Pipe, Curb and Gutter, Signs, and Pavement Markings.

# Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 1,331 CY; Borrow, 7,221 CY; Backfill Granular, 30 CY; Base Aggregate Dense, 10,240 Ton; Marking Epoxy, 41,000 LF; Construction Staking, 22,609 LF; Construction Staking, 2 Each; Culvert Pipe Reinforced Concrete, 74 LF 15"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 46 LF 38" X 60"; Concrete Curb and Gutter, 1,579 LF; Asphaltic Surface, 38 Ton; HMA Pavement, 7,680 Ton; Tack Coat, 1,680 Gals; Signs, 255 SF; Pulverize and Relay, 41,100 SY.

# **DBE Goal:** 6 % **Contract Completion Time:** 40 Working Days

**Contact Information:** Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

**21.** Hudson - Baldwin, Kinnickinnic River to CTH T (EB & WB); St. Croix County; 1020-01-77, WISC 2019 809; IH 94; 3.714 Miles; Base, HMA Pavement, Signs, Beam Guard, and Pavement Marking.

#### Guaranty Required: \$100,000.00

**Estimate of Principal Items:** Excavation Common, 96 CY; Borrow, 1,752 CY; Base Aggregate Dense, 3,500 Ton; Marking Epoxy, 77,860 LF; Construction Staking, 38,930 LF; Construction Staking, 1 LS; Beam Guard, 500 LF; HMA Pavement, 36,677 Ton; Removing Asphaltic Surface Milling, 162,683 SY; Tack Coat, 17,706 Gals; Signs, 98 SF.

### **DBE Goal:** 5 % **Contract Completion Time:** 80 Calendar Days

**Contact Information:** Stacie Lambele, (715) 577-2967 / stacie.lambele@dot.wi.gov

**22. Ino - Ashland, CTH E - USH 63;** Bayfield County; 1180-03-81, WISC 2019 182; USH 2; 6.136 Miles; Base, Asphaltic Surface, Pavement Marking, and Culvert Pipe Rehabilitation and Replacement.

# Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 2,480 CY; Borrow, 1,937 CY; Base Aggregate Dense, 816 Ton; Marking Epoxy, 515 LF; Construction Staking, 21 Each; Construction Staking, 1 LS; Culvert Pipe, 68 LF 24", 100 LF 30", 184 LF 36"; Culvert Pipe Reinforced Concrete, 104 LF 24", 48 LF 30", 32 LF 36"; Asphaltic Surface, 222 Ton; Tack Coat, 69 Gals.

**DBE Goal:** 5 % **Contract Completion Time:** 45 Working Days

**Contact Information:** Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

**23.** Minong - Solon Springs, CTH T - St. Croix River (NB); Minong - Solon Springs, CTH Y Intersection; Douglas County; 1196-00-63, WISC 2019 810; 1198-00-77, WISC 2019 811; USH 53; 5.225 Miles; Excavation, Base, HMA Pavement, Asphaltic Surface, Curb and Gutter, Signs, Beam Guard, Pavement Marking, and Street Lighting.

### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 6,882 CY; Base Aggregate Dense, 10,858 Ton; Breaker Run, 1,990 Ton; Concrete Pavement, 30 SY; Construction Staking, 39,107 LF; Construction Staking, 3 Each; Construction Staking, 3 LS; Culvert Pipe Reinforced Concrete, 76 LF 24", 176 LF 24"; Concrete Curb and Gutter, 502 LF; Beam Guard, 125 LF; Beam Guard Energy Absorbing Terminals, 1 Each; Asphaltic Surface, 3,505 Ton; HMA Pavement, 18,035 Ton; Tack Coat, 14,805 Gals; Signs, 1,586 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 57,855 LF.

### **DBE Goal:** 5 % **Contract Completion Date:** August 28, 2020

**Contact Information:** Brendan Dirkes, (715) 395-3026 / brendan.dirkes@dot.wi.gov

**24. C. Cameron, 20th Street Intersection; C. Cameron, CTH SS South Intersection;** Barron County; 1570-05-76, WISC 2019 812; 1570-05-77, WISC 2019 813; USH 8; 0.300 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Signs, Pavement Marking, and Street Lighting.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 1,907 CY; Borrow, 2,746 CY; Base Aggregate Dense, 2,740 Ton; Marking Epoxy, 4,481 LF; Construction Staking, 3,717 LF; Construction Staking, 4 LS; Culvert Pipe, 152 LF 24"; Culvert Pipe Reinforced Concrete, 24 LF 24"; Concrete Curb and Gutter, 496 LF; Asphaltic Surface, 1,858 Ton; Tack Coat, 327 Gals; Signs, 711 SF; Conduit, 2,148 LF.

#### **DBE Goal:** 5 % **Contract Completion Time:** 28 Working Days

Contact Information: Matt Dickenson, (715) 395-3022 / matthew.dickenson@dot.wi.gov

**25.** Fairchild - Black River Falls, CNW Railroad Bridge, B-10-0030; Clark County; 7540-02-70, WISC 2019 185; USH 12; 0.121 Miles; Bridge Deck Replacement, Beam Guard, Pavement Marking, Signs, Curb and Gutter, Base, and Asphaltic Surface.

### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 42 CY; Base Aggregate Dense, 100 Ton; Concrete Pavement, 110 SY; Concrete Masonry Bridges, 411 CY; Bar Steel Reinforcement Coated, 92,345 Lbs; Marking Epoxy, 1,776 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 57 LF; Beam Guard, 550 LF; Asphaltic Surface, 68 Ton; Tack Coat, 28 Gals; Signs, 12 SF.

# DBE Goal: 3 %Contract Completion Time: 80 Calendar Days

**Contact Information:** David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

**26. CTH V - USH 53, Beaver Creek Bridge, B-18-0234;** Eau Claire County; 7828-03-71, WISC 2019 814; CTH D; 0.028 Miles; Excavation, Base, Concrete Pavement, Asphaltic Surface, Signs, Beam Guard, Pavement Marking, and Bridge Replacement.

### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 216 CY; Borrow, 873 CY; Backfill Structure, 680 Ton; Base Aggregate Dense, 705 Ton; Concrete Pavement, 65 SY; Concrete Masonry Bridges, 319 CY; Bar Steel Reinforcement, 8,730 Lbs; Bar Steel Reinforcement Coated, 36,290 Lbs; Piling CIP Concrete, 1,720 LF 10 3/4-Inch; Marking Epoxy, 630 LF; Construction Staking, 1,140 LF; Construction Staking, 2 LS; Beam Guard, 272 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 80 Ton; Tack Coat, 18 Gals; Signs, 21 SF.

**DBE Goal:** 2 % **Contract Completion Time:** 40 Working Days

Contact Information: Matthew Thornsen, (715) 225-4159 / matthew.thornsen@dot.wi.gov

**27. C. Eau Claire, Dewey Street, Eau Claire River Bridge, B-18-93;** Eau Claire County; 7995-02-48, WISC 2019 815; Local Street; 0.060 Miles; Bridge Rehabilitation.

#### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 220 CY; Backfill Structure, 2,070 Ton; Base Aggregate Dense, 375 Ton; Breaker Run, 75 Ton; Concrete Masonry Bridges, 1,301 CY; Bar Steel Reinforcement, 15,760 Lbs; Bar Steel Reinforcement Coated, 222,490 Lbs; Marking Epoxy, 668 LF; Construction Staking, 501 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 201 LF; Concrete Sidewalk, 1,516 SF; Asphaltic Surface, 90 Ton; Tack Coat, 28 Gals.

# DBE Goal: 2 % Contract Completion Time: 110 Working Days

# Contact Information: Matthew Thornsen, (715) 225-4159 / matthew.thornsen@dot.wi.gov

**28. Ashland - Bayfield, Boyd Creek Bridge, B-04-0008;** Bayfield County; 8160-00-71, WISC 2019 816; STH 13; 0.114 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, and Bridge Replacement.

### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 15,127 CY; Selected Borrow, 9,955 CY; Backfill Structure, 292 Ton; Base Aggregate Dense, 5,879 Ton; Concrete Pavement, 140 SY; Concrete Masonry Bridges, 347 CY; Prestressed Girders, 290 LF 36-Inch; Bar Steel Reinforcement, 5,640 Lbs; Bar Steel Reinforcement Coated, 48,330 Lbs; Piling Steel, 400 LF 10-Inch; Marking Epoxy, 4,949 LF; Construction Staking, 6,340 LF; Construction Staking, 2 Each; Construction Staking, 2 LS; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 44 LF 19" X 30"; Concrete Curb and Gutter, 82 LF; Beam Guard, 244 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 874 Ton; Removing Asphaltic Surface Milling, 471 SY; Tack Coat, 510 Gals.

# DBE Goal: 2 %Contract Completion Time: 95 Working Days

**Contact Information:** Philip Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

**29.** Cadott - Cornell, 100th Avenue to South Street, 4 Culverts; Chippewa County; 8200-00-70, WISC 2019 817; STH 27; 0.000 Miles; Structure Replacement.

# Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 2,217 CY; Borrow, 5,655 CY; Backfill Structure, 7,679 Ton; Base Aggregate Dense, 2,535 Ton; Breaker Run, 433 Ton; Concrete Masonry Culverts, 738 CY; Bar Steel Reinforcement, 91,100 Lbs; Bar Steel Reinforcement Coated, 7,560 Lbs; Marking Epoxy, 6,664 LF; Construction Staking, 2,592 LF; Construction Staking, 1 LS; Beam Guard, 1,150 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 987 Ton; Tack Coat, 150 Gals; Signs, 11 SF.

**DBE Goal:** 2 % **Contract Completion Date:** November 19, 2020

**Contact Information:** Tyler Rongstad, (715) 461-0372 / tyler.rongstad@dot.wi.gov

**30. T. Shanagolden, Pieper Road, E. Fork Chippewa River Bridge, B-2-69;** Ashland County; 8309-00-70, WISC 2019 818; Local Street; 0.032 Miles; Excavation, Base, Signs, and Bridge Replacement.

### Guaranty Required: \$20,000.00

**Estimate of Principal Items:** Excavation Common, 42 CY; Borrow, 25 CY; Backfill Structure, 220 Ton; Base Aggregate Dense, 125 Ton; Concrete Masonry Bridges, 161 CY; Bar Steel Reinforcement, 4,440 Lbs; Bar Steel Reinforcement Coated, 23,200 Lbs; Structural Steel Carbon, 350 Lbs; Piling CIP Concrete, 670 LF 10 3/4-Inch; Construction Staking, 200 LF; Construction Staking, 2 LS; Signs, 12 SF.

#### DBE Goal: 2 % Contract Completion Date: October 31, 2020

Contact Information: Matthew Van Natta, (715) 392-7934 / matthew.vannatta@dot.wi.gov

**31. T. Iron River, Main Street, Iron River Bridge, B-04-0118;** Bayfield County; 8347-00-70, WISC 2019 819; Local Street; 0.028 Miles; Excavation, Base, Asphaltic Surface, Curb and Gutter, Signs, and Bridge Replacement.

#### Guaranty Required: \$20,000.00

**Estimate of Principal Items:** Excavation Common, 89 CY; Backfill Structure, 348 Ton; Base Aggregate Dense, 188 Ton; Concrete Masonry Bridges, 206 CY; Bar Steel Reinforcement, 4,210 Lbs; Bar Steel Reinforcement Coated, 26,920 Lbs; Piling CIP Concrete, 1,200 LF 10 3/4-Inch; Construction Staking, 306 LF; Construction Staking, 2 LS; Concrete Curb and Gutter, 118 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 54 Ton; Tack Coat, 18 Gals; Signs, 12 SF.

### **DBE Goal:** 2 % **Contract Completion Time:** 40 Working Days

Contact Information: Matthew Van Natta, (715) 392-7934 / matthew.vannatta@dot.wi.gov

**32.** Bruce - Radisson, Devils Creek Bridge, B-54-0132; Rusk County; 8590-00-70, WISC 2019 820; STH 40; 0.133 Miles; Excavation, Base, Asphaltic Surface, Signs, Beam Guard, Pavement Marking, and Bridge Replacement.

### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 1,039 CY; Backfill Structure, 278 Ton; Base Aggregate Dense, 1,381 Ton; Concrete Masonry Bridges, 513 CY; Bar Steel Reinforcement, 4,480 Lbs; Bar Steel Reinforcement Coated, 69,570 Lbs; Piling Steel, 1,920 LF 10-Inch; Marking Epoxy, 1,395 LF; Construction Staking, 1,662 LF; Construction Staking, 2 LS; Beam Guard, 200 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 218 Ton; Tack Coat, 54 Gals; Signs, 14 SF.

**DBE Goal:** 2 % **Contract Completion Time:** 60 Working Days

**Contact Information:** Phil Keppers, (715) 395-3027 / philip.keppers@dot.wi.gov

**33.** CTH E - STH 27, Deer Tail Creek Bridge, B-54-130; Rusk County; 8798-00-72, WISC 2019 821; CTH D; 0.046 Miles; Excavation, Asphaltic Surface, Pavement Marking, Beam Guard, Signs, and Structure Replacement.

### Guaranty Required: \$75,000.00

**Estimate of Principal Items:** Excavation Common, 194 CY; Borrow, 413 CY; Backfill Structure, 280 Ton; Base Aggregate Dense, 475 Ton; Concrete Masonry Bridges, 327 CY; Concrete Masonry Seal, 109 CY; Prestressed Girders, 713 LF 28-Inch; Bar Steel Reinforcement, 9,110 Lbs; Bar Steel Reinforcement Coated, 32,100 Lbs; Piling Steel, 1,400 LF 10-Inch; Marking Epoxy, 1,030 LF; Construction Staking, 993 LF; Construction Staking, 2 LS; Beam Guard, 235 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 105 Ton; Tack Coat, 30 Gals; Signs, 30 SF.

# **DBE Goal:** 2 % **Contract Completion Time:** 60 Working Days

Contact Information: Matthew Van Natta, (715) 392-7934 / matthew.vannatta@dot.wi.gov

**34.** Baldwin - Menomonie, USH 63 - STH 128; Baldwin - Menomonie, Union Pacific RR Bridge, B-55-0075; Baldwin - Menomonie, USH 63 - STH 128; Baldwin -Menomonie, STH 128 Intersection; St. Croix County; 8949-04-61, WISC 2019 822; 8949-04-64, WISC 2019 823; 8949-04-70, WISC 2019 824; 8949-05-73, WISC 2019 825; USH 12; 8.990 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Beam Guard, Pavement Marking, Signs, and Bridge Construction.

# Guaranty Required: \$100,000.00

**Estimate of Principal Items:** Excavation Common, 16,981 CY; Base Aggregate Dense, 9,742 Ton; Select Crushed Material, 7,224 Ton; Concrete Masonry Bridges, 33 CY; Bar Steel Reinforcement Coated, 7,520 Lbs; Marking Epoxy, 67,509 LF; Construction Staking, 52,410 LF; Construction Staking, 3 Each; Construction Staking, 3 LS; Culvert Pipe, 90 LF 24"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 80 LF 38" X 60"; Concrete Curb and Gutter, 572 LF; Beam Guard, 1,064 LF; Beam Guard Energy Absorbing Terminals, 18 Each; HMA Pavement, 38,265 Ton; Removing Asphaltic Surface Milling, 152,795 SY; Tack Coat, 25,145 Gals; Signs, 233 SF.

#### **DBE Goal:** 5 % **Contract Completion Date:** June 30, 2021

**Contact Information:** Tyler Rongstad, (715) 461-0372 / tyler.rongstad@dot.wi.gov

**35. C. Superior, N. 28th Street, Hill Avenue to E. 3rd Street;** Douglas County; 8998-00-23, WISC 2019 502; Local Street; 0.881 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Signs, and Pavement Marking.

#### Guaranty Required: \$40,000.00

**Estimate of Principal Items:** Excavation Common, 724 CY; Backfill Granular, 7 CY; Base Aggregate Dense, 1,203 Ton; Marking Epoxy, 20,471 LF; Construction Staking, 6,679 LF; Construction Staking, 18 Each; Construction Staking, 1 LS; Culvert Pipe, 35 LF 12"; Concrete Curb and Gutter, 596 LF; Concrete Sidewalk, 4,269 SF; HMA Pavement, 5,833 Ton; Removing Asphaltic Surface Milling, 14,693 SY; Tack Coat, 3,656 Gals; Signs, 317 SF.

**DBE Goal:** 5 % **Contract Completion Time:** 30 Working Days

**Contact Information:** Matt Van Natta, (715) 392-7934 / matthew.vannatta@dot.wi.gov

**36.** Chelsea - Spirit, Spirit River Bridge, B-60-0145; Taylor County; 9225-00-72, WISC 2019 826; STH 102; 0.080 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, Pavement Marking, and Bridge Replacement with Culvert Pipes.

### Guaranty Required: \$20,000.00

**Estimate of Principal Items:** Excavation Common, 368 CY; Selected Borrow, 1,947 CY; Base Aggregate Dense, 377 Ton; Marking Epoxy, 1,430 LF; Construction Staking, 590 LF; Construction Staking, 2 LS; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 128 LF 63" X 98"; Beam Guard, 353 LF; Beam Guard Energy Absorbing Terminals, 3 Each; Asphaltic Surface, 264 Ton; Removing Asphaltic Surface Milling, 840 SY; Tack Coat, 115 Gals.

DBE Goal: 2 %Contract Completion Date: July 10, 2020

**Contact Information:** Stacie Lambele, (715) 577-2967 / stacie.lambele@dot.wi.gov

**37. T. Rib Lake, Berry Avenue, Spirit River Bridge, P-60-0024;** Taylor County; 9545-00-71; Local Street; 0.007 Miles; Bridge Removal.

#### Guaranty Required: \$2,000.00

# Estimate of Principal Items: Signs, 14 SF; Removing Old Structure, 1 LS.

# **DBE Goal:** NA **Contract Completion Time:** 10 Working Days

# Contact Information: Matthew Van Natta, (715) 392-7934 / matthew.vannatta@dot.wi.gov

By order of:

Rebecca Burkel Administrator Division of Transportation System Development