



Wisconsin Department of Transportation

May 6, 2020

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

**Proposal #37: 7220-00-60, WISC 2020 284
Durand - Menomonie
South County Line to Red
Cedar Rvr
STH 25
Dunn County**

**7220-00-61, WISC 2020 285
Durand - Menomonie
South County Line to Red
Cedar Rvr
STH 25
Dunn County**

Letting of Letting May 12, 2020

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
20	Salvaged Asphaltic Pavement Base, Item SPV.0195.01

Deleted Special Provisions	
Article No.	Description
21	Salvaged Asphaltic Pavement Milling, Item SPV.0195.02

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
204.0120	Removing Asphaltic Surface Milling	SY	112,335	4,855	117,190

Deleted Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
SPV.0195.02	Salvaged Asphaltic Pavement Milling	Ton	4,855	-4,855	0

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
6	Typical Finished Section STH 25 - Corrected dimensioned width of Salvaged Asphaltic Pavement Base layer from 3' to 2'.
18	Miscellaneous Quantities – Removed bid item SPV.0195.02 Salvaged Asphaltic Pavement Base. Modified quantity for bid item 204.0120 Removing Asphaltic Surface.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01
7220-00-60 / 7220-00-61
May 6, 2020

Special Provisions

20. Salvaged Asphaltic Pavement Base, Item SPV.0195.01.

*Replace entire section titled **A Description** with the following:*

A Description

This special provision describes providing Salvaged Asphaltic Pavement Base.

(1) This special provision describes constructing a dense graded aggregate base using material from one of the following sources:

1. Recovered under the Removing Asphaltic Surface Milling bit item from existing asphaltic pavement or surfacing located within the project limits.
2. Recovered asphaltic pavement from a contractor source outside of the project limits.

*Replace entire section titled **C Construction** with the following:*

C Construction

(1) Under the Salvaged Asphaltic Pavement Base bid items, process stockpiled material as necessary and place material as the plans or special provisions specify. Construct the base conforming to standard spec 305.3.

21. Deleted.

Schedule of Items


Attached, dated May 6, 2020, are the revised Schedule of Items Pages 1 and 7.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:
Revised: 6 and 18.


END OF ADDENDUM

Addendum No. 01
ID 7220-00-60/61
Revised Sheet 6
May 6, 2020



TYPICAL FINISHED SECTION STH 25
STA 100+00 TO 196+92
STA 219+50 TO 450+22

* 2' OF PAVED SHOULDER WIDENING AND SALVAGED ASPHALTIC PAVEMENT BASE TO BE PAID UNDER PROJECT ID 7220-00-61
** NO DENSITY INCENTIVE ON LEVELING LAYER



TYPICAL FINISHED SECTION STH 25 - RECONSTRUCTION
STA 196+92 TO 219+50

FERTILIZER TYPE B: SEEDING MIXTURE NO. 20; SEEDING TEMPORARY
SALVAGED TOPSOIL; MULCHING; FERTILIZER TYPE B: SEEDING MIXTURE NO. 20; SEEDING TEMPORARY

* 7' OF PAVED SHOULDER WIDENING TO BE PAID UNDER PROJECT ID 7220-00-61

Addendum No. 01
 ID 7220-00-60
 Revised Sheet 18
 May 6, 2020

204.0110
 REMOVING
 SMALL PIPE
 CULVERTS

CATEGORY	STATION	LOCATION	REMARKS
0010	113+00	ML	1 58-LF, 24-INCH CPCS
0010	178+52	ML	1 75-LF, 36-INCH CPCS
0010	183+58	ML	1 56-LF, 24-INCH CPCS
0010	186+25	ML	1 62-LF, 36-INCH CPCS
0010	202+01	RT	1 PE
0010	217+06	ML	1 104-LF, 24-INCH CPCS
0010	229+22	ML	1 60-LF, 24-INCH CPCS
0010	241+70	ML	1 62-LF, 30-INCH CPCS
0010	251+13	ML	1 88-LF, 30-INCH CPCS
0010	289+21	ML	1 53-LF, 30-INCH CPCS
0010	347+41	ML	1 60-LF, 30-INCH CPCS
0010	355+55	ML	1 64-LF, 30-INCH CPCS
0010	361+13	ML	1 52-LF, 30-INCH CPCS
0010	370+85	ML	1 49-LF, 30-INCH CPCS
0010	396+27	ML	1 107-LF, 36-INCH CPCS
0010	410+06	ML	1 87-LF, 30-INCH CPCS
TOTAL 0010			16

204.0110
 REMOVING
 ASPHALTIC
 SURFACE

CATEGORY	STATION	LOCATION	REMARKS
0010	150+93	RT	27 ASPHALT DRIVEWAY
0010	165+46	LT	30 ASPHALT DRIVEWAY
0010	178+66	RT	33 ASPHALT DRIVEWAY
0010	184+93	LT	32 ASPHALT DRIVEWAY
0010	188+55	LT	59 ASPHALT DRIVEWAY
0010	251+87	LT	42 ASPHALT DRIVEWAY
0010	352+77	RT	90 ASPHALT DRIVEWAY
0010	402+26	LT	75 ASPHALT DRIVEWAY
0010	445+39	RT	56 ASPHALT DRIVEWAY
0010	106+87A	LT	30 ASPHALT DRIVEWAY
TOTAL 0010			474

204.0120
 REMOVING
 ASPHALTIC
 SURFACE
 MILLING

CATEGORY	STATION	LOCATION	REMARKS
0010	100+02	ML	32,300 2-INCH DEPTH, 30-FT WIDTH
0010	219+50	ML	67,700 2-INCH DEPTH, 30-FT WIDTH
0010	422+88	ML	9,200 2-INCH DEPTH, 30-FT WIDTH
0010	126+22	LT	130 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	127+60	RT	80 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	233+49	RT	290 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	233+57	LT	180 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	280+18	RT	320 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	280+19	LT	280 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	354+00	RT	260 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	392+56	LT	170 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	392+84	RT	160 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	408+52	LT	110 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	409+00	RT	140 2-INCH DEPTH, 3-FT BEAMGUARD WIDENING
0010	139+70	LT, SIDEROAD	640 2-INCH DEPTH (CTH DD)
0010	179+31	LT, SIDEROAD	630 2-INCH DEPTH (CTHY)
0010	179+39	RT, SIDEROAD	120 2-INCH DEPTH (70TH AVE)
0010	194+17	LT, SIDEROAD	200 2-INCH DEPTH (420TH ST)
0010	222+28	LT, SIDEROAD	180 2-INCH DEPTH (440TH ST)
0010	250+83	LT, SIDEROAD	120 2-INCH DEPTH (130TH AVE)
0010	250+85	RT, SIDEROAD	570 2-INCH DEPTH (CTHY)
0010	316+88	LT, SIDEROAD	140 2-INCH DEPTH (440TH ST)
0010	368+58	LT, SIDEROAD	260 2-INCH DEPTH (195TH ST)
0010	447+85	RT, DRIVE	660 2-INCH DEPTH (DRIVEWAY)
0010	103+75A	ML	2,350 2-INCH DEPTH (STH 72)
TOTAL 0010			117,190

204.0115
 REMOVING
 ASPHALTIC
 SURFACE BUTT
 JOINTS

CATEGORY	STATION	LOCATION	REMARKS
0010	100+00	ML	8 BEGIN PROJECT
0010	139+70	LT	8 CTH DD
0010	179+19	LT	7 CTH Y
0010	194+18	LT	9 420TH
0010	222+66	LT	6 440TH
0010	250+82	LT	6 130TH
0010	250+84	RT	7 CTH Y
0010	316+88	LT	6 440TH ST
0010	368+72	LT	8 195TH ST
0010	422+45	ML	8 BRIDGE
0010	422+86	ML	8 BRIDGE
0010	447+87	RT	7 BOAT LANDING
0010	450+22	ML	61 BRIDGE
0010	103+75A	ML	7 STH 72 MATCH
0010	104+36A	LT	8 440TH ST
TOTAL 0010			164

201.0105
 CLEARING

CATEGORY	STATION	LOCATION	REMARKS
0010	108+70	RT	36 36-INCH DIA OAK
0010	215+00	LT/RT	3
TOTAL 0010			36

201.0120
 GRUBBING

CATEGORY	STATION	LOCATION	REMARKS
0010	201.0205	201.0220	36
TOTAL 0010			36

203.0100
 REMOVING
 ASPHALTIC
 SURFACE

CATEGORY	STATION	LOCATION	REMARKS
0010	251+00	ML	1 58-LF, 24-INCH CPCS
0010	178+52	ML	1 75-LF, 36-INCH CPCS
0010	183+58	ML	1 56-LF, 24-INCH CPCS
0010	186+25	ML	1 62-LF, 36-INCH CPCS
0010	202+01	RT	1 PE
0010	217+06	ML	1 104-LF, 24-INCH CPCS
0010	229+22	ML	1 60-LF, 24-INCH CPCS
0010	241+70	ML	1 62-LF, 30-INCH CPCS
0010	251+13	ML	1 88-LF, 30-INCH CPCS
0010	289+21	ML	1 53-LF, 30-INCH CPCS
0010	347+41	ML	1 60-LF, 30-INCH CPCS
0010	355+55	ML	1 64-LF, 30-INCH CPCS
0010	361+13	ML	1 52-LF, 30-INCH CPCS
0010	370+85	ML	1 49-LF, 30-INCH CPCS
0010	396+27	ML	1 107-LF, 36-INCH CPCS
0010	410+06	ML	1 87-LF, 30-INCH CPCS
TOTAL 0010			16

204.0150
 REMOVING
 CURB & GUTTER

CATEGORY	STATION	TO	LOCATION	LF	
0010	251+00	-	251+19	RT	26
TOTAL 0010				26	

204.0165
 REMOVING
 GUARDRAIL

CATEGORY	STATION	TO	LOCATION	LF	
0010	214+55	-	218+81	RT	430
0010	215+61	-	218+40	LT	280
TOTAL 0010				710	

204.0170
 REMOVING
 FENCE

CATEGORY	STATION	TO	LOCATION	LF	
0010	201+97	-	217+20	RT	1,625
TOTAL 0010				1,625	

PROJECT NO: 7220-00-60

HWY: STH 25

COUNTY: DUNN

MISCELLANEOUS QUANTITIES

SHEET NO: 18

FILE NAME: _____ PLOT NAME: _____ PLOT SCALE: 1:1
 ORG DATE: _____ ORIGINATOR: _____



Proposal Schedule of Items

Proposal ID: 20200512037 Project(s): 7220-00-60, 7220-00-61

Federal ID(s): WISC 2020285, WISC 2020284

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	201.0105 Clearing	3.000 STA	_____.	_____.
0004	201.0120 Clearing	36.000 ID	_____.	_____.
0006	201.0205 Grubbing	3.000 STA	_____.	_____.
0008	201.0220 Grubbing	36.000 ID	_____.	_____.
0010	203.0100 Removing Small Pipe Culverts	16.000 EACH	_____.	_____.
0012	204.0110 Removing Asphaltic Surface	474.000 SY	_____.	_____.
0014	204.0115 Removing Asphaltic Surface Butt Joints	164.000 SY	_____.	_____.
0016	204.0120 Removing Asphaltic Surface Milling	117,190.000 SY	_____.	_____.
0018	204.0150 Removing Curb & Gutter	26.000 LF	_____.	_____.
0020	204.0165 Removing Guardrail	710.000 LF	_____.	_____.
0022	204.0170 Removing Fence	1,625.000 LF	_____.	_____.
0024	205.0100 Excavation Common	3,962.000 CY	_____.	_____.
0026	208.0100 Borrow	7,072.000 CY	_____.	_____.
0028	211.0100 Prepare Foundation for Asphaltic Paving (project) 01. 7220-00-60	LS	LUMP SUM	_____.
0030	213.0100 Finishing Roadway (project) 01. 7220-00-60	1.000 EACH	_____.	_____.
0032	214.0100 Obliterating Old Road	13.000 STA	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20200512037 Project(s): 7220-00-60, 7220-00-61

Federal ID(s): WISC 2020285, WISC 2020284

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0188	740.0440 Incentive IRI Ride	26,520.000 DOL	1.00000	26,520.00
0190	SPV.0060 Special 01. Cleaning Ditch	4.000 EACH	_____.	_____.
0192	SPV.0090 Special 01. Salvage and Reinstall Guardrail	540.000 LF	_____.	_____.
0194	SPV.0105 Special 01. Material Transfer Vehicle	LS	LUMP SUM	_____.
0196	SPV.0195 Special 01. Salvaged Asphaltic Pavement Base	4,855.000 TON	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.

