



Wisconsin Department of Transportation

September 2, 2020

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #02: 5270-01-60, WISC 2020 411
Sauk City - Arlington
Wisc R Overflow Bridge to Riddle Road
STH 60
Columbia County

Letting of September 15, 2020

This is Addendum No. 01, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
465.0105	Asphaltic Surface	Ton	501	329	830

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
211.0100	Prepare Foundation for Asphaltic Surface (5270-01-60)	LS	0	1	1
649.0105	Temporary Pavement Marking Line Paint 4-Inch	LF	0	70,000	70,000

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
2	General Notes (Updated note regarding paving within 24 hours of milling)
3	Typical Existing Sections (Replaced proposed typical sections with missing existing typical sections)
6	Proposed Typical Sections (Added Asphaltic Surface layer for shoulder widening)
25	Miscellaneous Quantities (Updated Asphaltic Surface quantities in Asphalt Items table)
27	Miscellaneous Quantities (Added Temporary Pavement Marking Line Paint 4-Inch in Pavement Marking Items table)

Schedule of Items

Attached, dated September 3, 2020, are the revised Schedule of Items Pages 1 – 5.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 2, 3, 6, 25 and 27.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

END OF ADDENDUM

GENERAL NOTES:

NO TREES OR SHRUBS ARE TO BE REMOVED WITHOUT THE APPROVAL OF THE ENGINEER IN THE FIELD.

THE LOCATIONS OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN. THE CONTRACTOR SHALL COORDINATE HIS CONSTRUCTION ACTIVITIES WITH A CALL TO DIGGERS HOTLINE AND/OR A DIRECT CALL TO THE UTILITIES THAT HAVE FACILITIES IN THE AREA.

HMA PAVEMENT WEIGHT CALCULATIONS ARE BASED ON 112 LB/SY/IN.

THE CONTRACTOR'S PAVING OPERATIONS SHALL BE CONSISTENT WITH THE PLAN TYPICAL SECTIONS AND CONSTRUCTED TO PREVENT HMA LONGITUDINAL JOINTS FROM BEING LOCATED WITHIN A DRIVING, TURNING, OR PARKING LANE.

THE 2" TYPE 4 WT 58-28 S HMA PAVEMENT IS TO BE PLACED USING ONE 2" LIFT. APPLY TACK COAT BETWEEN LAYERS OF PAVEMENT AND TO MILLED SURFACES. THE APPLICATION RATE IS 0.07 GALLONS PER SQUARE YARD BETWEEN THE MILLED SURFACE, 0.05 GALLONS PER SQUARE YARD BETWEEN NEW HMA PAVEMENT LAYERS, OR AS DIRECTED BY THE ENGINEER.

HMA PAVEMENT IS TO BE PLACED WITHIN 24 HOURS OF MILLING TO MINIMIZE DAMAGE TO THE REMAINING PAVEMENT.

PAVING LIMITS AT INTERSECTIONS AND AT THE PROJECT BEGINNING AND END ARE TO BE DETERMINED IN THE FIELD BY THE ENGINEER.

SAWCUTS, AS SHOWN ON THE PLANS, ARE SUGGESTED LOCATIONS AND MAY BE ADJUSTED AT THE DISCRETION OF THE ENGINEER TO BETTER SUIT FIELD CONDITIONS.

THE LOCATION OF STOP LINES SHALL BE DETERMINED IN THE FIELD BY THE ENGINEER.

EXACT EROSION CONTROL DEVICE LOCATIONS WILL BE DETERMINED BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS AS DETERMINED BY THE ENGINEER.

HAND MILLING OPERATIONS MAY BE NECESSARY TO ENSURE THAT SURVEY MONUMENTS ARE NOT DISTURBED DURING MILLING OPERATIONS. PAYMENT IS INCLUDED AS PART OF REMOVING ASPHALTIC SURFACE MILLING.

UTILITY CONTACTS

ELECTRICITY

ALLIANT ENERGY
CHRIS WILHELM
520 COMMERCIAL AVE
BARABOO, WI 53593
PHONE: (608) 356-0630
EMAIL: chris.wilhelm@alliantenergy.com

ELECTRICITY - TRANSMISSION

ATC MANAGEMENT, INC.
ANTHONY MARCIUK
W 2310 2000 RIDGEVIEW PARKWAY CT
P.O. BOX 44
WAUKESHA, WI 53187
PHONE: (262) 506-6814
EMAIL: amarciuk@atcinc.com

WATER

CITY OF LODI
TERRY WETER, DIRECTOR OF OPERATIONS
130 SOUTH MAIN ST.
LODI, WI 53555
PHONE: (608) 592-0709
EMAIL: tweter@cityoflodi.us

COMMUNICATIONS

CHARTER COMMUNICATIONS
LUKAS LA CROSSE
2701 DANIELS ST.
MADISON, WI 53718
PHONE: (608) 709-1562
EMAIL: lukas.lacrosse@charter.com

GAS/PETROLEUM

MADISON GAS AND ELECTRIC COMPANY
SHAUN ANDRES
133 S BLAIR ST
MADISON, WI 53788
PHONE: (608) 252-7274
EMAIL: sandres@mgsc.com

COMMUNICATIONS

FRONTIER COMMUNICATIONS OF WI LLC
RUSS RYAN
107 PLEASANTVIEW DR.
PLYMOUTH, WI 53073
PHONE: (920) 583-3275
EMAIL: russel.ryan@ftr.com

COMMUNICATIONS

SPRINT COMMUNICATIONS CO LP
JASON JARVIS
7459 W 79TH ST.
BRIDGEVIEW, IL 60455
PHONE: (219) 433-4091
EMAIL: jason.m.jarvis@sprint.com

Addendum No. 01
ID 5270-01-60
Revised Sheet 2
September 3, 2020



PROJECT NO: 5270-01-60

HWY: 5TH 60

COUNTY: COLUMBIA

GENERAL NOTES

SHEET 2

E

FILE NAME: I:\PDS\CD\52700130\SHEETS\PLAN\020101_GND.DWG
LAYOUT NAME: 020101_8P


PLOT DATE: 9/2/2020 10:40 AM

PLOT NAME: BETZEL_LORRAINE L


PLOT SCALE: 1 IN=100 FT

WISDOT/CADDS SHEET 42

Replace Proposed Typical Sections
with Existing Typical Sections.




EXISTING TYPICAL SECTION
STA. 62+93 - 71+30



EXISTING TYPICAL SECTION
STA. 71+30 - 140+85


Addendum No. 01
ID 5270-01-60
Revised Sheet 3
September 3, 2020

Corrected Bid Item Name.
Added Asphaltic Surface
layer for shoulder widening.



PROPOSED TYPICAL SECTION

STA. 62+99 - 71+30



PROPOSED TYPICAL SECTION

STA. 71+30 - 140+85

Addendum No. 01
ID 5270-01-60
Revised Sheet 6
September 3, 2020

Updated Asphaltic Surface quantity.

Addendum No. 01
ID 5270-01-60
Revised Sheet 25
September 3, 2020

ASPHALT ITEMS

CATEGORY	STATION	TO	STATION	LOCATION	SY	211.0400	455.0605	460.6224	465.0105	SPV.0090.01	SPV.0090.02	SPV.0180.01	REMARKS
						PREPARE FOUNDATION FOR ASPHALTIC SHOULDERS	TACK COAT	HMA PAVEMENT 4 MT 58-28 S	ASPHALTIC SURFACE	ASPHALTIC CENTERLINE RUMBLE STRIPS, SINUSOIDAL, 2-LANE RURAL	ASPHALTIC SHOULDER RUMBLE STRIPS, SINUSOIDAL, 2-LANE RURAL	SPECIAL (01) REMOVING DISTRESSED PAVEMENT MILLING	
0010	62+93	-	607+30	RT & LT	213,150	-	15,200	24,250	240	7,270	16,050	2,135	
0010	62+93	-	70+00	LT	-	7	-	-	27	-	-	-	
0010	72+24	-	139+40	RT & LT	-	65	-	-	480	-	-	-	
0010	210+07	-	-	RT & LT	-	-	5	-	18	-	-	-	
0010	218+52	-	-	RT & LT	-	-	4	-	16	-	-	-	
0010	306+90	-	-	RT & LT	-	-	7	-	27	-	-	-	
0010	333+63	-	-	RT & LT	-	-	6	-	22	-	-	-	
	TOTAL 0010				213,150	72	15,222	24,250	830	7,270	16,050	2,135	

The following acceptance criteria are applicable for this project:

Location	Station		Mixture Use	Underlying Surface	Bid Item	Tons	Thickness	Quality Management Program to be used for	
	From	To						Mixture Acceptance	Density Acceptance
12 foot Driving Lane	62+93	- 607+30	Upper Layer	Milled Existing HMA Surface	4 MT 58-28 S	16259	2"	PWL Incentive Air Voids HMA Pavement 460.2010	Incentive Density PWL HMA Pavement 460.2005
5 foot Shoulder + Intersections	62+93	- 607+30	Upper Layer	Milled Existing HMA Surface	4 MT 58-28 S	7991	2"	PWL Incentive Air Voids HMA Pavement 460.2010	Acceptance testing by department; Not eligible for incentive
Various	-	-	Culvert Patches	Base Aggregate	Asphaltic Surface	83	5"	QMP as per SS 465	Acceptance by ordinary compaction
Various	-	-	Spot Repairs Lower Layer	Milled Existing HMA Surface	Asphaltic Surface	418	2"	QMP as per SS 465	Acceptance by ordinary compaction

CULVERT ITEMS

CATEGORY	STATION	TO	STATION	LOCATION	LF	522.0124	522.0130	522.0136	522.1024	522.1030	522.2324	522.2624	633.5200	REMARKS
						REINFORCED CONCRETE CLASS III 24-INCH	REINFORCED CONCRETE CLASS III 30-INCH	REINFORCED CONCRETE CLASS III 36-INCH	REINFORCED CONCRETE 24-INCH	REINFORCED CONCRETE 30-INCH	REINFORCED CONCRETE 36-INCH	CULVERT PIPE REINFORCED CONCRETE HORIZONTAL ELLIPTICAL CLASS HEIII 24X38-INCH	ENDWALLS FOR APRON CULVERT PIPE REINFORCED CONCRETE HORIZONTAL ELLIPTICAL CLASS HEIII 24X38-INCH	
0010	210+07	-	RT & LT	1	-	-	80	-	-	2	-	-	2	REMOVE EXISTING 36"X85" CSCP
0010	218+52	-	RT & LT	1	-	-	-	-	-	-	58	-	2	REMOVE EXISTING 24"X36"X60" CSCP
0010	306+90	-	RT & LT	2	108	-	-	-	-	-	-	-	-	REMOVE 2 EXISTING 30"X60" CSCP
0010	333+63	-	RT & LT	1	82	-	-	-	2	-	-	-	4	REMOVE EXISTING 24"X80" CSCP
	TOTAL 0010			5	82	108	80	-	2	4	58	2	10	

Added Temporary Marking Line Paint 4-Inch quantity.

Addendum No. 01
ID 5270-01-60
Revised Sheet 27
September 3, 2020

TRAFFIC CONTROL ITEMS

CATEGORY	STAGE	DAYS PER STAGE	643.0300 TRAFFIC CONTROL DRUMS		643.0500 TRAFFIC CONTROL SIGNS		643.1050 TRAFFIC CONTROL SIGNS/PCMS		REMARKS
			*EACH	DAY	*EACH	DAY	*EACH	DAY	
0010	PRE-CONSTRUCTION	7	10	70	-	-	2	14	
0010	CULVERT REPLACEMENT	5	-	-	16	80	-	-	
0010	MILLING & PAVING	19	-	-	29	551	-	-	
0010	RUMBLE STRIPS & MARKING	3	-	-	29	87	-	-	
	TOTAL 0010		70	70	718	718		14	

*FOR INFORMATIONAL PURPOSES ONLY

PAVEMENT MARKING ITEMS

CATEGORY	STATION	TO	STATION	LOCATION	LF	RT	LT	MARKING LINE EPOXY 4-INCH WHITE	MARKING LINE EPOXY 8-INCH WHITE	MARKING LINE SAME DAY EPOXY 4-INCH YELLOW	MARKING ARROW EPOXY	MARKING WORD EPOXY	MARKING SYMBOL EPOXY	MARKING STOP LINE EPOXY 18-INCH	649.0105 TEMPORARY MARKING LINE PAINT 4-INCH YELLOW	649.0120 TEMPORARY MARKING LINE EPOXY 4-INCH YELLOW	REMARKS	
0010	62+93	-	607+30	RT & LT	106,750			2,030		70,000							70,000	
0010	65+00			RT							1							
0010	69+74			RT								1						
0010	70+14			RT														
0010	72+70			LT							1							
0010	73+10			LT								1						
0010	74+35			LT														
0010	141+83			LT							1							
0010	142+23			LT								1						
0010	143+44			LT														
0010	302+68			RT							1							
0010	303+83			RT								1						
0010	304+23			RT														
0010	329+48			RT								1						
0010	330+56			RT									1					
0010	330+96			RT							1							
0010	562+10			RT							1							
0010	536+16			RT								1						
0010	563+56			RT									1					
0010	581+00			LT														
0010	581+40			LT														
0010	582+66			LT							1							
0010	596+76			RT														
0010	596+87			RT														
0010	596+98			RT														
0010	598+31			LT														
0010	598+42			LT														
0010	598+51			LT														
0010	607+17			RT														
0010	607+28			RT														
0010	607+38			RT														
	TOTAL 0010				106,750			2,030		70,000	17	7	6	315			70,000	



Proposal Schedule of Items

Proposal ID: 20200915002 Project(s): 5270-01-60

Federal ID(s): WISC 2020411

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	203.0100 Removing Small Pipe Culverts	5.000 EACH	_____.	_____.
0004	204.0120 Removing Asphaltic Surface Milling	213,150.000 SY	_____.	_____.
0006	205.0100 Excavation Common	803.000 CY	_____.	_____.
0008	211.0400 Prepare Foundation for Asphaltic Shoulders	72.000 STA	_____.	_____.
0010	213.0100 Finishing Roadway (project) 01. 5270-01-60	1.000 EACH	_____.	_____.
0012	305.0110 Base Aggregate Dense 3/4-Inch	2,320.000 TON	_____.	_____.
0014	305.0120 Base Aggregate Dense 1 1/4-Inch	160.000 TON	_____.	_____.
0016	312.0110 Select Crushed Material	170.000 TON	_____.	_____.
0018	455.0605 Tack Coat	15,222.000 GAL	_____.	_____.
0020	460.0105.S HMA Percent Within Limits (PWL) Test Strip Volumetrics	1.000 EACH	_____.	_____.
0022	460.0110.S HMA Percent Within Limits (PWL) Test Strip Density	1.000 EACH	_____.	_____.
0024	460.2005 Incentive Density PWL HMA Pavement	16,260.000 DOL	1.00000	16,260.00
0026	460.2007 Incentive Density HMA Pavement Longitudinal Joints	22,592.000 DOL	1.00000	22,592.00
0028	460.2010 Incentive Air Voids HMA Pavement	24,250.000 DOL	1.00000	24,250.00
0030	460.6224 HMA Pavement 4 MT 58-28 S	24,250.000 TON	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20200915002 Project(s): 5270-01-60

Federal ID(s): WISC 2020411

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	465.0105 Asphaltic Surface	830.000 TON	_____.	_____.
0034	522.0124 Culvert Pipe Reinforced Concrete Class III 24-Inch	82.000 LF	_____.	_____.
0036	522.0130 Culvert Pipe Reinforced Concrete Class III 30-Inch	108.000 LF	_____.	_____.
0038	522.0136 Culvert Pipe Reinforced Concrete Class III 36-Inch	68.000 LF	_____.	_____.
0040	522.1024 Apron Endwalls for Culvert Pipe Reinforced Concrete 24-Inch	2.000 EACH	_____.	_____.
0042	522.1030 Apron Endwalls for Culvert Pipe Reinforced Concrete 30-Inch	4.000 EACH	_____.	_____.
0044	522.1036 Apron Endwalls for Culvert Pipe Reinforced Concrete 36-Inch	80.000 EACH	_____.	_____.
0046	522.2324 Culvert Pipe Reinforced Concrete Horizontal Elliptical Class HE-III 24x38-Inch	58.000 LF	_____.	_____.
0048	522.2624 Apron Endwalls for Culvert Pipe Reinforced Concrete Horizontal Elliptical 24x38-Inch	2.000 EACH	_____.	_____.
0050	618.0100 Maintenance And Repair of Haul Roads (project) 01. 5270-01-60	1.000 EACH	_____.	_____.
0052	619.1000 Mobilization	1.000 EACH	_____.	_____.
0054	624.0100 Water	27.000 MGAL	_____.	_____.
0056	625.0500 Salvaged Topsoil	500.000 SY	_____.	_____.
0058	628.1905 Mobilizations Erosion Control	2.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20200915002 Project(s): 5270-01-60

Federal ID(s): WISC 2020411

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0060	628.1910 Mobilizations Emergency Erosion Control	1.000 EACH	_____.	_____.
0062	628.2004 Erosion Mat Class I Type B	500.000 SY	_____.	_____.
0064	628.7504 Temporary Ditch Checks	50.000 LF	_____.	_____.
0066	628.7555 Culvert Pipe Checks	5.000 EACH	_____.	_____.
0068	629.0210 Fertilizer Type B	1.000 CWT	_____.	_____.
0070	630.0120 Seeding Mixture No. 20	9.000 LB	_____.	_____.
0072	630.0500 Seed Water	12.000 MGAL	_____.	_____.
0074	633.5200 Markers Culvert End	10.000 EACH	_____.	_____.
0076	642.5001 Field Office Type B	1.000 EACH	_____.	_____.
0078	643.0300 Traffic Control Drums	70.000 DAY	_____.	_____.
0080	643.0900 Traffic Control Signs	718.000 DAY	_____.	_____.
0082	643.1050 Traffic Control Signs PCMS	14.000 DAY	_____.	_____.
0084	643.5000 Traffic Control	1.000 EACH	_____.	_____.
0086	646.1020 Marking Line Epoxy 4-Inch	106,750.000 LF	_____.	_____.
0088	646.3020 Marking Line Epoxy 8-Inch	2,030.000 LF	_____.	_____.
0090	646.4520 Marking Line Same Day Epoxy 4-Inch	70,000.000 LF	_____.	_____.
0092	646.5020 Marking Arrow Epoxy	17.000 EACH	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20200915002 Project(s): 5270-01-60

Federal ID(s): WISC 2020411

SECTION: 0001

Contract Items

Alt Set ID:

Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0094	646.5120 Marking Word Epoxy	7.000 EACH	_____.	_____.
0096	646.5220 Marking Symbol Epoxy	6.000 EACH	_____.	_____.
0098	646.6120 Marking Stop Line Epoxy 18-Inch	315.000 LF	_____.	_____.
0100	649.0120 Temporary Marking Line Epoxy 4-Inch	70,000.000 LF	_____.	_____.
0102	650.6000 Construction Staking Pipe Culverts	5.000 EACH	_____.	_____.
0104	650.8000 Construction Staking Resurfacing Reference	54,437.000 LF	_____.	_____.
0106	650.9910 Construction Staking Supplemental Control (project) 01. 5270-01-60	LS	LUMP SUM	_____.
0108	690.0150 Sawing Asphalt	826.000 LF	_____.	_____.
0110	740.0440 Incentive IRI Ride	41,240.000 DOL	1.00000	41,240.00
0112	SPV.0060 Special 01. Verify Landmark Reference Monuments	8.000 EACH	_____.	_____.
0114	SPV.0090 Special 01. Asphaltic Centerline Rumble Strips, Sinusoidal, 2-Lane Rural	7,270.000 LF	_____.	_____.
0116	SPV.0090 Special 02. Asphaltic Shoulder Rumble Strips, Sinusoidal, 2-Lane Rural	16,050.000 LF	_____.	_____.
0118	SPV.0180 Special 01. Removing Distressed Pavement Milling	2,135.000 SY	_____.	_____.
0120	211.0100 Prepare Foundation for Asphaltic Paving (project) 01. 5270-01-60	LS	LUMP SUM	_____.
0122	649.0105 Temporary Marking Line Paint 4-Inch	70,000.000 LF	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20200915002 Project(s): 5270-01-60

Federal ID(s): WISC 2020411

Section: 0001

Total: _____.

Total Bid: _____.