



# Wisconsin Department of Transportation

September 9, 2021

## Division of Transportation Systems Development

Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #07: 1080-12-70**  
**USH 12 - Structures**  
**STH 50 to STH 67**  
**USH 12**  
**Walworth County**

**1080-12-72, WISC 2021474**  
**Lake Geneva – Elkhorn Rd (USH 12)**  
**EB STH 50 to STH 67**  
**USH 12**  
**Walworth County**

**1080-12-73, WISC 2021475**  
**Lake Geneva – Elkhorn Rd (USH 12)**  
**WB STH 50 to STH 67**  
**USH 12**  
**Walworth County**

### Letting of September 14, 2021

This is Addendum No. 03, which provides for the following:

#### Schedule of Items:

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
531.2024	Drilling Shaft 24-Inch	LF	0	12	12

#### Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
360-365	Miscellaneous Quantities – added bid item for drilling shafts

**Schedule of Items**

Attached, dated September 9, 2021, are the revised Schedule of Items Page 20.

**Plan Sheets**

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:

Revised: 360-365

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

END OF ADDENDUM

SIGN NO.	SIGN CODE & SIZE	SIGN MESSAGE	SIGN SIZE W x H (IN) x (IN)	SIGN REFLECTIVE TYPE II H (SF)	SIGN REFLECTIVE TYPE II F (SF)	MOVING SIGN TYPE II (EA)	REMOVING SIGN TYPE II (EA)	MOVING SIGN SUPPORTS (EA)	WOOD POSTS (EA)	WOOD POSTS (EA)	WOOD POSTS (EA)	TUBULAR STEEL POSTS (EA)	MOUNT ON SAME POSTS (EA)	REMARKS / NEW SIGN LOCATION	TYPE I SIGN SIZE W x H (FT) x (FT)	SIGN REFLECTIVE TYPE I SH (SF)	MOVING SIGN TYPE I (EA)	STEEL POST TYPE (EA)	CONCRETE MASONRY STRUCTURES (CY) EST	STEEL REINFORCING STRUCTURES (LBS) EST	STEEL SUPPORTS STRUCTURE (LBS) EST	SIGN DRILLING SHAFT 24 INCH LF EST	INFO ONLY - POST LENGTHS TO BE VERIFIED BY CONTRACTOR		
																							POST NO. 1 (FT)	POST NO. 2 (FT)	SET DISTANCE (FT)
1	W5-S2R(3)		18 X 54	6.750		1	1	1	1					4 FOOT MOUNTING HEIGHT											
2	R2-4B(5)		36 X 48	12.000		1	1			1															
3	R2-4B(5)		36 X 48	12.000										REMOVAL INCLUDED IN SIGN #2											
4	W13-2					1		1		1				MOUNT W5-S4 SIGNS UNDER #6											
5	M1-S4					1		2		2				4 FOOT MOUNTING HEIGHT											
6	E5-1A					3		2		2				4 FOOT MOUNTING HEIGHT											
7	W1-3					1		1		1				4 FOOT MOUNTING HEIGHT											
8	W1-3					1		1		1				4 FOOT MOUNTING HEIGHT											
9	W1-3					1		1		1				4 FOOT MOUNTING HEIGHT											
10	W2-6					2		1		1				MOVE THE W13-1 ALSO											
11	D1-2					1		2		2															
12	D10-3					1		1		1															
13	W4-3R					1		2		2															
14	W3-2					1		1		1															
15	W1-6					1		1		1															
16	W1-6					1		1		1															
17	W5-S2R(3)		18 X 54	6.750		1		1		1				4 FOOT MOUNTING HEIGHT											
18	W5-S2L(3)		18 X 54	6.750		1		1		1				4 FOOT MOUNTING HEIGHT											
19	J4-1					1		1		1															
20	R2-1					1		1		1															
21	R2-4B(5)					1		1		1															
22	W4-2B					1		1		1															
23	W12-2					1		2		2															
24	R4-3					1		1		1															
25	W5-S2R(3)		18 X 54	6.750		1		1		1				4 FOOT MOUNTING HEIGHT											
26	D10-3					1		1		1															
27	R2-4B					1		1		1															
28	R8-7					1		1		1															
29	W5-S2L(3)		18 X 54	6.750		1		1		1				4 FOOT MOUNTING HEIGHT											
30	W5-S2R(3)		18 X 54	6.750		1		1		1				4 FOOT MOUNTING HEIGHT											

SHEET: 1 OF 3

PROJECT NO: 1080-12-72 HWY: USH 12 COUNTY: WALWORTH MISCELLANEOUS QUANTITIES - PERMANENT SIGNING SHEET: 360

FILENAME: N:\SPO\Operations\Signing\Miscellaneous Quantities\1080-12-72\03600\_1.MQ.prk PLOT DATE: 9/9/2021 PLOT BY: DOTTAH PLOT NAME: 036001.MQ.pdf PLOT SCALE: 1:1

TABLE 1.1 - PERMANENT SIGNING

SIGN NO.	SIGN CODE & SIZE	SIGN MESSAGE	SIGN SIZE (IN) X (IN)	SIGN TYPE I REFLECTIVE (SFT)	SIGN TYPE II REFLECTIVE (SFT)	SIGN TYPE I MOVING (BA)	SIGN TYPE II MOVING (BA)	SIGN TYPE I REMOVING (BA)	SIGN TYPE II REMOVING (BA)	SIGN TYPE I SMALL (BA)	SIGN TYPE II SMALL (BA)	SIGN TYPE I WOOD (BA)	SIGN TYPE II WOOD (BA)	SIGN TYPE I TUBULAR (BA)	SIGN TYPE II TUBULAR (BA)	SIGN TYPE I MOUNT (BA)	SIGN TYPE II MOUNT (BA)	SIGN TYPE I REMAINS / NEW SIGNAL LOCATION	SIGN TYPE I SIGN SIZE (FT) X (FT)	SIGN TYPE I REFLECTIVE (SFT)	SIGN TYPE II MOVING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)	SIGN TYPE I MOUNTING (BA)		SIGN TYPE II MOUNTING (BA)													
																														POSTS	POSTS	POSTS	POSTS	POSTS	POSTS	POSTS	POSTS	POSTS	POSTS						
																														SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)				SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)			
																														SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)				SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)			
																														SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)				SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)			
																														SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)				SIGN TYPE I MOUNTING (BA)				SIGN TYPE II MOUNTING (BA)			
31	W-94																																												
32	D103		18 X 54		6750			1																																					
33	W552R(1)																																												
34	D103																																												
35	R-48																																												
36	W-94																																												
37	R-48																																												
38	D103																																												
39	W-94																																												
40	D103																																												
41	R-48																																												
42	W-94																																												
43	W552R(1)		18 X 54		6750																																								
44	W552L(1)		18 X 54		6750																																								
45	D103		18 X 54		6750																																								
46	W552R(1)		18 X 54		6750																																								
47	W552L(1)		18 X 54		6750																																								
48	R-48(1)		36 X 48	1200																																									
48A	R-48(1)		36 X 48	1200																																									
49	W13-2C																																												
50	D8-2	AND MS-2R																																											
51	D8-2	AND MS-2																																											
52	W13-2C																																												
53	E5-1A																																												
54	E5-1A																																												
55	W41R																																												
56	D103																																												
57	E5-1A																																												
58	W41R																																												
59	E5-1A																																												
60	W41R																																												

Addendum No. 03  
ID 1080-12-72/73  
Revised Sheet 361  
September 9, 2021

3

3

SIGN NO.		SIGN CODE & SIZE	SIGN MESSAGE	SIGN SIZE W x H (ft.)	SIGN REFLECTIVE TYPE I (SI)	SIGN REFLECTIVE TYPE II (SI)	MOVING SIGN TYPE (SA)	REMOVING SIGN TYPE (SA)	SMALL SIGN (SA)	WOOD POSTS 4" X 4" X 16' (SA)	WOOD POSTS 4" X 4" X 22' 2" X 24" X 36' (SA)	POSTS TUBULAR STEEL 2" X 2" X 36' (SA)	MOUNT SIGN ON SAME SIGN (SA)	REMARKS / NEW SIGN LOCATION	TYPE I SIGN SIZE W x H (ft.)	SIGN REFLECTIVE TYPE I (SI)	SIGN REFLECTIVE TYPE II (SI)	MOVING SIGN TYPE I (SI)	MASONRY ANGLARY STRUCTURES TYING (SA)	STEEL TYPE (SA)	CONCRETE ANGLARY STRUCTURES TYING (SA)	REFINISH ANGLARY STRUCTURES (EST)	SUPPLEMENTARY STRUCTURAL STEEL (EST)	SHIRT 24 INCH LP EST	SIGN LENGTH (ft)	SIGN WIDTH (ft)	POST NO. 1	POST NO. 2	POST OFF SET DISTANCE (ft)	POST SET DISTANCE (ft)	POST SET DISTANCE (ft)	POST SET DISTANCE (ft)					
65-2750	65-2750																																65-2750	65-2750	65-2750	65-2750	65-2750
61	R4-4B						2	1	2	1																											
62	W4-R						1	2	2																												
63	D10-3						1	1	1	1																											
64	4-1						1	1	1																												
65	W52L(3)			18 X 54	6.750	6.750	1	1	1																												
66	W52R(3)			18 X 54	6.750	6.750	1	1	1																												
67	W4-34						1	2	2																												
68	R2-1						1	2	2																												
69	R2-1						1	2	2																												
70	W3-5						1	2	2																												
71	W3-5						1	2	2																												
72	W9-1L						1	2	2																												
73	W9-1L						1	2	2																												
74	R4-4B						2	1	1																												
75	W9-2R						1	2	2																												
76	W9-2R						1	2	2																												
77	W4-2R						1	2	2																												
78	W4-2R						1	2	2																												
79	NOT USED							2	2																												
80	NOT USED							1	1																												
81	D10-3						1	1	1																												
82	W1-4R						1	1	1																												
83	W1-6						1	1	1																												
84	W3-1						1	1	1																												
85	J2-3						1	2	2																												
86	W1-6						1	1	1																												
87	D1-2						1	2	2																												
88	NONE						1	1	1																												
89	NONE						1	1	1																												
90	R5-1A						1	1	1																												
91	J2-1						1	1	1																												
92	W4-3L						1	1	1																												
93	R4-1						1	1	1																												
UNDISTRIBUTED																																					
TOTALS						48,000	87,750	94	10	123	50	78	3	-													400,000	4					400	2500			



SIGN NO.	SIGN CODE & SIZE	SIGN MESSAGE	SIGN SIZE W x H (FT) x (FT)	637.2210 SIGNS TYPE II REFLECTIVE H (FT)	637.2210 SIGNS TYPE II REFLECTIVE F (FT)	638.2102 MOVING SIGNS TYPE I (EA)	638.2022 REMOVING SIGNS TYPE II (EA)	638.3000 REMOVING SMALL SIGN SUBROVERS (EA)	634.0616 POSTS WOOD 4" X 6" X 16' (EA)	634.0622 POSTS WOOD 4" X 6" X 2' (EA)	634.0616 POSTS TUBULAR STEEL 2" X 2" X 16' (EA)	634.0616 POSTS TUBULAR STEEL 2" X 2" X 16' (EA)	REMARKS (NEW SIGN LOCATION)	TYPE I SIGN SIZE W x H (FT) x (FT)	637.2210 SIGNS TYPE I REFLECTIVE SH (FT)	638.2101 MOVING SIGNS TYPE I (EA)	STEEL POST TYPE	631.1100 CONCRETE ANCILLARY STRUCTURES TYPE I/II EST	631.1100 CONCRETE ANCILLARY STRUCTURES TYPE I/II EST	631.1140 REINFORCED CONCRETE ANCILLARY STRUCTURES TYPE I/II EST	635.0200 METAL SUPPORTS STRUCTURAL STEEL (EST/LBS)	631.3024 WOOD SUPPORTS 24 INCH EST	INFO ONLY - POST LENGTHS TO BE IDENTIFIED BY CONSTRUCTION																	
																							POST NO 1 LENGTH (FT)	POST NO 2 LENGTH (FT)	SET DISTANCE (FT)	BTWN POSTS DISTANCE (FT)														
232	W5-S2L (3)		18 X 54		6750																																			
233	W5-S2R(3)		18 X 54		6750																																			
234	R2-1																																							
235	J4-1																																							
236	W4-HR																																							
237	W4+HR																																							
238	E5-1A																																							
239	D10-3																																							
240	W13-2D																																							
241	W4+HR																																							
242	E5-1A																																							
243	D9-2																																							
244	NONE	MOVE THE IBB-1 ALSO GATEWAY TECH COLLEGE																																						
245	W4+HR																																							
246	D9-2																																							
247	E5-1A																																							
248	E5-1A																																							
249	D10-3																																							
250	M1-94																																							
251	W5-S2R(3)																																							
252	W5-S2L (3)																																							
253	R2-1																																							
254	R2-1																																							
255	R2-1																																							
256	J4-1																																							
257	D10-3																																							
258	R2-1																																							
259	R5-57																																							
260	W4+3R																																							
261	J8-1																																							

SIGN NO.	SIGN CODE & SIZE	SIGN MESSAGE	SIGN SIZE W x H [FT] x [FT]	SIGNS TYPE II REFLECTIVE	657.2230 SIGNS TYPE II REFLECTIVE	658.2102 MOVING SIGNS TYPE I	658.2602 REMOVING SIGNS TYPE II	658.3000 REMOVING SMALL SIGNS SUBORDS	654.0616 POSTS WOOD 4" X 6" X 16'	654.0622 POSTS WOOD 4" X 6" X 22'	654.0636 POSTS TUBULAR STEEL 2" X 2" X 16'	REMARKS/NEW SIGN LOCATION	TYPE I SIGN SIZE W x H [FT] x [FT]	657.2200 SIGNS TYPE I REFLECTIVE	658.2101 MOVING SIGNS TYPE I	STEEL POST TYPE	651.1100 CONCRETE ANCLARY STRUCTURES TYPE I/II	651.1140 REINFORCING ANCLARY STRUCTURES TYPE I/II	656.0200 STEEL SUPPORTS (EXCLUSIVE)	INFO ONLY - POST LENGTHS TO BE IDENTIFIED BY CONSTRUCTION			
																				POST NO 1 LENGTH [FT]	POST NO 2 LENGTH [FT]	OFF SET DISTANCE [FT]	
262	R3-4B					1		1000		1													
263	W1-6					1		1000	1														
264	E5-1A					3		2000		2													
265	R5-57					1		1000	1														
266	NOT USED																						
267	NOT USED																						
268	D9-2	INCLUDES THE 1066-2				2		1000	1														
					3.000	3			5		3			400.00	3								
				3.000	60.750	77	9.000	93.000	42	56	3			400.000	3								
TOTALS																							



Addendum No. 03  
ID 1080-12-72/73  
Revised Sheet 365  
September 9, 2021





Proposal Schedule of Items

Proposal ID: 20210914007 Project(s): 1080-12-70, 1080-12-72, 1080-12-73
Federal ID(s): N/A, WISC 2021475, WISC 2021474

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Table with 5 columns: Proposal Line Number, Item ID Description, Approximate Quantity and Units, Unit Price, Bid Amount. Rows include items 0576, 0578, 0580 and a Section Total for 0001.

