

January 6, 2022

Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #02 1204-05-73, WISC 2022108 **Dodgeville – Mount Horeb** W County Line To Town Hall Road **USH 18 Dane County**

Letting of January 11, 2022

This is Addendum No. 02, which provides for the following:

Schedule of Items:

Revised Bid Item Quantities											
Bid Item	Itom Description	Unit	Old	Revised	Proposal						
Did item	Item Description	Unit	Quantity	Quantity	Total						
390.0303	Base Patching Concrete	SY	24,163	-10,743	13,420						
390.0403	Base Patching Concrete SHES	SY	4,001	10,743	14,744						

Plan Sheets:

	Revised Plan Sheets										
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)										
94	Miscellaneous Quantities: Quantities for bid Items 390.0303 and 390.0403 were revised.										
95	Miscellaneous Quantities: Quantities for bid Items 390.0303 and 390.0403 were revised.										

Schedule of Items

Attached, dated January 6, 2022, are the revised Schedule of Items Page 2.

Plan Sheets

The following $8\frac{1}{2} \times 11$ -inch sheets are attached and made part of the plans for this proposal: Revised: Sheet 94 and 95

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

END OF ADDENDUM

	_						(r r																															-
																													II R) 1 ev	204 ise	4-0 d S	n N 15-7 She 5, 2	73 et	94				CHEET Q/
			SPV.0090.01 CONCRETE IOINT	AND CRACK	CLEANING AND REPAIR	256	536 216	776	336 1,216	184	/b8 224	480	280 576	176	480 128	472	296 856	280	440	296 592	440	360	336	400 568	160 320											·		1	
			SPV.0090.02 CONCRETE PAVEMENT	REPAIR LONGITUDINAL	JOINT	1	383 65	231	160 520			160	- U	2	- 150	15	- 40	10	30	50		- 15	68	210	- 150									,		ı		1	
			690 0750*	SAWING	CONCRETE	1,500	2,156 1 338	2,229	2,012 2,458	754	2,318 1,052	1,397	870	1,200	780 2.205	1,253	1,086 1 083	2,222	463	1,698 704	2,112	18U 2,104	449	1,b/8 878	814 604	1,092	1,309	773 1,657	300	1,612	1,020 896	497	270 861	139	180	826 20	60 652	309	
			416.0620	DRILLED	DOWEL BARS FACH	800	736 640	912	896 752	400	/36 560	304	464 192	640	416 1.008	624	576 528	1,168	208	848 320	1,120	96 1,104	160	73b 240	432 160	640 416	740	400 940	160	592 592	600 788	260	144 440	64	96	480	32 380	160	
			416 0610*			1	255 43	184	107 347		3/2 -	325	- 00	3 '	- 106	41	- 23	~	26	33 5	۲ ۲	- 10	51	140	- 100	- 5	21	14 18		212	-	22	- 57	10		, ~~		6 6	
	CHING	390.0403		1	SHES SV		376	527	- 381	· .	1,053	823	, yo	2 '	208	377	- 76	• •	116	160		48 '	92	24/ 125	221 80	- 1	110	231	80	965	- 619	-	72	57	48	, (- 16		
	BASE PATCHING	3	390.0303 RASE F		CONCRETE SY	400	- 375		459	205	- 283		232	320	- 519	-	296 -	595	-		576	- 552	- T			305	425	- 530			280 -	207	- 381		0 1	240	- 187		
		لا	×	L.		USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (PASSING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	USH 18 (DRIVING LANE)	
					STATION	1654+50 EB	1654+46 WB 1684+00 FB	1683+96 WB	1713+50 EB 1713+46 WB	1743+00 EB	1/43+00 WB 1772+50 EB	1772+62 WB	1802+00 EB 1801+96 W/R	1831+50 EB	1831+75 WB 1861+00 FB	1861+24 WB	1890+50 EB 1890+74 WR	1920+00 EB	1919+92 WB	1949+24 WB	1979+00 EB	19/8+/2 WB 2008+50 EB	2008+16 WB	2037+99 WB	2051+24.02 EB 2053+58.09 WB	1654+50 EB	1684+00 EB	1683+96 WB 1713+50 EB	1713+46 WB	1743+00 WB	1772+50 EB 1772+62 WR	1802+00 EB	1801+96 WB 1831+50 EB	1831+75 WB	1861+24 WB	1890+50 EB	1890+74 WB 1920+00 EB	1919+92 WB	
					STATION TO		1630+42.38 WB - 1654+50 FB -	1654+46 WB -	1684+00 EB - 1683+96 WB -	1713+50 EB -	1/13+46 WB - 1743+00 EB -	1743+00 WB -	1772+50 EB - 1772+62 WB -	1802+00 EB -	1801+96 WB - 1831+50 FB -	1831+75 WB -	1861+00 EB - 1861+24 WB -	1890+50 EB -	1890+74 WB -	1919+92 WB -	1949+50 EB -	1979+00 EB -	1978+72 WB -	2008+16 WB -	2038+00 EB - 2037+99 WB -	1630+49 EB -	1654+50 EB -	1654+46 WB - 1684+00 EB -	1683+96 WB -	1713+46 WB -	1743+00 EB - 1743+00 W/B -	1772+50 EB -	1772+62 WB - 1802+00 EB -	1801+96 WB -	1831+75 WB -	1861+00 EB -	1861+24 WB - 1890+50 EB -	1890+74 WB -	
ER Will	IN	1111	2		STAGE		STAGE 2 STAGE 2	STAGE 2	STAGE 2 STAGE 2	STAGE 2	STAGE 2 STAGE 2	STAGE 2	STAGE 2 STAGE 2	STAGE 2	STAGE 2 STAGE 2	STAGE 2	STAGE 2 STAGE 2	STAGE 2	STAGE 2	STAGE 2	STAGE 2	STAGE 2 STAGE 2	STAGE 2	STAGE 2	STAGE 2 STAGE 2			STAGE 3 STAGE 3	STAGE 3	STAGE 3	STAGE 3 STAGE 3	STAGE 3	STAGE 3 STAGE 3	STAGE 3	STAGE 3	STAGE 3	STAGE 3 STAGE 3	STAGE 3	
BRETTA BRETTA PETERSON 44665-6 BUN PRAIRIE	M	A CONAL EN		1 ml	CATEGORY	0010	0010	0010	0010	0010	0100	0010	0010	00100	0010	0010	0010	0010	0010	0100	0010	0100	0010	0010	0010 0010	0010	0010	0010	0010	00100	0010	0010	0010	0010	00100	0010	0010	0010	H ELO 4000 01 10
								~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		1																													

	3				ET 42
				Addendum No. 02 ID 1204-05-73 Revised Sheet 95 January 6, 2022	SHEET 95 EE
SPV.0090.01 CONCRETE JOINT	AND CRACK CLEANING AND REPAIR LF - -		296 200 3.412 17,060 17,060 17,060 17,0610* 8.416.0610* TI E BARS EACH	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5
SPV.0090.02 CONCRETE PAVEMENT	REPAIR LONGITUDINAL JOINT LF - -		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 2 2 2 2 2 2 1 1	
690.0250*	<u>о</u> Щ	2,813 2,814 126 884 974 974 957 2,627 885 622 622 622	1,352 - 638 - 18,211 1,366 91,053 4,008 91,053 4,008 0,000 8,000 4,000 4,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,0000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000 8,000	STH AS, LT CTH JG, LT CTH JG, RT CTH JG, RT CTH JD, RT CTH ID, LT TOTALS: TOTALS: ELSEWHERE	PLOT NAME :
416.0620	DRILLED DOWEL BARS EACH 500 112 840 32	1,580 4,8 6,4 5,20 5,20 6,4 5,80 1,504 1,504 1,504 3,30 3,30 5,2	752 382 8,841 44,203 44,203 515110N 517110N 22466 5T	0010 2.4444.51 5114.66 0010 12.464.16 771.16, 0010 12.482.16 771.16, 15.19.16 771.16, 171.16, 0010 11.468.10 771.110 771.110 0010 11.468.10 771.110 771.110 0010 11.471.110 771.110 11.471.110 771.110 11.471.110 771.110 11.471.110 771.110 11.471.110 771.110 11.471.110 771.110 10.111.011.011.110	MISCELLANEOUS QUANTITIES ROTEN: BRETEREON
416.0610*	DRILLED TIE BARS EACH 6 19 -	* · · · · · · · · · · · · · · · · · · ·		0010 0010 0010 0010 0010 0010 0010 001	MISCELLANEO
BASE PATCHING (CONTINUED) 390.0303 BASE BASE PATCHING	5 CONCRETE E SHES SY 56 - - 16	24 24 40 40 243 35 353 1,023 269 808 350 350 350 367 103	361 - 949 - 14,744	1 1 -	1/5/2022 6:27 PM
BASE PATC	PATCHING CONCRETE SY 260 - 451 -		5) 5, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	0	PLOT DATE :
	ROADWAY USH 18 (DRIVING LANE) USH 18 (DRIVING LANE) USH 18 (DRIVING LANE) USH 18 (DRIVING LANE) USH 18 (DRIVING LANE)	USH 13 (DRIVING LANE) USH 0N RAMP AT 5TH 78 (R2) EB OFF RAMP AT 5TH 78 (R2) WB OFF RAMP AT 5TH 78 (R2) WB OFF RAMP AT 5TH 10 (R3)	DN RAMP AT	0010         B-13-304 (NB STH 78 APPROACH SLABS)         50         92           0010         B-13-304 (NB STH 78 APPROACH SLABS)         48         98           0010         B-13-304 (IS STH 78 APPROACH SLABS)         67         125           0010         B-13-304 (IS STH 78 APPROACH SLABS)         67         132           0010         B-13-309 (EB USH 18 APPRACH SLABS)         67         132           0010         B-13-301 (IW B USH 18 APPRACH SLABS)         40         80           0010         B-13-301 (EB USH 18 APPRACH SLABS)         40         80           0010         B-13-301 (EN USH 18 APPRACH SLABS)         40         80           0010         B-13-303 (ICH ID APPROACH SLABS)         57         86           0010         B-13-303 (ICH ID APPROACH SLABS)         57         86           0010         B-13-303 (ICH ID APPROACH SLABS)         57         86           NOTE: CONCRETE PAVEMENT 9-INCH CORRESPONDS TO PAVED CONCRETE SHOULDERS ADJACENT TO APPROACH SLABS)         613	COUNTY: DANE
		2008-15 WB U 2038-16 WB U 2038-40 EB U 2037+99 WB U 2053+58.09 WB U 2053+58.09 WB WB 2053+58.09 WB 2053+58.00 WB 2053+58.00 WB 2053+59.00 WB 2053+59.0		50 48 67 67 57 364 364	
	STATION TO 1920+00 EB - 1919+92 WB - 1949+50 EB - 1949+24 WB -	7272400 EB	EE EE UNDISTRIBUTEC INDISTRIBUTEC CONCRETE PAVEMENT APPROACH SLAB 415.009 CONCRETE PAVEMENT APPROACH SLAB	<ul> <li>B-13-304 (INB STH 78 APPROACH SLABS)</li> <li>B-13-304 (ISB STH 78 APPROACH SLABS)</li> <li>B-13-299 (ISB USH 18 APPRACH SLABS)</li> <li>B-13-301 (IWB USH 18 APPRACH SLABS)</li> <li>B-13-302 (ISB USH 18 APPRACH SLABS)</li> <li>B-13-303 (ICH 10 APPROACH SLABS)</li></ul>	HWY: USH 18 11204-05-73/p30201_MQ.DWG
			0010 STAGE 3 - 0010 STAGE 3 - 0010 STAGE 3 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0010 - 0000 - 0000 - 0000 - 0000 - 0000 - 0000 - 0000 - 0000 -	B-13-304 (NB 5Th B-13-304 (SB 5Th B-13-304 (SB 5Th B-13-208 (WB U5 B-13-301 (WB U4 B-13-301 (WB U5 B-13-303 (CTH H5 B-13-303 (CTH H5 CTH H5 CT	8_151/GVII3D\SHEFTSPLAM
M B	CATEGORY 0010 0010 0010 0010 0010	0110 0110 0110 0110 0110 0110 0110 011	0010 0010 * ADDITIONAL	0010 0010 0010 0010 0010 0010 0010 001	VO: 1204-05-73 HWY: USH 18 Nationa Predictionation of the Landon and Control Action of the Control New Cost Under New Cost
PROFESSION					PROJECT NO: P12018 PR

3

Γ

3

٦

)



	Proposal Schedule of Items	Page 2 of 11
Proposal ID: 202201	11002 Project(s): 1204-05-73	
	Federal ID(s): WISC 2022108	
SECTION: 0001	Roadway	
Alt Set ID:	Alt Mbr ID:	

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	206.1000 Excavation for Structures Bridges (structure) 02. B-13-300	LS	LUMP SUM	
0034	206.1000 Excavation for Structures Bridges (structure) 03. B-13-301	LS	LUMP SUM	<u></u>
0036	206.1000 Excavation for Structures Bridges (structure) 04. B-13-299	LS	LUMP SUM	
0038	208.0100 Borrow	953.000 CY	·	·
0040	210.1500 Backfill Structure Type A	235.000 TON		·
0042	211.0100 Prepare Foundation for Asphaltic Paving (project) 01. 1204-05-73	LS	LUMP SUM	. <u></u> .
0044	213.0100 Finishing Roadway (project) 01. 1204- 05-73	1.000 EACH	·	
0046	305.0110 Base Aggregate Dense 3/4-Inch	22,211.000 TON		
0048	305.0120 Base Aggregate Dense 1 1/4-Inch	1,867.000 TON		
0050	312.0115 Select Crushed Material	435.000 CY		·
0052	390.0303 Base Patching Concrete	13,420.000 SY		
0054	390.0403 Base Patching Concrete Shes	14,744.000 SY		
0056	415.0090 Concrete Pavement 9-Inch	364.000 SY		
0058	415.0410 Concrete Pavement Approach Slab	693.000 SY		
0060	416.0610 Drilled Tie Bars	3,894.000 EACH		<u>.</u>