

Wisconsin Department of Transportation

March 2, 2022

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #35: 9260-00-70

Crandon – Three Lakes

Crandon Rr Overhead To Railroad Ave

STH 32

Forest County

9261-07-62

Crandon – Three Lakes

Crandon To Argonne Culverts

STH 32

Forest County

Letting of March 8, 2022

This is Addendum No. 01, which provides for the following:

Special Provisions:

	Revised Special Provisions
Article No.	Description
4	Traffic

Plan Sheets:

Revised Plan Sheets						
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)					
7	Construction Detail (revised and added callout notes)					
13	Miscellaneous Quantities (revised station ranges on the Concrete Curb & Gutter table)					

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

ADDENDUM NO. 01 9260-00-70 / 9261-07-62 March 2, 2022

Special Provisions

4. Traffic.


Replace paragraph six with the following:

Maintain a minimum distance of one mile between lane closures or flagging operations. Limit flagging operation to 2 miles.

Plan Sheets

The following $8\frac{1}{2}$ x 11-inch sheets are attached and made part of the plans for this proposal: Revised: 7 and 13.

END OF ADDENDUM



611.8110 ADJUSTING MANHOLE COVERS EA

MANHOLES

465.0315 ASPHALTIC FLUMES	١	7	i	1		TELD.
465.0110 ASPHALTIC SURFACE PATCHING	<u>S</u> :		:	75	75	GINEER IN THE F
465.0105 ASPHALTIC SURFACE	<u>S</u> :	40	:	:	40	MINED BY THE EN
460.5224 HMA PAVEMENT 4 LT 58-28 S	11.557	1	338	1	11,895	NG TO BE DETER
455.0605 TACK COAT	GAL 7.159	2	209	73	7,446	URFACE PATCH
F	MAINLINE		:	1		OR ASPHALTIC S
F	78+45 - 384+00	CURB & GUTTER	SIDEROADS	UNDISTRIBUTED	TOTALS	NOTES: LOCATIONS FOR ASPHALTIC SURFACE PATCHING TO BE DETERMINED BY THE ENSINEER IN THE FIELD.

က

HIMA ITEMS

QUALITY MANAGEMENT PROGRAM TO BE USED	DENSITY ACCEPTANCE	WL NCENTIVE AR VOIDS NCENTIVE DENSITY PWL	310 HMA PAVEMENT 460.2005	ACCEPTANCE TESTING BY PWL INCENTINE AR VOIDS DEPARTMENT; NOT ELIGBLE HMA PAVEMENT 460.2010 FOR INCENTIVE	ACCEPTANCE TESTING BY PWL INCENTIVE AR VOIDS DEPARTMENT; NOT ELICBLE HMA PAXENENT 460,2010 FOR INCENTIVE
QUALITY MANAGE	MIXTURE ACCEPTANCE	PWL NCENTINE AIR VC	HMA PAVEMENT 460 2010	PWL INCENTIVE AIR VOIDS HIMA PAVEMENT 460,2010	PWL INCENTIVE AIR VOIDS HIMA PAVEMENT 460.2010
	THICKNESS		2"	2"	2,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	SNOT		9,207	2,350	338
	BID ITEM		4 LT 58-28 S	4 LT 58-28 S	4LT 58-28 S
	MIXTURE USE UNDERLYING SURFACE		UPPER LAYER MILLED SURFACE	MILLED SURFACE	MILED SURFACE
	MIXTURE USE		_	UPPER LAYER	UPPER LAYER
	STA - STA		78+45 - 384+00	78+45-384+00	SNOIBVA
	LOCATION	12 FOOT	DR.MNG LANE	3 FOOT SHOULDER	SIDEROADS

CONCRETE CURB & GUTTER

	204.0150			601.0557	650,5500	SPV 0090 02	690.0250
	REMOVING	DRILLED	4	6-INCH SLOPED	STAKING	SPECIAL CURB	SAWING
		TIE BARS	٠,	36-INCH TYPE D	CURB & GUTTER	TYPE TBTT	CONCRETE
LOCATION	<u>u</u>	ā	5	5	4	5	5
O N RT	7	14	1	ı	38	38	8
9 ,	4	-	43	ı	43	i	-
79+65-80+21 RT	87	ı	1	87	87	ŧ	:
	36	ı	Ī	36	36	i	1
27 RT	95	ı	Ī	95	92	i	1
382+55 - 382+93 RT	63	i	1	63	63	ł	1
TOTALS	289	15	43	278	359	38	6

NOTE: ALL ITEMS ON THIS SHEET ARE CATEGORY 0010 UNLESS INDICATED OTHERWISE IN THE ITEM TABLE.

ø	
FILE NAME :	

PROJECT NO: 9260-00-70

HWY: STH 32

COUNTY: FOREST

SHEET 13