



## Wisconsin Department of Transportation

---

February 1, 2024

**Division of Transportation Systems  
Development**

Bureau of Project Development  
4822 Madison Yards Way, 4<sup>th</sup> Floor South  
Madison, WI 53705

Telephone: (608) 266-1631  
Facsimile (FAX): (608) 266-8459

### NOTICE TO ALL CONTRACTORS:

**Proposal #39: 1020-02-85, WISC 2024030**  
**C Hudson, Carmichael Road**  
**Center Dr & Hanley Rd Intersection**  
**Local Road**  
**St. Croix County**

### Letting of February 13, 2024

This is Addendum No. 01, which provides for the following:

#### Special Provisions:

Revised Special Provisions	
Article No.	Description
9	Traffic Signals, General

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

*Mike Coleman*

Proposal Development Specialist  
Proposal Management Section

**ADDENDUM NO. 01**

**1020-02-85**

**February 1, 2024**

**Special Provisions**

**9. Traffic Signals, General.**

*Add the following after section title **Special instructions for signal installation:***

The City of Hudson and the Department's Regional Electrical personnel will perform the inspections.

Electrical item inspections are required at the following times: after the staking of all electrical underground items, islands, curb and gutter and medians; before the pouring of all lighting and cabinet bases; before cable and wire are pulled; during field terminations at the lighting bases; and prior to the installation of any poles or other above ground electrical items.

Request electrical inspection of the completed lighting work to the project engineer and contact the City's Engineering Department at (715) 381-4599 and the Department's Electrical Field Unit at (715) 577-5399 at least five (5) working days prior to the time of the requested inspection.

END OF ADDENDUM