



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

February 21, 2024

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #18: 1130-66-83, WISC 2024318
Appleton – De Pere
Rose Hill Rd/CTH CC Overpass
IH 41
Outagamie County

Letting of March 12, 2024

This is Addendum No. 01, which provides for the following:

Special Provisions:

Added Special Provisions	
Article No.	Description
8.4	Salvage Temporary Precast Concrete Barrier and Crash Cushion Left In Place, Item SPV.0090.02.

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
204.0157	Removing Concrete Barrier	LF	325	-220	105

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Quantity Added	Proposal Total After Addendum
SPV.0090.02	Salvage Temporary Precast Concrete Barrier and Crash Cushion Left In Place	LF	0	220	220

Plan Sheets:

Revised Plan Sheets	
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
93	Revised 'Removing Barrier' table to reflect the quantity changes described above
256	Revised to structure plans to reflect updated road name panel
259	Revised to structure plans to reflect updated road name panel
279	Revised to structure plans to reflect updated road name panel

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01

1130-66-83

February 21, 2024

Special Provisions

8.4 Salvage Temporary Precast Concrete Barrier and Crash Cushion Left in Place, Item SPV.0090.02.

A Description

This special provision describes salvaging, moving and storing temporary precast concrete barrier and a temporary crash cushion, both left in place, according to standard spec 614 and as hereinafter provided.

B (Vacant)

C Construction

Salvage the temporary precast concrete barrier and crash cushion left in place according to standard spec 614.3.9, except standard spec 614.3.9(3) does not apply.

Remove and stockpile temporary precast concrete barrier and crash cushion left in place in an on-site location approved by the engineer. Barrier, crash cushion and associated installation hardware shall be undamaged and in good working order as approved by the engineer. Contact Curtis Riedy at Outagamie County at (920) 209-9801 10 business days prior to beginning salvaging operations to coordinate pick up of the salvaged materials by County forces.

D Measurement

The department will measure Salvage Temporary Precast Concrete Barrier and Crash Cushion Left in Place by the linear foot, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090.02	Salvage Temporary Precast Concrete Barrier and Crash Cushion Left in Place	LF

Schedule of Items

Attached, dated February 21, 2024, are the revised Schedule of Items Pages 1 and 10.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:
Revised: 93, 256, 259, 279.

END OF ADDENDUM

GRUBBING

STATION	TO	STATION	LOCATION	STA
56+00	-	58+00	CTH CC, LT	2
60+00	-	61+00	CTH CC, LT	1
62+00	-	63+00	CTH CC, RT	1
65+00	-	68+00	CTH CC, LT	3
66+00	-	68+00	CTH CC, RT	2
TOTALS				9

REMOVING BARRIER

STATION	TO	STATION	LOCATION	LF	EA	LF	LF
62+90	-	65+10	CTH CC, RT	---	---	---	220
1081+78	-	1082+29	IH 41 NB, RT	53	---	---	---
1081+82	-	1082+32	IH 41 SB, LT	52	---	---	---
1042+50	-	1100+35	IH 41 NB, LT	---	2	5,785	---
TOTAL				105	2	5,785	220

REMOVING SURFACE DRAINS

STATION	LOCATION	EACH
65+25	CTH CC, LT	1
65+25	CTH CC, RT	1
TOTAL		2

REMOVING SMALL PIPE CULVERTS

STATION	LOCATION	EACH	REMARKS
68+80	CTH CC, LT	1	18" CSCP X 60'
TOTAL		1	

REMOVING GUARDRAIL

STATION	TO	STATION	LOCATION	LF
55+54	-	62+88	CTH CC, LT	735
55+54	-	62+88	CTH CC, RT	735
65+16	-	67+01	CTH CC, LT	185
65+16	-	66+80	CTH CC, RT	165
1081+60	-	1081+85	IH 41 NB, RT	25
1081+20	-	1082+90	IH 41 NB, LT	355
1082+26	-	1082+50	IH 41 SB, LT	25
1084+51	-	1084+76	IH 41 SB, LT	25
TOTAL				2,250

PREPARE FOUNDATION

STATION	TO	STATION	LOCATION	EACH	FOR ASPHALTIC PAVING	FOR CONCRETE PAVEMENT	FOR ASPHALTIC SHOULDERS
55+25	-	69+25	CTH CC	---	---	1	---
55+00	-	55+25	CTH CC	---	---	---	---
69+25	-	69+50	CTH CC	1	---	---	---
1072+35	-	1085+05	IH 41 NB, LT	---	---	---	14
1079+05	-	1091+75	IH 41 SB, RT	---	---	---	13
TOTALS				1	1	1	27

REMOVING ASPHALT

STATION	TO	STATION	LOCATION	SY
1072+35	-	1085+05	IH 41 NB, LT	565
1079+05	-	1091+75	IH 41 SB, RT	565
1081+78	-	1082+29	IH 41 NB, RT	55
1081+82	-	1082+32	IH 41 SB, LT	55
TOTALS				1,130

REMOVING FENCE

STATION	TO	STATION	LOCATION	LF
60+25	-	62+98	CTH CC, RT	375
62+95	-	62+98	CTH CC, LT	75
65+02	-	66+97	CTH CC, RT	255
65+05	-	66+98	CTH CC, LT	290
TOTAL				995

Addendum No. 01
 ID 1130-66-83
 Revised Sheet 93
 February 21, 2024

Addendum No. 01
 ID 1130-66-83
 Revised Sheet 259
 February 21, 2024

BORING #1	DATE COMPLETED	NORTHING (Y)	EASTING (X)
66-CC-01	3/27/2022	37359	83955
DRAWN BY: GEORGE ENGINEERING, INC.			
REPORT COMPLETED BY: GEORGE ENGINEERING, INC.			
ALL COORDINATES REFERENCED TO WCCS NAD 83(93) OUTAGAMIE COUNTY			


BORINGS PERFORMED AND REPORT COMPLETED BY:
 GEORGE ENGINEERING, INC.
 191 W. EDGERTON AVE.
 MILWAUKEE, WI 53207

NOTE:
 B-44-39 BORINGS #1 AND #2 ARE HISTORICAL BORINGS COMPLETED AROUND 1960 PRIOR TO CONSTRUCTION OF THE EXISTING B-44-39 BRIDGE. BORING INFORMATION SHOWN ON THIS DRAWING FOR THESE BORINGS IS REPRODUCED FROM THE ORIGINAL B-44-39 STRUCTURE PLANS.

STATE PROJECT NUMBER
1130-66-83

MATERIAL SYMBOLS

ASPHALT	TOPSOIL	PEAT
CONCRETE	FILL	GRAVEL
SAND	CLAY	SILT
BOULDERS OR COBBLES	LIMESTONE	BEDROCK (UNKNOWN)
SHALE	SANDSTONE	GENEOUS/ META



GROUND WATER ELEVATION

▽ AT TIME OF DRILLING
 ▼ END OF DRILLING
 ▼ AFTER DRILLING

ABBREVIATIONS

F-FINE M-MEDIUM C-COARSE ST-SHELBY TUBE

SUBSURFACE EXPLORATION FOR FOUNDATION DESIGN AND BIDDERS INFORMATION

BORINGS WERE COMPLETED AT POINTS APPROXIMATELY AS SHOWN ON THE ATTACHED PLAN. THE CHARACTER OF SUBSURFACE MATERIALS FOUND AT THE SITE, BECAUSE THE INVESTIGATED DEPTHS ARE LIMITED AND THE AREA OF THE BORINGS IS VERY SMALL, DOES NOT WARRANT THE ASSUMPTION OF SIMILAR SUBSURFACE CONDITIONS BELOW, BETWEEN, OR BEYOND THESE BORINGS. VARIATIONS IN SOIL CONDITIONS AND GROUND WATER LEVELS MAY OCCUR.

ESTHETIC DETAILS

NO. DATE BY



STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION

STRUCTURE B-44-333

DESIGNED BY: ZHC LKCD
 DRAWN BY: RRB

SUBSURFACE EXPLORATION

SHEET 4
259





Proposal Schedule of Items

Proposal ID: 20240312018 Project(s): 1130-66-83

Federal ID(s): WISC 2024318

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	201.0205 Grubbing	9.000 STA	_____.	_____.
0004	203.0100 Removing Small Pipe Culverts	1.000 EACH	_____.	_____.
0006	203.0220 Removing Structure (structure) 01. B-44-39	1.000 EACH	_____.	_____.
0008	203.0330 Debris Containment (structure) 01. B-44-39	1.000 EACH	_____.	_____.
0010	204.0110 Removing Asphaltic Surface	110.000 SY	_____.	_____.
0012	204.0120 Removing Asphaltic Surface Milling	1,130.000 SY	_____.	_____.
0014	204.0157 Removing Concrete Barrier	105.000 LF	_____.	_____.
0016	204.0165 Removing Guardrail	2,250.000 LF	_____.	_____.
0018	204.0170 Removing Fence	995.000 LF	_____.	_____.
0020	204.0190 Removing Surface Drains	2.000 EACH	_____.	_____.
0022	204.0220 Removing Inlets	2.000 EACH	_____.	_____.
0024	204.0245 Removing Storm Sewer (size) 01. 12- Inch	70.000 LF	_____.	_____.
0026	204.9060.S Removing (item description) 01. Cable Barrier Terminal	2.000 EACH	_____.	_____.
0028	204.9090.S Removing (item description) 01. Cable Barrier	5,785.000 LF	_____.	_____.
0030	205.0100 Excavation Common	2,458.000 CY	_____.	_____.



Proposal Schedule of Items

Proposal ID: 20240312018 Project(s): 1130-66-83

Federal ID(s): WISC 2024318

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0276	ASP.1T0A On-the-Job Training Apprentice at \$5.00/HR	2,400.000 HRS	5.00000	12,000.00
0278	ASP.1T0G On-the-Job Training Graduate at \$5.00/HR	2,100.000 HRS	5.00000	10,500.00
0280	SPV.0035 Special 01. High Performance Concrete (HPC) Masonry Structures	466.000 CY	_____.	_____.
0282	SPV.0045 Special 01. Digital Speed Reduction System (DSRS)	300.000 DAY	_____.	_____.
0284	SPV.0060 Special 01. Existing Footing Opening (EFO)	8.000 EACH	_____.	_____.
0286	SPV.0090 Special 01. Fence Chain Link Polymer-Coated 6-Ft. B-44-333	482.000 LF	_____.	_____.
0288	SPV.0165 Special 01. Longitudinal Grooving Bridge Deck	7,434.000 SF	_____.	_____.
0290	SPV.0090 Special 02. Salvage Temporary Precast Concrete Barrier and Crash Cushion Left In Place	220.000 LF	_____.	_____.
Section: 0001			Total:	_____.
			Total Bid:	_____.

