



Wisconsin Department of Transportation

Division of Transportation Systems Development

Bureau of Project Development
4822 Madison Yards Way, 4th Floor South
Madison, WI 53705

March 28, 2024

Telephone: (608) 266-1631
Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #03:	5419-06-70, WISC 2024312	5419-06-73, WISC 2024313
	STH 80 – Richland Center	STH 80 – Richland Center
	CTH OO – Cardinal Crest Road	Cardinal Crest Road – USH 14
	CTH O	CTH O
	Richland County	Richland County

Letting of April 9, 2024

This is Addendum No. 01, which provides for the following:

Special Provisions:

Revised Special Provisions	
Article No.	Description
10	Archaeological Site

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Proposal Total Prior to Addendum	Proposal Quantity Change (-)	Proposal Total After Addendum
311.0115	Breaker Run	CY	4900	-4715	185

Plan Sheets: 5419-06-73

Revised Plan Sheets	
33	Miscellaneous Quantities (Revised Base Aggregate Dense Table)

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist
Proposal Management Section

ADDENDUM NO. 01
5419-06-70, 5419-06-73
March 28, 2024

Special Provisions

10. Archaeological Site.

Replace paragraphs one through six with the following:

The department has identified archaeological sites within the project limits. The sites are located near the following locations:

- 47RI0464 (Brown Knife) site is located approximately Station 551+00 – Station 563+00 LT and RT within the limits shown on the plans.
- Pine Valley Manor Cemetery (BRI-0023) site is located approximately Station 626+00 to Station 627+50 within the limits shown on the plans.
- 47RI0066 (Wally) site is located approximately Station 651+50 – Station 654+50 RT within the limits shown on the plans.

Notify the Bureau of Technical Services – Environmental Process and Document Section (BTS-EPDS) at (608) 266-0099 at least two weeks before commencement of any ground disturbing activities. A qualified archaeologist will need to be on site during construction of this area. Any work beyond shoulder slope/ditch within the boundaries of the cemetery shall be monitored by a qualified archaeologist. The monitor has been assigned to UW-Milwaukee.

Do not use the site for borrow or waste disposal. Do not use the site area not currently capped by asphalt/concrete for the staging of personnel, equipment and/or supplies. Do not use a hydrovac within the site boundaries.

Schedule of Items

Attached, dated March 28, 2024, are the revised Schedule of Items Page 2.

Plan Sheets

The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:
Revised: 33 (5419-06-73)

END OF ADDENDUM

Addendum No. 01
ID 5419-06-73
Revised Sheet 33
March 28, 2024

ASPHALTIC PAVEMENT ITEMS

STATION	LOCATION	TACK COAT GAL	PAVEMENT HMA TON	PAVEMENT 4 LT 58.28 S' TON	COMMENTS
CAT 0030			460.6223	460.6224	
CTH O/OO					
552+00.00 - 574+30.36	LT & RT	500	1091	820	
574+30.36 - 624+00.00	LT & RT	1040	2206	1704	INCLUDES CIRCLE VIEW DRIVE
CTH TB					
70+24.00 - 75+50.00	LT & RT	111	233	181	
CAT 0030 SUBTOTAL					
		1651	3530	2705	
CAT 0010					
CTH O/OO					
624+00.00 - 639+76.00	LT & RT	350	769	570	INCLUDES CIRCLE VIEW DRIVE
640+97.40 - 657+15.00	LT & RT	380	788	616	
CTH OO					
61+47.25	LT & RT	44	95	71	
CAT 0010 SUBTOTAL					
		774	1662	1257	
ITEM TOTALS					
		2425	5192	3962	

*112 LBS/(SYN) USED IN CALCULATIONS

ASPHALTIC SURFACE DRIVEWAYS AND FIELD ENTRANCES

STA	LOCATION	THICKNESS (IN)	TON	FLUMES ASPHALTIC SURFACE DRAINS
CAT 0030				
CTH O/CTH OO				
622+94	RT	3.5	13	
CAT 0030 SUBTOTAL				
			13	
CAT 0010				
CTH O/CTH OO				
654+97	LT	3.5	25	
656+30	RT	3.5	21	
657+04	LT	3.5	3	
657+04	RT	3.5	2	
CAT 0010 SUBTOTAL				
			62	
ITEM TOTAL				
			75	

STATION	LOCATION	SY	CONCRETE SURFACE DRAINS
CAT 0030			
CTH O/CTH OO			
558+00	LT		1
567+30	LT		2
615+00	RT		1
CAT 0030 SUBTOTAL			
			4
CAT 0010			
CTH OO			
63+00	LT		7
CAT 0010 SUBTOTAL			
			7
ITEM TOTALS			
			7

BASE AGGREGATE DENSE

STATION	LOCATION	3/4 INCH TON	1 1/4 INCH TON	3 INCH TON	3/4 INCH WATER RUN CY	COMMENTS
CAT 0030						
CTH O/OO						
552+00.00 - 574+30.36	LT & RT	388	3819	4518	43	
574+30.36 - 624+00.00	LT & RT	866	7703	9310	86	INCLUDES CIRCLE VIEW DRIVE
CTH TB						
70+24.00 - 75+50.00	LT & RT	89	833	1002	9	
DRIVEWAYS						
			165		185	4
565+86	LT	23				
569+79	LT	26				
582+32	RT	53				
587+84	LT	50				
587+91	RT	51				
592+50	RT	46				
600+05	LT	79				
604+60	RT	92				
606+51	RT	24				
607+18	LT	51				
610+76	RT	16				
617+58	LT	29				
621+84	LT	5				
621+84	RT	50				
622+94	RT	24				
74+50	LT	50				CTH TB
74+50	RT	33				CTH TB
CAT 0030 SUBTOTAL						
		2045	12510	14830	185	150
CAT 0010						
CTH O/OO						
624+00.00 - 639+76.00	LT & RT	160	2463	2970	28	
640+97.40 - 657+15.00	LT & RT	273	2693	3336	31	INCLUDES CIRCLE VIEW DRIVE
CTH OO						
61+47.25 - 63+38.85	LT & RT	35	344	404	4	
62+00	RT	55				
DRIVEWAYS						
633+50	LT	53				
650+75	LT	24				
652+12	RT	26				
652+22	LT	49				
653+26	LT	41				
654+67	LT	52				
656+30	RT	24				
656+53	LT	45				
657+04	LT	7				
657+04	RT	6				
CAT 0010 SUBTOTAL						
		850	5500	6710	0	85
ITEM TOTALS						
		2895	18010	21540	185	215



Proposal Schedule of Items

Proposal ID: 20240409003 Project(s): 5419-06-70, 5419-06-73

Federal ID(s): WISC 2024312, WISC 2024313

SECTION: 0001 Contract Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0030	213.0100 Finishing Roadway (project) 02. 5419-06-73	1.000 EACH	_____.	_____.
0032	305.0110 Base Aggregate Dense 3/4-Inch	3,870.000 TON	_____.	_____.
0034	305.0120 Base Aggregate Dense 1 1/4-Inch	26,320.000 TON	_____.	_____.
0036	305.0130 Base Aggregate Dense 3-Inch	30,760.000 TON	_____.	_____.
0038	311.0115 Breaker Run	185.000 CY	_____.	_____.
0040	455.0605 Tack Coat	3,574.000 GAL	_____.	_____.
0042	460.2000 Incentive Density HMA Pavement	8,610.000 DOL	1.00000	8,610.00
0044	460.5223 HMA Pavement 3 LT 58-28 S	7,610.000 TON	_____.	_____.
0046	460.5224 HMA Pavement 4 LT 58-28 S	5,841.000 TON	_____.	_____.
0048	465.0120 Asphaltic Surface Driveways and Field Entrances	108.000 TON	_____.	_____.
0050	465.0315 Asphaltic Flumes	7.000 SY	_____.	_____.
0052	520.1015 Apron Endwalls for Culvert Pipe 15-Inch	2.000 EACH	_____.	_____.
0054	520.1018 Apron Endwalls for Culvert Pipe 18-Inch	40.000 EACH	_____.	_____.
0056	520.1024 Apron Endwalls for Culvert Pipe 24-Inch	28.000 EACH	_____.	_____.
0058	520.3415 Culvert Pipe Class III-A Non-metal 15-Inch	56.000 LF	_____.	_____.